

**218679 (ZCOG61T3H31)**

Magistar Combi TS combi boiler oven with touch screen control, 6x1/1GN, gas, 3 cooking modes (automatic, recipe program, manual), automatic cleaning, boiler in AISI 316L, 3-glass door - LPG

**Main Features**

- 6-point multi sensor core temperature probe for maximum precision and food safety.
- Programs mode: a maximum of 1000 recipes can be stored in the oven's memory, to recreate the exact same recipe at any time. The recipes can be grouped in 16 different categories to better organize the menu. 16-step cooking programs also available.
- Dry, hot convection cycle (25 °C - 300 °C): ideal for low humidity cooking.
- Combination cycle (25 °C - 300 °C): combining convected heat and steam to obtain humidity controlled cooking environment, accelerating the cooking process and reducing weight loss.
- Low temperature Steam cycle (25 °C - 99 °C): ideal for sous-vide, re-thermalization and delicate cooking. Steam cycle (100 °C): seafood and vegetables. High temperature steam (101 °C - 130 °C).
- Built-in steam generator for highly precise humidity and temperature control according to the chosen settings.
- Real humidity control based upon Lambda Sensor to automatically recognize quantity and size of food for consistent quality results.
- Fan with 7 speed levels from 300 to 1500 RPM and reverse rotation for optimal evenness. Fan stops in less than 5 seconds when door is opened.
- Automatic fast cool down and pre-heat function.
- MultiTimer function to manage up to 60 different cooking cycles at the same time, improving flexibility and ensuring excellent cooking results. Can be saved up to 200 MultiTimer programs.
- Automatic mode including 9 food families (meat, poultry, fish, vegetables, pasta/rice, eggs, savory and sweet bakery, bread, dessert) with 100+ different pre-installed variants. Through Automatic Sensing Phase the oven optimizes the cooking process according to size, quantity and type of food loaded to achieve the selected cooking result. Real time overview of the cooking parameters. Possibility to personalize and save up to 70 variants per family.
- Cycles :
  - Regeneration (ideal for banqueting on plate or rethermalizing on tray),
  - Low Temperature Cooking (to minimize weight loss and maximize food quality) Patented US7750272B2 and related family,
  - Proving cycle,
  - EcoDelta cooking, cooking with food probe maintaining preset temperature difference between the core of the food and the cooking chamber,
  - Sous-vide cooking,
  - Static Combi (to reproduce traditional cooking from static oven),
  - Pasteurization of pasta,
  - Dehydration cycle (ideal for drying fruits, vegetables, meats, seafood),
  - Food Safe Control (to automatically monitor safety of cooking process in compliance with HACCP hygienic standards) Patented US6818865B2 and related family,
  - Advanced Food Safe Control (to drive the cooking with pasteurization factor).
- Back-up mode with self-diagnosis is automatically activated if a failure occurs to avoid downtime.
- 6-point multi sensor core temperature probe for maximum precision and food safety (optional accessory).
- Grease Collector: predisposed for integrated grease drain and collection for safer operation (dedicated base as optional accessory).
- AirFlow air distribution system to achieve maximum performance in chilling/heating evenness and temperature control thanks to a special design of the chamber combined with high precision variable speed fan.

- OptiFlow air distribution system to achieve maximum performance in chilling/heating evenness and temperature control thanks to a special design of the chamber.
- Zanussi Professional recommends the use of treated water to guarantee optimal cooking results and extend the life of the appliance. Check local water condition to select the appropriate water filter. More info available on the website.
- Short cleaning cycle: optimized cleaning cycle with a duration of just 33 minutes, improving efficiency and reducing downtime.
- **HP Automatic Cleaning.** The cleaning system includes 4 cleaning cycles plus 1 rinse cycle. Each cleaning cycle can be customized through Eco options, allowing adaptation of operating parameters. Through the available option combinations, the system provides up to 32 different configurations, equivalent to up to 32 selectable cleaning cycles.

## Construction

- Boiler in 316L AISI to protect against corrosion.
- 304 AISI stainless steel construction throughout.
- IPX5 spray water protection certification for easy cleaning.
- Hygienic internal chamber with all rounded corners for easy cleaning.
- Integrated spray gun with automatic retracting system for fast rinsing.
- Triple thermo-glazed door with 2 hinged inside panels for easy cleaning and double LED lights line.
- Front access to control board for easy service.

## User Interface & Data Management

- Pictures upload for full customization of cooking cycles.
- Trainings and guidances supporting materials easily accessible by scanning QR-Code with any mobile device.
- Make-it-mine feature to allow full personalization or locking of the user interface.
- USB port to download HACCP data, share cooking programs and configurations. USB port also allows to plug-in sous-vide probe (optional accessory).
- High resolution full touch screen interface (translated in more than 30 languages) - color-blind friendly panel.
- Automatic consumption visualization at the end of the cycle.
- Calendar works as an agenda where the user can plan the daily work and receive personalized alerts for each task.
- SoloMio lets the user group the favorite functions in the homepage for immediate access.
- Connectivity for remote real time access, easy HACCP management, equipment uptime increase, consumption tracking and energy management (requires optional accessory).



# A focus on sustainability

## Sustainability

- Energy Star 2.0 certified product.
- Reduced power function for customized slow cooking cycles.
- Cooking Optimizer function organizes the cooking sequence of the chosen cycles optimizing the work in the kitchen from a time and energy efficiency point of view.
- Zero Waste provides chefs with useful tips for minimizing food waste. Zero Waste is a library of Automatic recipes that aims to: - give a second life to raw food close to expiration date (e.g., from milk to yogurt) - obtain genuine and tasty dishes from overripe fruit/vegetables (usually considered not appropriate for sale) - promote the use of typically discarded food items (e.g., carrot peels).
- C22 and C25 detergents are formulated without phosphates and phosphorus (C25 is also maleic acid-free), making them safe for both the environment and human health.
- The outer cardboard packaging is made from 70% recycled materials and FSC\*-certified paper, printed with eco-friendly, water-based ink to support sustainability and environmental responsibility. (\*Forest Stewardship Council is the world's leading organization for sustainable forest management).
- Triple-glass door minimize your energy loss.\* \*Approx. -10% of idle energy consumption in convection based on test in compliance with ASTM Standard F2861-20
- Save energy, water, detergent and rinse aid with green functions.
- Automatic and built-in self cleaning system with 4 automatic cycles (short, medium, intensive, rinse) and integrated descale of the steam generator.
- Cooking Optimizer function organizes the cooking sequence of the chosen cycles optimizing the work in the kitchen from a time and energy efficiency point of view.

## Certifications & Recognitions



Product assessed by the manufacturer and deemed to meet EU safety, health, and environmental protection requirements.



International system for mutual acceptance of test reports and certificates concerning the safety of electrical and electronic components, equipment, and products.



Certification for **energy efficiency**, ensuring products meet strict standards for reducing energy consumption, saving money, and helping protect the environment.



Product acceptable for use in a commercial food establishment and meets applicable construction, performance, and material requirements.



Ensures compliance with the quality, safety, and performance requirements for placement in the Dutch market.



UL Verification is an independent, science-based process that validates marketing claims, helping distinguish verified facts from fiction.

# Technical specifications

## Electric

|                 |                      |
|-----------------|----------------------|
| Supply voltage: | 220-240 V/1 ph/50 Hz |
|-----------------|----------------------|

## Gas

|                                  |                   |
|----------------------------------|-------------------|
| Total thermal load:              | 76429 BTU (19 kW) |
| Gas Power:                       | 19 kW             |
| Standard gas delivery:           | LPG, G31          |
| ISO 7/1 gas connection diameter: | 1/2" MNPT         |

## Water:

|                                     |           |
|-------------------------------------|-----------|
| Max inlet water supply temperature: | 30 °C     |
| Chlorides:                          | <17 ppm   |
| Conductivity:                       | >50 µS/cm |
| Drain "D":                          | 50mm      |
| Water inlet "CW" connection:        | 3/4"      |
| Pressure, bar min/max:              | 1-6 bar   |

## Capacity:

|                    |            |
|--------------------|------------|
| Trays type:        | 6 - GN 1/1 |
| Max load capacity: | 30 kg      |


## Key Information:

|                              |         |
|------------------------------|---------|
| External dimensions, Width:  | 867 mm  |
| External dimensions, Depth:  | 775 mm  |
| Weight:                      | 135 kg  |
| External dimensions, Height: | 808 mm  |
| Net weight:                  | 135 kg  |
| Shipping weight (gross):     | 152 kg  |
| Shipping volume:             | 0.89 m³ |




# Installation drawings


Front



Side



Top



CWI1 = Cold Water inlet 1 (cleaning)

G = Gas connection

DO = Overflow drain pipe

D = Drain

EI = Electrical inlet (power)

# Accessories

## Included Accessories

| PNC Code | Description                                                                                        | Quantity |
|----------|----------------------------------------------------------------------------------------------------|----------|
| 922706   | Chimney adaptor needed in case of conversion of 6 GN 1/1 or 6 GN 2/1 ovens from natural gas to LPG | 1        |

## Optional Accessories

| PNC Code | Description |
|----------|-------------|
|----------|-------------|

### Bases & base accessories

|        |                                                                                                          |
|--------|----------------------------------------------------------------------------------------------------------|
| 922382 | Tray support for 6 & 10 GN 1/1 disassembled open base                                                    |
| 922612 | Open base with tray support for 6 & 10 GN 1/1 oven                                                       |
| 922614 | Cupboard base with tray support for 6 & 10 GN 1/1 oven                                                   |
| 922615 | Hot cupboard base with tray support for 6 & 10 GN 1/1 oven holding GN 1/1 or 400x600mm                   |
| 922653 | Open base for 6 & 10 GN 1/1 oven, disassembled - NO accessory can be fitted with the exception of 922382 |
| 922690 | Tray support for 6 & 10 GN 1/1 oven base                                                                 |
| 922702 | Bakery/pastry runners 400x600mm for 6 & 10 GN 1/1 oven base                                              |

### Cleaning solutions

|        |                                                            |
|--------|------------------------------------------------------------|
| 922386 | Wall mounted detergent tank holder                         |
| 922618 | External connection kit for liquid detergent and rinse aid |
| 922699 | Detergent tank holder for open base                        |

### Connectivity

|        |                                                                                                                                                                                         |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 922421 | IoT module for OnE Connected (combi ovens, blast chiller/freezers, rack type DW) and Match (one IoT board per appliance - to connect oven to the blast chiller for Cook&Chill process). |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### Containers, trays and grids

|        |                                                                                       |
|--------|---------------------------------------------------------------------------------------|
| 922017 | Pair of AISI 304 stainless steel grids, GN 1/1                                        |
| 922036 | Pair of grids for whole chicken (8 per grid - 1,2kg each), GN 1/1                     |
| 922062 | AISI 304 stainless steel grid, GN 1/1                                                 |
| 922086 | Grid for whole chicken (4 per grid - 1,2kg each), GN 1/2                              |
| 922189 | Baking tray for 5 baguettes in perforated aluminum with silicon coating, 400x600x38mm |
| 922190 | Baking tray with 4 edges in perforated aluminum, 400x600x20mm                         |
| 922191 | Baking tray with 4 edges in aluminum, 400x600x20mm                                    |
| 922239 | Pair of frying baskets                                                                |
| 922264 | AISI 304 stainless steel bakery/pastry grid 400x600mm                                 |
| 922266 | Grid for whole chicken (8 per grid - 1,2kg each), GN 1/1                              |
| 922324 | Kit universal skewer rack and 4 long skewers for GN 1/1 ovens                         |
| 922348 | Multipurpose hook                                                                     |
| 922362 | Grid for whole duck (8 per grid - 1,8kg each), GN 1/1                                 |
| 922651 | Dehydration tray, GN 1/1, H=20mm                                                      |
| 922652 | Flat dehydration tray, GN 1/1                                                         |
| 922713 | Mesh grilling grid, GN 1/1                                                            |
| 922746 | Tray for traditional static cooking, H=100mm                                          |
| 922747 | Double-face griddle, one side ribbed and one side smooth, 400x600mm                   |



# Accessories

| PNC Code                           | Description                                                                                                                     |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <b>Containers, trays and grids</b> |                                                                                                                                 |
| 925000                             | Non-stick universal pan, GN 1/1, H=20mm                                                                                         |
| 925001                             | Non-stick universal pan, GN 1/ 1, H=40mm                                                                                        |
| 925002                             | Non-stick universal pan, GN 1/1, H=60mm                                                                                         |
| 925003                             | Double-face griddle, one side ribbed and one side smooth, GN 1/1                                                                |
| 925004                             | Aluminum grill, GN 1/1                                                                                                          |
| 925005                             | Frying pan for 8 eggs, pancakes, hamburgers, GN 1/1                                                                             |
| 925006                             | Flat baking tray with 2 edges, GN 1/1                                                                                           |
| 925007                             | Baking tray for 4 baguettes, GN 1/1                                                                                             |
| 925008                             | Potato baker for 28 potatoes, GN 1/1                                                                                            |
| 925009                             | Non-stick universal pan, GN 1/2, H=20mm                                                                                         |
| 925010                             | Non-stick universal pan, GN 1/2, H=40mm                                                                                         |
| 925011                             | Non-stick universal pan, GN 1/2, H=60mm                                                                                         |
| 925012                             | Kit of 6 non-stick universal pans, GN 1/1, H=20mm                                                                               |
| 925013                             | Kit of 6 non-stick universal pans, GN 1/1, H=40mm                                                                               |
| 925014                             | Kit of 6 non-stick universal pan GN 1/1, H=60mm                                                                                 |
| <b>Doors and drawers</b>           |                                                                                                                                 |
| 922265                             | Double-step door opening kit                                                                                                    |
| <b>Drains</b>                      |                                                                                                                                 |
| 922636                             | Stainless steel drain kit for 6 & 10 GN oven, dia=50mm                                                                          |
| 922637                             | Plastic drain kit for 6 & 10 GN oven, dia=50mm                                                                                  |
| <b>Feet, wheels and ramps</b>      |                                                                                                                                 |
| 922003                             | Wheel kit for 6 & 10 GN 1/1 and 2/1 GN oven base (not for the disassembled one)                                                 |
| 922351                             | 4 flanged feet for 6 & 10 GN , 2", 100-130mm                                                                                    |
| 922394                             | 4 SERVICE FEET FOR 6&10 GN OVENS, 100MM - MARINE                                                                                |
| 922688                             | 4 high adjustable feet for 6 & 10 GN ovens, 100-115MM                                                                           |
| 922745                             | 4 high adjustable feet for 6 & 10 GN ovens, 230-290mm                                                                           |
| <b>Food probes</b>                 |                                                                                                                                 |
| 922281                             | USB probe for sous-vide cooking                                                                                                 |
| 922390                             | USB single point probe                                                                                                          |
| 922714                             | Probe holder for liquids                                                                                                        |
| <b>Grease/oil management</b>       |                                                                                                                                 |
| 922321                             | Grease collection tray, GN 1/1, H=100 mm                                                                                        |
| 922329                             | Grease collection tray, GN 1/1, H=40 mm                                                                                         |
| 922752                             | Trolley for grease collection kit                                                                                               |
| <b>Handling - bakery</b>           |                                                                                                                                 |
| 922607                             | Bakery/pastry tray rack with wheels holding 400x600mm grids for 6 GN 1/1 oven and blast chiller freezer, 80mm pitch (5 runners) |
| 922655                             | Bakery/pastry rack kit for 6 GN 1/1 oven with 5 racks 400x600mm and 80mm pitch                                                  |

# Accessories

| PNC Code                       | Description                                                                                                                                     |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Handling - gastronorm</b>   |                                                                                                                                                 |
| 922600                         | Tray rack with wheels, 6 GN 1/1, 65mm pitch                                                                                                     |
| 922606                         | Tray rack with wheels 5 GN 1/1, 80mm pitch                                                                                                      |
| 922626                         | Trolley for slide-in rack for 6 & 10 GN 1/1 oven and blast chiller freezer                                                                      |
| <b>Handling - multipurpose</b> |                                                                                                                                                 |
| 922684                         | Fixed tray rack for 6 GN 1/1 and 400x600mm grids                                                                                                |
| <b>Installation solutions</b>  |                                                                                                                                                 |
| 922660                         | Heat shield for stacked ovens 6 GN 1/1 on 6 GN 1/1                                                                                              |
| 922661                         | Heat shield for stacked ovens 6 GN 1/1 on 10 GN 1/1                                                                                             |
| 922662                         | Heat shield for 6 GN 1/1 oven                                                                                                                   |
| 922670                         | Kit to convert from natural gas to LPG                                                                                                          |
| 922671                         | Kit to convert from LPG to natural gas                                                                                                          |
| 922706                         | Chimney adaptor needed in case of conversion of 6 GN 1/1 or 6 GN 2/1 ovens from natural gas to LPG                                              |
| <b>Other accessories</b>       |                                                                                                                                                 |
| 922338                         | Smoker for lengthwise and crosswise oven                                                                                                        |
| <b>Slide-in supports</b>       |                                                                                                                                                 |
| 922610                         | Slide-in rack with handle for 6 & 10 GN 1/1 oven                                                                                                |
| <b>Spray units</b>             |                                                                                                                                                 |
| 922171                         | External side spray unit (needs to be mounted outside and includes support to be mounted on the oven)                                           |
| <b>Stacking kits</b>           |                                                                                                                                                 |
| 922436                         | Riser on feet (h=250mm) for 2x6 GN 1/1 ovens or a 6 GN 1/1 oven on base                                                                         |
| 922622                         | Stacking kit for 6 GN 1/1 oven placed on gas 6 GN 1/1 oven                                                                                      |
| 922623                         | Stacking kit for 6 GN 1/1 oven placed on gas 10 GN 1/1 oven                                                                                     |
| 922630                         | Trolley for mobile rack for 6 GN 1/1 on 6 or 10 GN 1/1 ovens                                                                                    |
| 922632                         | Riser on feet for 2 6 GN 1/1 ovens or a 6 GN 1/1 oven on base                                                                                   |
| 922635                         | Riser on wheels for stacked 2x6 GN 1/1 ovens, height 250mm                                                                                      |
| 922657                         | Stacking kit for 6 GN 1/1 combi or convection oven on 15&25kg blast chiller/freezer crosswise                                                   |
| 922704                         | Wheels for stacked ovens                                                                                                                        |
| <b>Ventilation</b>             |                                                                                                                                                 |
| 922440                         | Steam optimizer                                                                                                                                 |
| 922678                         | Flue condenser for gas oven                                                                                                                     |
| 922728                         | Exhaust hood with fan for 6 & 10 GN 1/1 ovens                                                                                                   |
| 922732                         | Exhaust hood with fan for stacking 6+6 or 6+10 GN 1/1 ovens                                                                                     |
| 922733                         | Exhaust hood without fan for 6&10 1/1GN ovens                                                                                                   |
| 922737                         | Exhaust hood without fan for stacking 6+6 or 6+10 GN 1/1 ovens                                                                                  |
| 922751                         | Hood Hopper to directly connect the Hood to the centralized ventilation system, for Standard Hoods (with fan motor) and Hoods without fan motor |
| 922776                         | Extension for condensation tube, 37cm                                                                                                           |

# Accessories

| PNC Code                  | Description                                                                                              |
|---------------------------|----------------------------------------------------------------------------------------------------------|
| <b>Wall mounting kits</b> |                                                                                                          |
| 922643                    | Wall support for 6 GN 1/1 oven                                                                           |
| 922687                    | Kit to fix oven to the wall                                                                              |
| <b>Water treatment</b>    |                                                                                                          |
| 864388                    | External reverse osmosis filter for single tank Dishwashers with atmosphere boiler and Ovens             |
| 920004                    | Water filter with cartridge and flow meter for low steam usage (less than 2 hours of full steam per day) |
| 920005                    | Water filter with cartridge and flow meter for medium steam usage                                        |
| <b>Other accessories</b>  |                                                                                                          |
| 922326                    | Universal skewer rack                                                                                    |
| 922327                    | 4 long skewers                                                                                           |
| 922435                    | Connectivity router (WiFi and LAN)                                                                       |
| 922448                    | Baking tray with 4 edges in perforated aluminum, coated surface, 400x600x20mm                            |
| 922449                    | Baking tray with 4 edges in aluminum, coated surface, 400x600x20mm                                       |
| 922451                    | Grease collection kit for GN 1/1-2/1 open base (2 tanks, open/close device for drain)                    |
| 922452                    | Grease collection kit for ovens GN 1/1 & 2/1 (2 plastic tanks, connection valve with pipe for drain)     |
| 922453                    | Grease collection kit for stacked ovens 6 GN on 6 GN 1/1 - 2/1, with riser                               |
| 922773                    | Water inlet pressure reducer                                                                             |

