

Pallis
PROFESSIONAL

ELECTROLUX


REFRIGERATION



Cerniere	69	Adhesive Gasket	179	Boîtes à bornes	10	Ablaufeinheiten	50
Chiusure	84	Bearings	83	Charnières	69	Dichtung klebend	179
Componenti di scarico	50	Compressors	144	Composant structuraux	58	Druckschalter	11
Componenti strutturali	58	Condensators	133	Composants de vidange	50	Expansionsventile	138
Compressori	144	Contactors and Relays	7	Composants mécaniques	80	Feder	86
Condensatori	133	Curtains	49	Compresseurs	144	Filter	57
Contattori e Relè	7	Dehydrator filters	124	Condensateurs	133	Filtertrockner	124
Cuscinetti	83	Doors	64	Contacteurs et Relais	7	Fühler	114
Evaporatori	125	Drain components	50	Coussinets	83	Füße	182
Filtri	57	Evaporator	125	Echangeurs	150	Gitter und Regal	180
Filtri deidratore	124	Expansion valves	138	Evaporateurs	125	Glasscheiben	85
Fusibili, Condensatori, Filtri RFI	29	Fans	14	Fermetures	84	Griffe	66
Griglie e Ripiani	180	Feet	182	Filtres	57	Heizkörper	31
Guarnizioni Adesive	179	Filters	57	Filtres déshydrateur	124	Schubladendichtung	154
Guarnizione magnetiche	154	Fuses, Capacitors, RFI Filters	29	Fusibles, Condensateurs, Filtres RFI	29	Knebel	84
Guide - Cremagliere	87	Glasses	85	Grilles	180	Kompressor	144
Interruttori, Pulsanti, Selettori	1	Grids and Shelves	180	Interrupteurs, Boutons, Sélecteurs	1	Kondensator	133
Lampade e Portalampade	5	Handles	66	Joints Adhésifs	179	Kugellager	83
Maniglie	66	Heat exchangers	150	Joint magnétique	154	Lampen und Halter	5
Manopole	84	Heating Elements	31	Lampes et Carters de Lampe	5	Lüfter	14
Membrane comandi	102	Hinges	69	Manettes	84	Mechanische Kleinteile	80
Microinterruttori	9	Hoses	49	Membranes	102	Membran -Befehle	102
Minuterie meccaniche	80	Knobs	84	Microinterrupteurs	9	Mikroschalter	9
Molle	86	Lamps and Lamp Holders	5	Pieds	182	Platinen	97
Morsettiere	10	Lockings	84	Platines	97	Schalter, Taster, Wahlschalter	1
Piedini	182	Membranes	102	Poignées	66	Scharniere	69
Porte	64	Microswitches	9	Portes	64	Schienen - Stellschienenträger	87
Pressostati	11	Pressure Switches	11	Pressostats	11	Schläuche	49
Resistenze	31	Printed Circuit Boards	97	Programmateurs	12	Schütze und Relais	7
Scambiatori	150	Probes	114	Rails et Montures de grille	87	Sicherungen, Kondensatoren und Entstörfi	29
Schede elettroniche	97	Magnetic gasket	154	Résistances	31	Strukturkomponente	58
Sonde	114	Slide Ways - Shelf Supports	87	Ressort	86	Temperaturregler	106
Tendine	49	Small Mechanical Parts	80	Rideaux	49	Terminal	10
Termometri	79	Springs	86	Sondes	114	Termomether	79
Termoregolatori	106	Structural components	58	Termoregulateurs	106	Thermostate	41
Termostati	41	Switches, Push Buttons, Selectors	1	Thermomètres	79	Timer	12
Timer	12	Terminal Boards	10	Thermostats	41	Transformer	40
Trasformatori	40	Thermometers	79	Transformateurs	40	Türen	64
Tubi	49	Thermoregulators	106	Tuyaux	49	Verdampfer	125
Valvole espansione Ventilatori	138	Thermostats	41	Vannes a espansion	138	Verschlüsse	84
Vetri	14	Timers	12	Ventilateurs	14	Vorhang	49
	85	Transformers	40	Vitres	85	Wärmetauscher	150



<p>Interruttori, Pulsanti, Selettori Switches, Push Buttons, Selectors Interrupteurs, Boutons, Sélecteurs Schalter, Taster, Wahlschalter</p>	<p>1</p>	
<p>Lampade e Portalampade Lamps and Lamp Holders Lampes et Carters de Lampe Lampen und Halter</p>	<p>5</p>	
<p>Contattori e Relè Contactors and Relays Contacteurs et Relais Schütze und Relais</p>	<p>7</p>	
<p>Microinterruttori Microswitches Microinterrupteurs Mikroschalter</p>	<p>9</p>	
<p>Morsettiere Terminal Boards Boites à bornes Terminal</p>	<p>10</p>	
<p>Pressostati Pressure Switches Pressostats Druckschalter</p>	<p>11</p>	
<p>Timer Timers Programmateurs Timer</p>	<p>12</p>	
<p>Ventilatori Fans Ventilateurs Lüfter</p>	<p>14</p>	
<p>Fusibili, Condensatori, Filtri RFI Fuses, Capacitors, RFI Filters Fusibles, Condensateurs, Filtres RFI Sicherungen, Kondensatoren und Entstörfi</p>	<p>29</p>	
<p>Resistenze Heating Elements Résistances Heizkörper</p>	<p>31</p>	



Componenti elettrici
Electrical Parts
Composants Electriques
Elektrokomponenten







<p>Trasformatori Transformers Transformateurs Transformer</p>	<p>40</p>	
<p>Termostati Thermostats Thermostats Thermostate</p>	<p>41</p>	
























Componenti acqua
Water Parts
Composants Eau
Wassertechnik



<p>Tendine Curtains Rideaux Vorhang</p>	<p>49</p>	
<p>Tubi Hoses Tuyaux Schläuche</p>	<p>49</p>	
<p>Componenti di scarico Drain components Composants de vidange Ablaufeinheiten</p>	<p>50</p>	
<p>Filtri Filters Filtres Filter</p>	<p>57</p>	



Componenti meccanici
Mechanical Parts
Composants Mécaniques
Mechanikkomponenten

Componenti strutturali Structural components Composant structuraux Strukturkomponente	58	 
Porte Doors Portes Türen	64	 
Maniglie Handles Poignées Griffe	66	 
Cerniere Hinges Charnières Scharniere	69	  
Termometri Thermometers Thermomètres Termometer	79	 
Minuterie meccanica Small Mechanical Parts Composants mécaniques Mechanische Kleinteile	80	 
Cuscinetti Bearings Coussinets Kugellager	83	 
Chiusure Lockings Fermetures Verschlüsse	84	 
Manopole Knobs Manettes Knebel	84	 
Vetri Glasses Vitres Glasscheiben	85	 





<p>Molle Springs Ressort Feder</p>	<p>86</p>			
<p>Guide - Cremagliere Slide Ways - Shelf Supports Rails et Montures de grille Schienen - Stellschienenträger</p>	<p>87</p>			



Componenti elettronici
Electronic Parts
 Composants électroniques
Elektronikkomponenten

<p>Schede elettroniche Printed Circuit Boards Platines Platinen</p>	<p>97</p>			
<p>Membrane comandi Membranes Membranes Membran -Befehle</p>	<p>102</p>			
<p>Termoregolatori Thermoregulators Termoregulateurs Temperaturregler</p>	<p>106</p>			
<p>Sonde Probes Sondes Fühler</p>	<p>114</p>			



<p>Filtri deidratore Dehydrator filters Filtres déshydrateur Filtertrockner</p>	<p>124</p>	
<p>Evaporatori Evaporator Evaporateurs Verdampfer</p>	<p>125</p>	
<p>Condensatori Condensators Condensateurs Kondensator</p>	<p>133</p>	
<p>Valvole espansione Expansion valves Vannes a espansion Expansionsventile</p>	<p>138</p>	
<p>Compressori Compressors Compresseurs Kompressor</p>	<p>144</p>	
<p>Scambiatori Heat exchangers Echangeurs Wärmetauscher</p>	<p>150</p>	
<div style="display: flex; align-items: center;">  <div> <p>Guarnizioni Gaskets Joints Dichtungen</p> </div> <div style="margin-left: auto; text-align: right;">  </div> </div>		
<p>Guarnizione magnetiche Magnetic gaskets Magnétique joints Schubladdichtung</p>	<p>154</p>	
<p>Guarnizioni Adesive Adhesive Gasket Joints Adhésifs Dichtung klebend</p>	<p>179</p>	



Griglie e Ripiani
Grids and Shelves
Grilles
Gitter und Regal

180



Piedini
Feet
Pieds
Füße

182






Interruttori, Pulsanti, Selettori
Switches, Push Buttons, Selectors

Interrupteurs, Boutons, Sélecteurs
Schalter, Taster, Wahlschalter

435088



Pulsante bipolare luminoso bianco 22x30 mm; 0-I
16(6)A 250V - Tmax 120°C - faston 6,35x0,8 mm

Bouton bipolaire lumineux blanc 22x30; 0-I
16(6)A 250V - Tmax 120°C - faston 6,35x0,8 mm

White double-pole backlit button 22x30 mm; 0-I
16(6)A 250V - Tmax 120°C - faston 6,35x0,8 mm

Wippschalter beleuchtet weiß 22x30 mm; 0-I
16(6)A 250V - Tmax 120°C - faston 6,35x0,8 mm

Zanussi, Electrolux 081679 - 082390 -

343636



Pulsante bipolare luminoso bianco 22x30 mm
16(4)A 250V Tmax 120°C - faston 6,35x0,8 mm

Bouton bipolaire lumineux blanc 22x30 mm
16(6)A 250V - Tmax 120°C - faston 6,35x0,8 mm

White double-pole backlit button 22x30 mm
16(4)A 250V - Tmax 120°C - faston 6,35x0,8 mm

Wippschalter beleuchtet weiß 22x30 mm
16(4)A 250V Tmax 120°C - faston 6,35x0,8 mm

Zanussi, Electrolux 085148 -

410122



Pulsante bipolare luminoso verde 25x25 mm; 0-I
16(6)A 250V - T max 120°C

Bouton bipolaire lumineux vert 25x25 mm; 0-I
16(6)A 250V - Tmax 120°C

Green double-pole backlit button 25x25 mm; 0-I
16(6)A 250V - Tmax 120°C

Wippschalter beleuchtet grün 25x25 mm; 0-I
16(6)A 250V - Tmax 120°C

Zanussi, Electrolux 085987 - 089175 - 099274 -

410042



Pulsante bipolare luminoso bianco 25x25 mm; I-II
16(6)A 250V - T max 120°C


Bouton bipolaire lumineux blanc 25x25 mm; I-II
16(6)A 250V - T max 120°C

White double-pole backlit button 25x25 mm; I-II
16(6)A 250V - T max 120°C

Wippschalter beleuchtet weiß 25x25 mm; I-II
16(6)A 250V - T max 120°C

Zanussi, Electrolux 085977 -

316579



Pulsante bipolare bianco 25x25 mm; I-II
16(6)A 250V

Bouton bipolaire blanc 25x25 mm; I-II
16(6)A 250V

White double-pole 25x25 mm; I-II
16(6)A 250V

Wippschalter weiß 25x25 mm; I-II
16(6)A 250V

Zanussi, Electrolux 092396 -



Interruttori, Pulsanti, Selettori
Switches, Push Buttons, Selectors

Interrupteurs, Boutons, Sélecteurs
Schalter, Taster, Wahlschalter

532958



Pulsante bipolare luminoso bianco 25x25 mm; I-II
16(6)A 250V - T max 120°C

Bouton bipolaire lumineux blanc 25x25 mm; I-II
16(6)A 250V - T max 120°C

White double-pole backlit button 25x25 mm; I-II
16(6)A 250V - T max 120°C

Wippschalter beleuchtet weiß 25x25 mm; I-II
16(6)A 250V - T max 120°C

Zanussi, Electrolux 099275 -

435280



Pulsante bipolare verde 25x25 mm; 0-I
16A 250V


Bouton bipolaire vert 25x25 mm; 0-I
16A 250V

Green double-pole 25x25 mm; 0-I
16A 250V

Wippschalter grün 25x25 mm; 0-I
16A 250V

Zanussi, Electrolux 087655 -

435128



Pulsante a pressione verde Ø 25 mm
16(6)A 250V - terminali 6,35x0,8 mm - flangia 28x28 mm

Bouton poussoir vert Ø 25 mm
16(6)A 250V - terminals 6,35x0,8 mm - bride 28x28 mm

Momentary push switch green Ø 25 mm
16(6)A 250V - terminals 6,35x0,8 mm - flange 28x28 mm

Drucktaster grün Ø 25 mm
16(6)A 250V - Anschluss 6,35x0,8 mm - Flancsh 28x28 mm

Zanussi, Electrolux 082337 -

435192



Pulsante unipolare 10A 250V - ROLD
Tmax 10°C serie CM - faston 6,35x0,8

Bouton unipolaire 10A 250V - ROLD
Tmax 10°C serie CM - faston 6,35x0,8

Unipolar switch 10A 250V - ROLD
Tmax 10°C serie CM - faston 6,35x0,8

Druckschalter 10A 250V - ROLD
Tmax 10°C serie CM - faston 6,35x0,8

Zanussi, Electrolux 0A8274 -

437602



Pulsante 16A 250V - ROLD

Interrupteur 16A 250V - ROLD

Switch 16A 250V - ROLD

Schalter 16A 250V - ROLD

Zanussi, Electrolux 0A8266 -



Interruttori, Pulsanti, Selettori
Switches, Push Buttons, Selectors

Interrupteurs, Boutons, Sélecteurs
Schalter, Taster, Wahlschalter

439460



Corpo pulsante 28,5x77,5 mm - ROLD
serie Domino-SQ

Support de l'interrupteur 28,5x77,5 mm - ROLD
serie Domino-SQ

Switch holder 28,5x77,5 mm - ROLD
serie Domino-SQ

Schalterhalter 28,5x77,5 mm - ROLD
serie Domino-SQ

Zanussi, Electrolux 083048 -

523032



Corpo pulsante - ROLD

Support de l'interrupteur - ROLD

Switch holder - ROLD

Schalterhalter - ROLD

Zanussi, Electrolux 083050 -

435053



Tasto nero 23x23 mm "0-1" - ROLD
serie Domino-SQ

Noir bouton-poussoir 23x23 mm "0-1" - ROLD
Model Domino-SQ

Balck push button 23x23 mm "0-1" - ROLD
Domino-SQ model

Schwarz drucktaste 23x23 mm "0-1" - ROLD
serie Domino-SQ

Zanussi, Electrolux 0A8691 -

520068



Tasto nero 23x23 mm - "ventilazione"
serie Domino-SQ


Noir bouton-poussoir 23x23 mm - "ventilation"
Model Domino-SQ

Balck push button 23x23 mm - "ventilation"
Domino-SQ model

Schwarz drucktaste 23x23 mm - "Lüftung"
serie Domino-SQ

Zanussi, Electrolux 0A8747 -

523033



Tasto nero cieco 23x23 mm
serie Domino-SQ

Noir bouton-poussoir 23x23 mm
Model Domino-SQ

Balck push button 23x23 mm
Domino-SQ model

Schwarz drucktaste 23x23 mm
serie Domino-SQ

Zanussi, Electrolux 083049 -



Interruttori, Pulsanti, Selettori
Switches, Push Buttons, Selectors

Interrupteurs, Boutons, Sélecteurs
Schalter, Taster, Wahlschalter


325404

Tasto verde 19x25x18 mm - serigrafato

Green push button 19x25x18 mm - serigraphy

Vert button-poussoir 19x25x18 mm - sérigraphies

Grün drucktaste 19x25x18 mm - Serigraphie



Zanussi, Electrolux 092022 - 0A9546 -

441332

Tasto nero 29,5x18,5 mm - "0-1"
serie Domino-SR

Black push button 29,5x18,5 mm - "0-1"
Domino-SR model

Noir button-poussoir 29,5x18,5 mm - "0-1"
Model Domino-SR

Schwarz drucktaste 29,5x18,5 mm - "0-1"
serie Domino-SR



Zanussi, Electrolux 083200 -

343727

Tasto nero 30x19x20 mm - serigrafato
con foro

Black push button 30x19x20 mm - serigraphy
with hole

Noir button-poussoir 30x19x20 mm - sérigraphies
avec trou

Schwarz drucktaste 30x19x20 mm - Serigraphie
mit bohrung



Zanussi, Electrolux 083223 -

322619

Tasto verde Ø 23 mm

Green push button Ø 23 mm

Vert button-poussoir Ø 23 mm

Grün drucktaste Ø 23 mm



Zanussi, Electrolux 049091 -

441001

Camma nero/rosso - ROLD
Ø 17x16,6 mm - serie Domino SR

Cam black/red - ROLD
Ø 17x16,6 mm - Domino-SR model

Camme noir/rouge - ROLD
Ø 17x16,6 mm - Model Domino-SR

Nocken schwarz/rot
Ø 17x16,6 mm - serie Domino SR



Zanussi, Electrolux 0A8272 -



Interruttori, Pulsanti, Selettori
Switches, Push Buttons, Selectors

Interrupteurs, Boutons, Sélecteurs
Schalter, Taster, Wahlschalter

441162

Camma nero/rosso - ROLD
serie Domino SR

Camme noir/rouge - ROLD
Model Domino-SR

Cam black/red - ROLD
Domino-SR model

Nocken schwarz/rot - ROLD
serie Domino SR

Zanussi, Electrolux 087253 -

441279

Tasto nero 23x23 mm
per manopolina termostato

Noir button-poussoir 23x23 mm
pour manette thermostat

Black push button 23x23 mm
for thermostat knob

Schwarz drucktaste 23x23 mm
für thermostat knebel

Zanussi, Electrolux 082919 -

Lampade e Portalampe
Lamps and Lamp Holders

Lampes et Carters de Lampe
Lampen und Halter

349073

Starter 4-65W 220/240V
Ø 21x34,5 mm

Starter 4-65W 220/240V
Ø 21x34,5 mm

Starter 4-65W 220/240V
Ø 21x34,5 mm

Starter 4-65W 220/240V
Ø 21x34,5 mm

Zanussi, Electrolux 031523 - 0A9199 -

615207

Lampada neon 15W Ø 25.7x435 mm

Lampe au néon 15W Ø 25.7x435 mm

Neon lamp 15W Ø 25.7x435 mm

Neonlampe 15W Ø 25.7x435 mm

Zanussi, Electrolux 091020 -

435870

Lampada neon 36W L=1200 mm

Lampe au néon 36W L=1200mm

Neon lamp 36W L=1200mm

Neonlampe 36W L=1200 mm

Zanussi, Electrolux 081890 -



Lampade e Portalampade
Lamps and Lamp Holders

Lampes et Carters de Lampe
Lampen und Halter

439041

Supporto lampada

Holder for lamp

Support lampe

Lampenhalter



Zanussi, Electrolux 0A8268 -

523291

Portalampada

Lamp holder

Carter de lampe

Lampenfassung



Zanussi, Electrolux 082326 - 094826 -

441345

Boccola per portalampada M10 (kit)

L=15 mm; dado CH14, M9; tubo Ø 4x6x150 mm

Bush for lamp holder M10 (kit)

L=15 mm; nut CH14, M9; hose Ø 4x6x150 mm

Bague pour Support lampe M10 (kit)

L=15 mm; ecroe CH14, M9; tuyau Ø 4x6x150 mm

Buchse für Lampenfassung M10 (kit)

L=15 mm; mutter CH14, M9; Schlauch Ø 4x6x150 mm



Zanussi, Electrolux 082050 - 094446 -


441382

Vetro per lampada 102x65 mm

Lamp glass 102x65 mm

Verre de lampe 102x65 mm

Lampenglas 102x65 mm



Zanussi, Electrolux 081697 -

615211

Vetro per lampada 1328x80 mm

Lamp glass 1328x80 mm

Verre de lampe 1328x80 mm

Lampenglas 1328x80 mm



Zanussi, Electrolux 091024 -



Lampade e Portalampade
Lamps and Lamp Holders

Lampes et Carters de Lampe
Lampen und Halter

519393

Vetro per lampada L=1375 mm

Lamp glass L=1375 mm

Verre de lampe L=1375 mm

Lampenglas L=1375 mm

Zanussi, Electrolux 0A9666 -

Contattori e Relè
Contactors and Relays

Contacteurs et Relais
Schütze und Relais

343026

Contattore

4kW 3P; 230V 50/60Hz 400V - cont. 3 NC + 1 aux NC

Contactor

4kW 3P; 230V 50/60Hz 400V - cont. 3 NC + 1 aux NC

Contacteur

4kW 3P; 230V 50/60Hz 400V - cont. 3 NC + 1 aux NC

Schütz

4kW 3P; 230V 50/60Hz 400V - cont. 3 NC + 1 aux NC

Zanussi, Electrolux 085738 -

435165

Mini contattore K1-09D10 230V

4kW 3P; 220-230V 50Hz 240V 60Hz - 3 cont. NO + 1 aux NO - dim. 49x45x57,5 mm

Mini Contactor K1-09D10 230V

4kW 3P; 220-230V 50Hz 240V 60Hz - 3 cont. NO + 1 aux NO - dim. 49x45x57,5 mm

Mini Contacteur K1-09D10 230V

4kW 3P; 220-230V 50Hz 240V 60Hz - 3 cont. NO + 1 aux NO - dim. 49x45x57,5 mm

Mini Schütz K1-09D10 230V

4kW 3P; 220-230V 50Hz 240V 60Hz - 3 cont NO + 1 aux NO - dim. 49x45x57,5 mm

Zanussi, Electrolux 088557 - 0G3401 - 0G3801 - 0KD883 -

435289

Relé termico MS116

4-6,3A

Overload relay MS116

4-6,3A

Relais thermique MS116

4-6,3A

Ralais thermisch MS116

4-6,3A

Zanussi, Electrolux 083472 - 091705 -

438457

Relé 25A 200-240V

Relay 25A 200-240V

Relais 25A 200-240V

Relais 25A 200-240V

Zanussi, Electrolux 088267 -



Contattori e Relè
Contactors and Relays

Contacteurs et Relais
Schütze und Relais

435850

Relè 35A 400V

Relay 35A 400V



Relais 35A 400V

Relais 35A 400V

Zanussi, Electrolux 084280 -

330996

Relè

faston 6.3x0.8 mm

Relais

faston 6.3x0.8 mm



Relais

faston 6.3x0.8 mm

Relais

faston 6.3x0.8 mm

Zanussi, Electrolux 083997 -

331054

Relè

Relay

Relais

Relais



Zanussi, Electrolux 087386 -

436108

Relé 2 contatti 16A 230V

Relay 2 contacts 16A 230V

Relais 2 contacts 16A 230V

Relais 2 contact 16A 230V



Zanussi, Electrolux 085856 -

436148

Relé 2 contatti 230V 16A

Relay 2 contacts 230V 16A

faston 6,3x0,8 mm

faston 6,3x0,8 mm

Relais 2 contacts 230V 16A

Relais 2 contact 230V 16A

cosses 6,3x0,8 mm

faston 6,3x0,8 mm



Zanussi, Electrolux 0A9596 -



Contattori e Relè
Contactors and Relays

Contacteurs et Relais
Schütze und Relais

436151



Relè a 3 contatti 16A 230V
faston 6,3x0,8 mm


Relais 3 contacts 16A 230V
faston 6,3x0,8 mm

Relay 3 contacts 16A 230V
faston 6,3x0,8 mm

Relais 3 kontakt 16A 230V
faston 6,3x0,8 mm

Zanussi, Electrolux 0A9723 -

435162



Relé 3 contatti 230V 50/60Hz 16A
Faston 6.3x0.8 mm

Relais 3 contacts 230V 50/60Hz 16A
Faston 6.3x0.8 mm

Relay 3 contacts 230V 50/60Hz 16A
Faston 6.3x0.8 mm

Relais 3 kontakte 230V 50/60Hz 16A
Faston 6.3x0.8 mm

Zanussi, Electrolux 005033 - 005034 - 088197 - 0K2397 - 0K2398 - 0T3793 -

441203



Rele' termico
L=1600 mm

Protection thermique
L=1600 mm

Thermic protection
L=1600 mm

Motorschutzschalter
L=1600 mm

Zanussi, Electrolux 084718 -

Microinterruttori
Microswitches

Microinterrupteurs
Mikroschalter

521622



Microinterruttore a pulsante V3SYR/715 PAD 10A 250V
filetto M10x1 mm L= 16 mm - cavo L=3800m

Microinterrupteur à poussoir V3SYR/715 PAD 10A 250V
filetée M10x1 mm L= 16 mm - câble L=3800m

Snap action microswitch V3SYR/715 PAD 10A 250V
thread M10x1 mm L= 16 mm - cable L=3800m

Mikroschalter Taster V3SYR/715 PAD 10A 250V
gevinde M10x1 mm L= 16 mm - kabel L=3800m

Zanussi, Electrolux 087151 -

435229



Microinterruttore a pulsante per porta 1A 250V
dim. 26x12 mm, faston 2,8x0,5 mm

Microinterrupteur a poussoir pour porte 1A 250V
dim.26x12 mm, faston 2,8x0,5 mm

Snap action microswitch for door 1A 250V
dim. 26x12 mm, faston 2,8x0,5 mm

Mikroschalter Taster für tür 1A 250V
dim. 26x12 mm, faston 2,8x0,5 mm

Zanussi, Electrolux 0A9383 -



Microinterruttori
Microswitches

Microinterrupteurs
Mikroschalter

435148



Microinterruttore a pulsante per porta 250V 65W
dim. 22,5x12x27 mm, 2 contatti

Microinterrupteur à poussoir pour porte 250V 65W
dim. 22,5x12x27 mm, 2 contacts

Snap action microswitch for door 250V 65W
dim. 22,5x12x27 mm, 2 contacts

Mikroschalter Taster für tür 250V 65W
dim. 22,5x12x27 mm, 2 kontakt

Zanussi, Electrolux 084403 -

348925



Microinterruttore a pulsante per porta 5A 250V
dim.27x25 mm, 3 contatti

Microinterrupteur a poussoir pour porte 5A 250V
dim.27x25 mm, 3 contacts

Snap action microswitch for door 5A 250V
dim.27x25 mm, 3 contacts

Mikroschalter Taster für tür 5A 250V
dim.27x25 mm, 3 kontakt

Zanussi, Electrolux 087485 -

434845



Microinterruttore magnetico E511 250V 0,04A
dim. 36x13x8 mm - cavo L=800 mm

Microinterrupteur magnétique E511 250V 0,04A
dim. 36x13x8 mm - câble L=800 mm

Magnetic microswitch E511 250V 0,04A
dim. 36x13x8 mm - cable L=800 mm

Magnetschalter magnétique E511 250V 0,04A
dim. 36x13x8 mm - kabel L=800 mm

Zanussi, Electrolux 088578 -

438761



Microinterruttore magnetico E511
dim. 32x13x8 mm - cavo L=550 mm

Microinterrupteur magnétique E511
dim. 32x13x8 mm - câble L=550 mm

Magnetic microswitch E511
dim. 32x13x8 mm - cable L=550 mm

Magnetschalter magnétique E511
dim. 32x13x8 mm - kabel L=550 mm

Zanussi, Electrolux 083881 -

Morsettiere
Terminal Boards

Boîtes à bornes
Terminal

459426



Morsettiera 6 poli 450V 20A Tmax 85°C
85,5x31 mm; faston 6,3x0,8 mm

Boite a bornes 6 pole 450V 20A Tmax 85°C
85,5x31 mm; faston 6,3x0,8 mm

Terminal board 6 pole 450V 20A Tmax 85°C
85,5x31 mm; faston 6,3x0,8 mm

Klemmenbrett 6 polig 450V 20A Tmax 85°C
85,5x31 mm; faston 6,3x0,8 mm

Zanussi, Electrolux 0A9312 -



Morsettiere
Terminal Boards

Boites à bornes
Terminal

439484

Morsettiera 10 poli 2,5 mmq 400V Tmax 85°C
30x130 mm, con fori Ø 4,5 mm

Boite a bornes 10 pole 2,5 mmq 400V Tmax 85°C
30x130 mm, avec trou Ø 4,5 mm

Terminal board 10 pole 2,5 mmq 400V Tmax 85°C
30x130 mm, with hole Ø 4,5 mm

Klemmenbrett 10 polig 2,5 mmq 400V Tmax 85°C
30x130 mm, mit bohrung Ø 4,5 mm



rofessional

Zanussi, Electrolux 082125 -

439482

Morsettiera 12 poli 300V 20A Tmax 85°C
Ltot 150 mm

Boite a bornes 12 pole 300V 20A Tmax 85°C
Ltot 150 mm

Terminal board 12 pole 300V 20A Tmax 85°C
Ltot 150 mm

Klemmenbrett 12 polig 300V 20A Tmax 85°C
Ltot 150 mm



rofessional

Zanussi, Electrolux 082171 -

611249

Connettore 3 vie x termoregolatore

Connecteur 3 voies pour thermoregulateur

Connector 3 ways for thermoregulator

Leiterplattenklemme 3 wege für thermoregulator



rofessional

Zanussi, Electrolux 099743 -

611245

Connettore 7 vie x termoregolatore

Connecteur 7 voies pour thermoregulateur

Connector 7 ways for thermoregulator

Leiterplattenklemme 7 wege für thermoregulator



rofessional

Zanussi, Electrolux 099740 -

Pressostati
Pressure Switches

Pressostats
Druckschalter

438758

Pressostato a bassa pressione G60P1151/400

Pressostat faible pression G60P1151/400

Pressure control low pressure G60P1151/400

Pressostat niedrigdruck G60P1151/400



rofessional

Zanussi, Electrolux 083599 -



Pressostati
Pressure Switches

Pressostats
Druckschalter

435141

Pressostato di alta pressione G63P3141/400

Pressure control high pressure G63P3141/400

Pressostat haute pression G63P3141/400

Pressostat Hochdruck G63P3141/400



Zanussi, Electrolux 085088 -

438764

Pressostato di alta pressione G63H3070/400

Pressure control high pressure G63H3070/400

Pressostat haute pression G63H3070/400

Pressostat Hochdruck G63H3070/400



Zanussi, Electrolux 085060 -

343640

Pressostato 80x45x60 mm

Pressure switch 80x45x60 mm

Pressostat 80x45x60 mm

Druckschalter 80x45x60 mm



Zanussi, Electrolux 085155 -

343657

**Pressostato 120x90x45 mm
con coperchio**

**Pressure switch 120x90x45 mm
with lid**

**Pressostat 120x90x45 mm
avec couvercle**

**Druckschalter 120x90x45 mm
mit Deckel**



Zanussi, Electrolux 085733 -

Timer
Timers

Programmateurs
Timer

435142

Timer di sbrinamento RZ-2001-21
ciclo fisso 6 ore; sbrinamento 15 minuti; 230V 50Hz

Defrosting timer RZ-2001-21
fixed cycle 6 hours, de-frosting 15' min, 230V 50Hz

Horloge de dégivrage RZ-2001-21
cycle de dégivrage 15' chaque 6 hours, 230V 50Hz

Abtauuhr RZ-2001-21
Abtauzeit 6 ore; Abtauuhr 15 min; 230V 50Hz



Zanussi, Electrolux 084277 - 084986 -



Timer
Timers

Programmateurs
Timer

436150



Timer di sbrinamento D94.00L 230V 50Hz
25 min sbrin ogni 6 Ore 230V-50Hz


Horloge de dégivrage D94.00L 230V 50Hz
cycle de dégivrage 25' chaque 6h

Defrosting timer D94.00L 230V 50Hz
defrosting cycle 25 min every 6h

Abtauuhr D94.00L 230V 50Hz
Abtauintervall 25 min jeden 6h

Zanussi, Electrolux 0A9639 -

336168



Timer di sbrinamento D94.44L-2
230V 50/60Hz; con motore sincro 6 terminali

Horloge de dégivrage D94.44L-2
230V 50/60Hz; avec synchronous motor - 6 cosse

Defrosting timer D94.44L-2
230V 50/60Hz; with synchronous motor - 6 terminals

Abtauuhr D94.44L-2
230V 50/60Hz; mit Synchronmotor 6 Terminals

Zanussi, Electrolux 0KP676 -

435214



Timer di sbrinamento
ciclo 24 ore (1-12); sbrinamento da 2 a 50 minuti;
ritardo ventola 0-10 minuti; 230V 50Hz; 2
microdeviatori unipolari 16A; cavi L=175 mm

Horloge de dégivrage
cycle 24h (1-12); cycle de dégivrage de 2'-50'; retard
hélice 0-10'; 230V 50Hz; 2 microinterrupteur 16A;
câbles L=175 mm

Defrosting timer
cycle 24h (1-12); defrost from 2 to 50 minutes; fan
delayed 0-10 minutes; 230V 50Hz; 2 microswitches
16A; cable L=175 mm

Abtauuhr
Abtauintervall 24h (1-12); Abtauzeit 2'-50' minuti;
Ventilatorverzögerung 0-10 Minuten; 230V 50Hz; 2
Microschalter 16A; Kabel L=175 mm

Zanussi, Electrolux 081983 - 094755 -

532968



Timer P20 camme 4
8 min 230V 50Hz; senza perno

Programmateur P20 chambres 4
8 min 230V 50Hz; sans axe

Timer P20 chambers 4
8 min 230V 50Hz; without shaft

Timer P20 Kammern 4
8 min 230V 50Hz; ohne acshe

Zanussi, Electrolux 099322 -

349748



Timer di sbrinamento EWTS70 12V
alimentazione 12V; portata contatti 8(3)A 250V

Horloge de dégivrage EWTS70 12V
puissance 12V; contacts capacity 8(3)A 250V

Defrosting timer EWTS70 12V
power supply 12V; contacts capacity 8(3)A 250V

Abtauuhr EWTS70 12V
Versorgung 12V; kapazität kontakt 8(3)A 250V

Zanussi, Electrolux 082389 - 082397 - 082485 -



Ventilatori
Fans

Ventilateurs
Lüfter

521190



**Ventilatore compatto 120x120x38 mm - 20W
220÷240V 50/60Hz**
con cavo L=300 mm - 2550 rpm - cuscinetti a sfera

**Ventilateur compact 120x120x38 mm - 20W
220÷240V 50/60Hz**
avec câble L=300 mm - 2550 rpm; roulement à billes

**Compact fan 120x120x38 mm - 20W 220÷240V
50/60Hz**
with cable L=300 mm - 2550 rpm - ball bearing

**Kompaktlüfter 120x120x38 - 20W 220÷240V
50/60Hz**
mit kabel L=300 mm - 2550 rpm; Kugellager

Zanussi, Electrolux 088012 -

429741



**Ventilatore compatto 127x127x38 mm - 15/17W
230V 50/60Hz**
con cavo L=1500 mm - faston pre-isolati da 2,8 mm -
su cuscinetto a sfere

**Ventilateur compact 127x127x38 mm - 15/17W
230V 50/60Hz**
avec câble L=1500 mm - cosses isolé 2,8 mm -
roulement à billes

**Compact fan 127x127x38 mm - 15/17W 230V
50/60Hz**
with cable L=1500 mm - pre insulated faston 2,8
mm - ball bearing

**Kompaktlüfter 127x127x38 mm - 15/17W 230V
50/60Hz**
mit kabel L=1500 mm - flachstecker pre-isolati da
2,8 mm - Kugellager

Zanussi, Electrolux 0KJ388 - 520294900 -

435411



**Ventilatore tangenziale 17W 230V 50Hz - Ø 45x120
mm**
portata aria 80 mc/h, 2250 rpm; motore DX

**Ventilateur tangentiel 17W 230V 50Hz - Ø 45x120
mm**
flux 80 mc/h, 2250 rpm; DX motor

Tangential fan 17W 230V 50Hz - Ø 45x120 mm
air flow 80 qm/h, 2250 rpm; DX motor

Querstromlüfter 17W 230V 50Hz - Ø 45x120 mm
kapazität 80 mc/h, 2250 rpm

Zanussi, Electrolux 031297 - 081795 -

316414



**Ventilatore tangenziale 28W 230V 50/60 Hz - Ø
60x180 mm**
cavo L=2300mm

**Ventilateur tangentiel 28W 230V 50/60 Hz - Ø
60x180 mm**
cable L=2300mm

Tangential fan 28W 230V 50/60 Hz - Ø 60x180 mm
cable L=2300mm

**Querstromlüfter 28W 230V 50/60 Hz - Ø 60x180
mm**
kabel L=2300mm

Zanussi, Electrolux 091152 -

435086



**Ventilatore tangenziale 32W 230V 50Hz - Ø 45x300
mm**
portata aria 200 mc/h - 2100 giri/min; Tmax 60°C;
motore SX

**Ventilateur tangentiel 32W 230V 50Hz - Ø 45x300
mm**
air flow 200 mc/h, 2100 rpm, Tmax 60°C; moteur SX

Tangential fan 32W 230V 50Hz - Ø 45x300 mm
air flow 200 mc/h, 2100 rpm, Tmax 60°C; motor SX

Querstromlüfter 32W 230V 50Hz - Ø 45x300 mm
kapazität 200 mc/h, 2100 rpm, Tmax 60°C; motor SX

Zanussi, Electrolux 082730 -



**Ventilatori
Fans**

**Ventilateurs
Lüfter**

308312

Ventilatore tangenziale 32W 230V 50Hz - Ø 45x300 mm

portata aria 200 mc/h - 2100 giri/min; Tmax 60°C, guarnizione alta temperatura

Ventilateur tangentiel 32W 230V 50Hz - Ø 45x300 mm

air flow 200 mc/h, 2100 rpm, Tmax 60°C, joint haute température

Zanussi, Electrolux 091301 -

Tangential fan 32W 230V 50Hz - Ø 45x300 mm

air flow 200 mc/h, 2100 rpm, Tmax 60°C, gasket high temperature

Querstromlüfter 32W 230V 50Hz - Ø 45x300 mm

kapazität 200 mc/h, 2100 rpm, Tmax 60°C, dichtung Hochtemperatur

435903

Ventilatore tangenziale 35W 230V 50/60Hz

Ventilateur tangentiel 35W 230V 50/60Hz

Zanussi, Electrolux 0A9148 -

Tangential fan 35W 230V 50/60Hz

Querstromlüfter 35W 230V 50/60Hz

416170

Ventilatore tangenziale 35W 220-240V 50/60Hz

Ventilateur tangentiel 35W 220-240V 50/60Hz

Zanussi, Electrolux 0KJ354 -

Tangential fan 35W 220-240V 50/60Hz

Querstromlüfter 35W 220-240V 50/60Hz

338533

Ventilatore tangenziale 40W 230V 50Hz - Ø 60x300 mm

attacchi faston 6,3 mm; per armadi frigoriferi

Ventilateur tangentiel 40W 230V 50Hz - Ø 60x300 mm

terminal 6,3 mm; pour réfrigérateur

Zanussi, Electrolux 083737 - 0T1550 -

Tangential fan 40W 230V 50Hz - Ø 60x300 mm

terminals 6,3 mm; for Refrigerators

Querstromlüfter 40W 230V 50Hz - Ø 60x300 mm

Anschluss 6,3 mm; für Kühlschränke

428782

Ventilatore tangenziale 42W 230V 50/60Hz

mod. TFD 180/35; ventola 180+180 mm

Ventilateur tangentiel 42W 230V 50/60Hz

mod. TFD 180/35; Helice 180+180 mm

Zanussi, Electrolux 0G6480 - 0K3707 - 0K5906 - 0KX190 -

Tangential fan 42W 230V 50/60Hz

mod. TFD 180/35; fan 180+180 mm

Querstromlüfter 42W 230V 50/60Hz

mod. TFD 180/35; Lüfter 180+180 mm



Ventilatori
Fans

Ventilateurs
Lüfter

421043



Ventilatore 48W 230V 50/60Hz - 160x145x145 mm

54W 60Hz; 1250/1200 giri/min, C=2 µF/400V, CL.B;
cavo L=300 mm

Ventilateur tangentiel 48W 230V 50/60Hz - 160x145x145 mm

54W 60Hz; 1250/1200 giri/min, C=2 µF/400V, CL.B;
câble L=300 mm

Zanussi, Electrolux 0K8628 - 0W1966 -

Tangential fan 48W 230V 50/60Hz - 160x145x145 mm

54W 60Hz; 1250/1200 giri/min, C=2 µF/400V, CL.B;
cable L=300 mm

Querstromlüfter 48W 230V 50/60Hz - 160x145x145 mm

54W 60Hz; 1250/1200 giri/min, C=2 µF/400V, CL.B;
kabel L=300 mm

312224



Motore pentavalente EBM 10W - high quality

230/240V 50/60Hz - 1300/1550 rpm; con cavo L= 360 mm; 5 diversi tipi di fissaggio

Moteur multifixation EBM 10W - high quality

230/240V 50/60Hz -1300/1550 rpm; avec câble L=360 mm; 5 differentes possibilités d'accrochage

Zanussi, Electrolux 086207 - 0S0561 -

Pentavalent motor EBM 10W - high quality

230/240V 50/60Hz - 1300/1550 rpm; with cable L=360 mm; 5 different kind of fittings

Befestigungsoptionen EBM 10W - high quality

230/240V 50/60Hz -1300/1550 rpm; mit kable L=360 mm;5 verschiedene Arten von Armaturen

312225



Motore pentavalente EBM 16W - high quality

230/240V 50/60H - 1300/1550 rpm; con cavo L=1000 mm; 5 diversi tipi di fissaggio

Moteur multifixation EBM 16W - high quality

230/240V 50/60H - 1300/1550 rpm - avec câble L= 1000 mm; 5 differentes possibilités d'accrochage

Zanussi, Electrolux 082647 - 0S0562 -

Pentavalent motor EBM 16W - high quality

230/240V 50/60H - 1300/1550 rpm - with cable L=1000 mm; 5 different kind of fittings

Befestigungsoptionen EBM 16W - high quality

230/240V 50/60H - 1300/1550 rpm; mit kable L=1000 mm; 5 verschiedene Arten von Armaturen

312226



Motore pentavalente EBM 18W - high quality

230/240V 50/60Hz - 1300/1550 rpm; con cavo L=700 mm; 5 diversi tipi di fissaggio

Moteur multifixation EBM 18W - high quality

230/240V 50/60Hz - 1300/1550 rpm; avec câble L=700 mm; 5 differentes possibilités d'accrochage

Zanussi, Electrolux 0S1119 -

Pentavalent motor EBM 18W - high quality

230/240V 50/60Hz - 1300/1550 rpm; with cable L=700 mm; 5 different kind of fittings

Befestigungsoptionen EBM 18W - high quality

230/240V 50/60Hz; 1300/1550 rpm; mit kable L=700 mm; 5 verschiedene Arten von Armaturen

312227



Motore pentavalente EBM 25W - high quality

230/240V 50/60Hz - 1300/1550 rpm; con cavo L=900 mm

Moteur multifixation EBM 25W - high quality

230/240V 50/60Hz - 1300/1550 rpm; avec câble L=900 mm

Zanussi, Electrolux 086310 - 0A8419 - 0S0563 -

Pentavalent motor EBM 25W - high quality

230/240V 50/60Hz; 1300/1550 rpm - with cable L=900 mm

Befestigungsoptionen EBM 25W - high quality


230/240V 50/60Hz; 1300/1550 rpm; mit kable L=900 mm



Ventilatori
Fans

Ventilateurs
Lüfter

435321



Motore pentavalente 10/38W

230/240V 50/60Hz 0,23A - 1300/1500 rpm; con staffa e cavo L=50 cm

Moteur multifixation 10/38W

230/240V 50/60Hz 0,23A - 1300/1500 rpm; avec support et câble L=50 cm

Pentavalent motor 10/38W

230/240V 50/60Hz 0,23A - 1300/1500 rpm; with bracket and cable L=50 cm

Befestigungsoptionen 10/38W

230/240V 50/60Hz 0,23A - 1300/1500 rpm; mit halter und kabel L=50 cm

Zanussi, Electrolux 081393 -

436090



Motore pentavalente 10/38W

230V 50/60Hz 0.23A 1300/1550 rpm

Moteur multifixation 10/38W

230V 50/60Hz 0.23A 1300/1550 rpm

Pentavalent motor 10/38W

230V 50/60Hz 0.23A 1300/1550 rpm

Befestigungsoptionen 10/38W

230V 50/60Hz 0.23A 1300/1550 rpm

Zanussi, Electrolux 082654 - 085367 - 085668 - 085674 -

435144



Motore pentavalente 10/38W

230/240V 50/60Hz - 1300/1550 rpm; con cavo L=2030 mm; 2 diversi tipi di fissaggio

Moteur multifixation 10/38W

230/240V 50/60Hz - 1300/1550 rpm; avec câble L=2030 mm; 2 différentes possibilités d'accrochage

Pentavalent motor 10/38W

230/240V 50/60Hz - 1300/1550 rpm; with cable L=2030 mm; 2 different kind of fittings

Befestigungsoptionen 10/38W

230/240V 50/60Hz - 1300/1550 rpm; mit kabel L=2030 mm; 2 verschiedene Arten von Armaturen

Zanussi, Electrolux 083910 - 084745 - 0A9350 -

337865



Motore pentavalente 10/53W

230V 50/60Hz - 1300/1550 rpm; con cavo L=2000 mm

Moteur multifixation 10/53W

230V 50/60Hz - 1300/1550 rpm; avec câble L=2000 mm

Pentavalent motor 10/53W

230V 50/60Hz - 1300/1550 rpm; with cable L=2000 mm

Befestigungsoptionen 10/53W

230V 50/60Hz - 1300/1550 rpm; mit kabel L=2000 mm

Zanussi, Electrolux 088374 -

435126



Motore pentavalente 12/55W

230V 50/60Hz 0.35A - 1300/1450 rpm; con cavo L=1800

Moteur multifixation 12/55W

230V 50/60Hz 0.35A - 1300/1450 rpm; avec câble L=1800

Pentavalent motor 12/55W

230V 50/60Hz 0.35A - 1300/1450 rpm; with cable L=1800

Befestigungsoptionen 12/55W

230V 50/60Hz 0.35A - 1300/1450 rpm; mit kable L=1800

Zanussi, Electrolux 0A8789 -



Ventilatori
Fans

Ventilateurs
Lüfter

435135



Motore pentavalente 25/95W [completo con la ventola]
230/240V 50/60Hz - 1300/1550 rpm; con cavo L=2000 mm con faston

Moteur multifixation 25/95W [complet avec hélice]
230/240V 50/60Hz - 1300/1550 rpm; avec câble L=2000 mm et faston

Zanussi, Electrolux 087168 -

Pentavalent motor 25/95W [complete with blade]

230/240V 50/60Hz - 1300/1550 rpm; with cable L=2000 mm and faston

Befestigungsoptionen 25/95W [komplett mit Lüfter]
230/240V 50/60Hz - 1300/1550 rpm; mit kable L=2000 mm und faston

343323



Motore pentavalente 25/110W
230V 50/60Hz 1300/1400 rpm - con cavo L=550 mm

Moteur multifixation 25/110W
230V 50/60Hz 1300/1400 rpm - avec câble L=550 mm

Zanussi, Electrolux 085734 -

Pentavalent motor 25/110W
230V 50/60Hz 1300/1400 rpm - with cable L=550 mm

Befestigungsoptionen 25/110W
230V 50/60Hz 1300/1400 rpm - mit kable L=550 mm

521189



Motore pentavalente 45/154W
230V 0,65A 50Hz - 1100rrpm; con cavo L=1000 mm e condensatore 3,15µF

Moteur multifixation 45/154W
230V 0,65A 50Hz - 1100rrpm; avec câble L=1000 mm en condensateur 3,15µF

Zanussi, Electrolux 088013 -

Pentavalent motor 45/154W
230V 0,65A 50Hz - 1100rrpm; with cable L=1000 mm and capacitor 3,15µF

Befestigungsoptionen 45/154W
230V 0,65A 50Hz - 1100rrpm; mit kable L=1000 mm und kondensator 3,15µF

520617



Ventilatore assiale Ø 100 mm 220-240V 50/60Hz
cavo L= 2600 mm

Ventilateur axial Ø 100 mm 220-240V 50/60Hz
câble L= 2600 mm

Zanussi, Electrolux 089167 -

Axial fan Ø 100 mm 220-240V 50/60Hz
cable L= 2600 mm

Axiallüfter Ø 100 mm 220-240V 50/60Hz
kabel L= 2600 mm

520618



Ventilatore assiale Ø 100 mm 220-240V 50/60Hz
asse Ø 3,2 mm; cavo L=2100 mm;: faston F6,3x0,8 mm

Ventilateur axial Ø 100 mm 220-240V 50/60Hz
axe Ø 3,2 mm; câble L=2100 mm;: faston F6,3x0,8 mm

Zanussi, Electrolux 089166 -

Axial fan Ø 100 mm 220-240V 50/60Hz
asse Ø 3,2 mm; cable L=2100 mm;: faston F6,3x0,8 mm

Axiallüfter Ø 100 mm 220-240V 50/60Hz
achse Ø 3,2 mm; kabel L=2100 mm;: faston F6,3x0,8 mm



Ventilatori
Fans

Ventilateurs
Lüfter

520616



Ventilatore assiale Ø 100 mm 220-240V 50/60Hz
asse Ø 3,2 mm; cavo L=2950 mm;: faston F6,3x0,8 mm

Ventilateur axial Ø 100 mm 220-240V 50/60Hz
axe Ø 3,2 mm; câble L=2950 mm;: faston F6,3x0,8 mm

Axial fan Ø 100 mm 220-240V 50/60Hz

asse Ø 3,2 mm; cable L=2950 mm;: faston F6,3x0,8 mm

Axiallüfter Ø 100 mm 220-240V 50/60Hz

achse Ø 3,2 mm; kabel L=2950 mm;: faston F6,3x0,8 mm

Zanussi, Electrolux 089168 -

435230



Ventilatore assiale Ø 100 mm 2W 230V 50/60Hz
mod. C09R1731; per frigoriferi 400 lt

Ventilateur axial Ø 100 mm 2W 230V 50/60Hz
mod. C09R1731; pour les réfrigérateurs 400 lt

Axial fan Ø 100 mm 2W 230V 50/60Hz

mod. C09R1731; for 400 lt Refrigerators

Axiallüfter Ø 100 mm 2W 230V 50/60Hz

mod. C09R1731; für Kühlschränke 400 lt

Zanussi, Electrolux 0A8401 - 0A8656 - 0A9308 -

323770



Ventilatore assiale Ø 150 mm 17W 220/240V 50/60Hz
cavo L=1800 mm; asse Ø 3,2x29 mm

Ventilateur axial Ø 150 mm 17W 220/240V 50/60Hz
câble L=1800 mm; axe Ø 3,2x29 mm

Axial fan Ø 150 mm 17W 220/240V 50/60Hz

cable L=1800 mm; shaft Ø 3,2x29 mm

Axiallüfter Ø 150 mm 17W 220/240V 50/60Hz

Kabel L=1800 mm; Achse Ø 3,2x29 mm

Zanussi, Electrolux 093322 -

323769



Ventilatore assiale Ø 150 mm 17W 220/240V 50/60Hz [KIT]
cavo L=1800 mm; asse Ø 3,2x29 mm

Ventilateur axial Ø 150 mm 17W 220/240V 50/60Hz [KIT]
câble L=1800 mm; axe Ø 3,2x29 mm

Axial fan Ø 150 mm 17W 220/240V 50/60Hz [KIT]

cable L=1800 mm; shaft Ø 3,2x29 mm

Axiallüfter Ø 150 mm 17W 220/240V 50/60Hz [KIT]

kabel L=1800 mm; achse Ø 3,2x29 mm

Zanussi, Electrolux 093777 -

316721



Ventilatore assiale Ø 150 mm 17W 220/240V 50/60Hz
asse Ø 3x30 mm, cavo L=900 mm

Ventilateur axial Ø 150 mm 17W 220/240V 50/60Hz
axe Ø 3x30 mm, câble L=900 mm

Axial fan 17W Ø 150 mm 17W 220/240V 50/60Hz

shaft Ø 3x30 mm, cable L=900 mm

Axiallüfter Ø 150 mm 17W 220/240V 50/60Hz

achse Ø 3x30 mm, kabel L=900 mm

Zanussi, Electrolux 091603 -



Ventilatori
Fans

Ventilateurs
Lüfter

311992



Ventilatore assiale Ø 200 mm 12-55W - 230/240V 50/60Hz
cavo L= 1500 mm

Ventilateur axial Ø 200 mm 12-55W - 230/240V 50/60Hz
câble L= 1500 mm

Axial fan Ø 200 mm 12-55W - 230/240V 50/60Hz

cable L= 1500 mm

Axiallüfter Ø 200 mm 12-55W - 230/240V 50/60Hz

kabel L= 1500 mm

Zanussi, Electrolux 091584 -

519544



Ventilatore assiale Ø 200 mm 20W 230/400V 50/60Hz
con flangia Ø 290 mm, cavo L=1400 mm

Ventilateur axial Ø 200 mm 20W 230/400V 50/60Hz
avec flange Ø 290 mm, câble L=1400 mm

Axial fan Ø 200 mm 20W 230/400V 50/60Hz

with flange Ø 290 mm, cable L=1400 mm

Axiallüfter Ø 200 mm 20W 230/400V 50/60Hz
mit Flansch Ø 290 mm, kabel L=1400 mm

Zanussi, Electrolux 0A9597 -

435317



Ventilatore assiale Ø 230 mm 10-38W 230/240V 50/60Hz 0,23A
mod. VN 10-20/499; ventola A230; completo di telaio e cavo 1750 mm

Ventilateur axial Ø 230 mm 10-38W 230/240V 50/60Hz 0,23A
mod. VN 10-20/499; hélice A230; avec cadre et le câble 1750 mm

Axial fan Ø 230 mm 10-38W 230/240V 50/60Hz 0,23A

mod. VN 10-20/499; blade A230; complete with frame and cable 1750 mm

Axiallüfter Ø 230 mm 10-38W 230/240V 50/60Hz 0,23A

mod. VN 10-20/499; Lüfter A230; kimplete mit rahem und kabel 1750 mm

Zanussi, Electrolux 081703 - 087553 - 092795 -

520734



Ventilatore assiale Ø 250 mm 115-165W 230V 50-60Hz
2 Poli - cavo L=1800 mm - faston 6 mm - condensatore 4 uF - PREMENTE

Ventilateur axial Ø 250 mm 115-165W 230V 50-60Hz
bipolaire - câble L=1800 mm - faston 6 mm - condensateur 4 uF

Axial fan Ø 250 mm 115-165W 230V 50-60Hz

bipolar - cable L=1800 mm - faston 6 mm - capacitor 4 uF

Axiallüfter Ø 250 mm 115-165W 230V 50-60Hz

2 polig - Kabel L=1800 mm - faston 6 mm - Betriebskondensator 4 uF

Zanussi, Electrolux 088603 -

435145



Ventilatore assiale Ø 250 mm 115-165W 230V 50-60Hz
2 Poli - cavo L= 1800 mm - puntali - condensatore 4 uF - 0.51/0.74 A -PREMENTE

Ventilateur axial Ø 250 mm 115-165W 230V 50-60Hz
2 poles - câble L= 1800 mm - condensateur 4 uF - 0.51/0.74 A

Axial fan Ø 250 mm 115-165W 230V 50-60Hz

2 poles - cable L= 1800 mm - capacitor 4 uF - 0.51/0.74 A

Axiallüfter Ø 250 mm 115-165W 230V 50-60Hz

2-polig - Kabel L= 1800 mm - Betriebskondensator 4 uF - 0.51/0.74 A

Zanussi, Electrolux 084722 -



Ventilatori
Fans

Ventilateurs
Lüfter

436126

Ventilatore assiale Ø 300 mm 25-95W 230V 50/60Hz 0,68A

1350/1550rpm, cavo 1800 mm con faston F6,3x0,8 mm

Ventilateur axial Ø 300 mm 25-95W 230V 50/60Hz 0,68A

1350/1550rpm, câble 1800 mm avec faston F6,3x0,8 mm

Zanussi, Electrolux 087527 - 094338 -

Axial fan Ø 300 mm 25-95W 230V 50/60Hz 0,68A

1350/1550rpm, cable 1800 mm with faston F6,3x0,8 mm

Axiallüfter Ø 300 mm 25-95W 230V 50/60Hz 0,68A

1350/1550rpm, kabel 1800 mm mit faston F6,3x0,8 mm



348929

Ventilatore assiale Ø 300 mm 90W 230V 50/60Hz

4 poli; condensatore 3 uF, cavo L=200 mm

Ventilateur axial Ø 300 mm 90W 230V 50/60Hz

4 poli; condensateur 3 uF, câble L=200 mm

Zanussi, Electrolux 084711 -

Axial fan Ø 300 mm 90W 230V 50/60Hz

4 poli; capacitor 3 uF, cable L=200 mm

Axiallüfter Ø 300 mm 90W 230V 50/60Hz

4 poli; kondensator 3 uF, kabel L=200 mm



349119

Ventilatore assiale Ø 300 mm 90W 230V 50/60Hz

1350 rpm, 3uF, cavo L=2200 mm

Ventilateur axial Ø 300 mm 90W 230V 50/60Hz

1350 rpm, 3uF, câble L=2200 mm

Zanussi, Electrolux 083392 -

Axial fan Ø 300 mm 90W 230V 50/60Hz

1350 rpm, 3uF, cable L=2200 mm

Axiallüfter Ø 300 mm 90W 230V 50/60Hz

1350 rpm, 3uF, kabel L=2200 mm



438128

Ventilatore assiale Ø 300 mm 140-190W 230V 50/60Hz [Kit]

2650-2900 rpm cavo L=2200

Ventilateur axial Ø 300 mm 140-190W 230V 50/60Hz [Kit]

2650-2900 rpm câble L=2200 mm

Zanussi, Electrolux 090014 -

Axial fan Ø 300 mm 140-190W 230V 50/60Hz [Kit]

2650-2900 rpm cable L=2200 mm

Axiallüfter Ø 300 mm 140-190W 230V 50/60Hz [Kit]

2650-2900 rpm kabel L=2200 mm



415056

Ventilatore assiale Ø 300 mm 140-190W 230V 50/60Hz

cavo L=450 mm (std) senza faston

Ventilateur axial Ø 300 mm 140-190W 230V 50/60Hz

câble L=450 mm sans cosses

Zanussi, Electrolux 083514 -

Axial fan Ø 300 mm 140-190W 230V 50/60Hz

cable L=450 mm without fastons

Axiallüfter Ø 300 mm 140-190W 230V 50/60Hz

kabel L=450 mm (std) ohne faston





Ventilatori
Fans

Ventilateurs
Lüfter

435291



Ventilatore assiale Ø 300 mm 140-190W 230V 50/60Hz
cavo L=2400 mm con faston

Ventilateur axial Ø 300 mm 140-190W 230V 50/60Hz
câble L=2400 mm avec cosse

Axial fan Ø 300 mm 140-190W 230V 50/60Hz

cable L=2400 mm w/faston

Axiallüfter Ø 300 mm 140-190W 230V 50/60Hz
kabel L=2400 mm ohne faston

Zanussi, Electrolux 083407 - 084727 - 084729 - 088624 -

438759



Ventilatore assiale Ø 330 mm 130-170W 230V 50/60Hz 0,78A

Ventilateur axial Ø 330 mm 130-170W 230V 50/60Hz 0,78A

Axial fan Ø 330 mm 130-170W 230V 50/60Hz 0,78A

Axiallüfter Ø 330 mm 130-170W 230V 50/60Hz 0,78A

Zanussi, Electrolux 083603 -

520905



Ventilatore assiale Ø 340 mm 200-310W 230V 50/60Hz 1,35A

2 Poli - cavo L= 2200 mm - puntali - condensatore 5 uF/400 V e protezione termica

Ventilateur axial Ø 340 mm 200-310W 230V 50/60Hz 1,35A

2 poles - câble L= 2200 mm - condensateur 5 uF/400 V a/ protection

Axial fan Ø 340 mm 200-310W 230V 50/60Hz 1,35A

2 poles - cable L= 2200 mm - capacitor 5 uF/400 V w/protection

Axiallüfter Ø 340 mm 200-310W 230V 50/60Hz 1,35A

2-polig - Kabel L= 2200 mm - Betriebskondensator 5 uF/400 V mit Schutz

Zanussi, Electrolux 088342 -

535415



Ventilatore assiale Ø 350 mm 145W 230V 50-60Hz

cavo L= 3000 mm con faston

Ventilateur axial Ø 350 mm 145W 230V 50-60Hz
câble L= 3000 mm avec faston

Axial fan Ø 350 mm 145W 230V 50-60Hz

cable L= 3000 mm with faston

Axiallüfter Ø 350 mm 145W 230V 50-60Hz
kabel L= 3000 mm avec faston

Zanussi, Electrolux 099646 -

535006



Ventilatore assiale Ø 350 mm 158/200W 230V 50-60Hz

cavo L=1600 mm - faston 6 mm

Ventilateur axial Ø 350 mm 158/200W 230V 50-60Hz
cavo L=1600 mm - faston 6 mm

Axial fan Ø 350 mm 158/200W 230V 50-60Hz

cavo L=1600 mm - faston 6 mm

Axiallüfter Ø 350 mm 158/200W 230V 50-60Hz
cavo L=1600 mm - faston 6 mm

Zanussi, Electrolux 094040 - 099325 -



Ventilatori
Fans

Ventilateurs
Lüfter

434960



Ventilatore assiale Ø 360 mm 110-140W 230V 50/60Hz 0,60A
cavo L=1100 mm

Ventilateur axial Ø 360 mm 110-140W 230V 50/60Hz 0,60A
câble L=1100 mm

Axial fan Ø 360 mm 110-140W 230V 50/60Hz 0,60A

cable L=1100 mm

Axiallüfter Ø 360 mm 110-140W 230V 50/60Hz 0,60A
kabel L=1100 mm

Zanussi, Electrolux 088350 -

435159



Ventilatore assiale 200W 230V 50Hz
310W 230V 60Hz

Ventilateur axial 200W 230V 50Hz
310W 230V 60Hz

Axial fan 200W 230V 50Hz

310W 230V 60Hz

Axiallüfter 200W 230V 50Hz
310W 230V 60Hz

Zanussi, Electrolux 088346 - 094622 -

434932



Ventilatore assiale Ø 400 mm 270/400W 400V 50/60Hz
cavo L=1900 mm

Ventilateur axial Ø 400 mm 270/400W 400V 50/60Hz
câble L=1900 mm

Axial fan Ø 400 mm 270/400W 400V 50/60Hz

cable L=1900 mm

Axiallüfter Ø 400 mm 270/400W 400V 50/60Hz
kabel L=1900 mm

Zanussi, Electrolux 088559 -

438763



Ventilatore assiale Ø 480 mm 540-900W 440/480V 50/60Hz

Ventilateur axial Ø 480 mm 540-900W 440/480V 50/60Hz

Axial fan Ø 480 mm 540-900W 440/480V 50/60Hz

Axiallüfter Ø 480 mm 540-900W 440/480V 50/60Hz

Zanussi, Electrolux 084914 -

535183



Ventola Ø 154 mm

Hélice Ø 154 mm

Blade Ø 154 mm

Lüfterrad Ø 154 mm

Zanussi, Electrolux 099470 -



Ventilatori
Fans

Ventilateurs
Lüfter

336295



Ventola Ø 195 mm

Hélice Ø 195 mm

Blade Ø 195 mm

Lüfterrad Ø 195 mm

Zanussi, Electrolux 082656 -

337868



Ventola Ø 195 mm

Hélice Ø 195 mm

Blade Ø 195 mm

Lüfterrad Ø 195 mm

Zanussi, Electrolux 088376 -

523374



Ventola Ø 200 - 34°
A200-34°

Hélice Ø 200 - 34°
A200-34°

Blade Ø 200 - 34°
A200-34°

Lüfterrad Ø 200 - 34°
A200-34°

Zanussi, Electrolux 082874 -

522195



Ventola Ø 200 - 28°

Hélice Ø 200 - 28°

Blade Ø 200 - 28°

Lüfterrad Ø 200 - 28°

Zanussi, Electrolux 084041 -

436068



Ventola Ø 200 mm - 34°

Hélice Ø 200 mm - 34°

Blade Ø 200 mm - 34°

Lüfterrad Ø 200 mm - 34°

Zanussi, Electrolux 089696 -



Ventilatori
Fans

Ventilateurs
Lüfter

337858

Ventola Ø 225 mm

Blade Ø 225 mm



Hélice Ø 225 mm

Lüfterrad Ø 225 mm

Zanussi, Electrolux 088386 -

440999

Ventola Ø 230 - 34°

Blade Ø 230 - 34°



Hélice Ø 230 - 34°

Lüfterrad Ø 230 - 34°

Zanussi, Electrolux 0A8420 -

338236

Ventola Ø 230 - 28°

Blade Ø 230 - 28°



Hélice Ø 230 - 28°

Lüfterrad Ø 230 - 28°

Zanussi, Electrolux 082230 -

531490

Ventola Ø 290 mm

Blade Ø 290 mm



Hélice Ø 290 mm

Lüfterrad Ø 290 mm

Zanussi, Electrolux 090133 -

521250

Ventola Ø 300 mm

Blade Ø 300 mm



Hélice Ø 300 mm

Lüfterrad Ø 300 mm

Zanussi, Electrolux 087997 -



Ventilatori
Fans

Ventilateurs
Lüfter

521846

Copriventola

Fan blade cover



Protection hèleice

Lüferradabdeckung

Zanussi, Electrolux 085396 -

436101

Copriventola Ø 24.5 mm

Fan blade cover Ø 24.5 mm



Protection hèleice Ø 24.5 mm


Lüferradabdeckung Ø 24.5 mm

Zanussi, Electrolux 089755 -

436142

Copriventola Ø 215 mm

Fan blade cover Ø 215 mm



Protection hèleice Ø 215 mm


Lüferradabdeckung Ø 215 mm

Zanussi, Electrolux 089770 -

511384

Copriventola Ø 216 mm

Fan blade cover Ø 216 mm



Protection hèleice Ø 216 mm


Lüferradabdeckung Ø 216 mm

Zanussi, Electrolux 083440 -

441202

Copriventola Ø 225 mm
in rilsan

Fan blade cover Ø 225 mm
in rilsan



Protection hèleice Ø 225 mm
in rilsan

Lüferradabdeckung Ø 225 mm
in rilsan


Zanussi, Electrolux 084723 -



Ventilatori
Fans

Ventilateurs
Lüfter

520043



Copriventola Ø 230 mm

Protection hèleice Ø 230 mm

Fan blade cover Ø 230 mm

Lüferradabdeckung Ø 230 mm

Zanussi, Electrolux 0A8843 -

415664



Copriventola Ø 254 mm

Protection hèleice Ø 254 mm

Fan blade cover Ø 254 mm

Lüferradabdeckung Ø 254 mm

Zanussi, Electrolux 083157 -

315150



Copriventola Ø 275 mm grigia

Protection hèleice Ø 275 mm gris

Fan blade cover Ø 275 mm grey

Lüferradabdeckung Ø 275 mm grau

Zanussi, Electrolux 091607 -

521013



Copriventola Ø 280 mm


Protection hèleice Ø 280 mm

Fan blade cover Ø 280 mm

Lüferradabdeckung Ø 280 mm

Zanussi, Electrolux 088100 -

441326



Copriventola Ø 310 mm
in rilsan

Protection hèleice Ø 310 mm
in rilsan

Fan blade cover Ø 310 mm
in rilsan

Lüferradabdeckung Ø 310 mm
in rilsan

Zanussi, Electrolux 083393 -



Ventilatori
Fans

Ventilateurs
Lüfter


521251

Copriventola Ø 320 mm

Fan blade cover Ø 320 mm

Protection hèleice Ø 320 mm

Lüferradabdeckung Ø 320 mm



Zanussi, Electrolux 087996 -

415676

Copriventola Ø 335 mm

Fan blade cover Ø335 mm

Protection hèleice Ø335 mm

Lüferradabdeckung Ø335 mm



Zanussi, Electrolux 088623 -


317680

Copriventola INOX Øext 370 mm

Fan blade cover INOX Øext 370 mm

Protection hèleice INOX Øext 370 mm

Lüferradabdeckung INOX Øext 370 mm



Zanussi, Electrolux 093087 - 099647 -

337866

Copriventola Ø 400 mm

Fan blade cover Ø 400 mm

in rilsan

in rilsan

Protection hèleice Ø 400 mm

Lüferradabdeckung Ø 400 mm

in rilsan

in rilsan



Zanussi, Electrolux 088375 -

415659

Copriventola 250x250 mm

Fan blade cover 250x250 mm

Protection hèleice 250x250 mm

Lüferradabdeckung 250x250 mm



Zanussi, Electrolux 082212 -



Ventilatori
Fans

Ventilateurs
Lüfter

520098

Gommino Ø 20 mm

Buffer Ø 20 mm

Caoutchouc Ø 20 mm

Gummitteil Ø 20 mm



Zanussi, Electrolux 0A8719 -

520599

Supporto

Support

Support

Halter



Zanussi, Electrolux 089182 -

Fusibili, Condensatori, Filtri RFI
Fuses, Capacitors, RFI Filters

Fusibles, Condensateurs, Filtres RFI
Sicherungen, Kondensatoren und Entstörfi

343023

Condensatore di rifasamento 20 µF 400V 50-60Hz

Capacitor for power factor correction 20 µF 400V 50-60Hz

Ø 45x92 mm

Ø 45x92 mm

Condensateur de mise en phase 20 µF 400V 50-60Hz

Betriebskondensator 20 µF 400V 50-60Hz

Ø 45x92 mm

Ø 45x92 mm



Zanussi, Electrolux 084051 -

435146

Condensatore di rifasamento 4 µF 450V 50/60Hz

Capacitor for power factor correction 4 µF 450V 50/60Hz

cavo L=230 mm, Ø 30 mm codolo in plastica M8

cable L=230 mm, Ø 30 mm plastic fitting M8

Condensateur de mise en phase 4 µF 450V 50/60Hz

Betriebskondensator 4 µF 450V 50/60Hz

câble L=230 mm, Ø 30 mm vis en plastique M8

kabel L=230 mm; Ø 30 Anschluss M8



Zanussi, Electrolux 084721 -

435292

Condensatore di rifasamento 5 µF 450V 50/60Hz

Capacitor for power factor correction 5 µF 450V 50/60Hz

cavo L=500 mm, Ø 30 mm codolo in plastica M8

cable L=500 mm, Ø 30 mm, plastic screw M8

Condensateur de mise en phase 5 µF 450V 50/60Hz

Betriebskondensator 5 µF 450V 50/60Hz

câble L=500 mm, Ø 30 mm, vis en plastique M8

kabel L=500 mm; Ø 30 Anschluss M8



Zanussi, Electrolux 083406 -



Fusibili, Condensatori, Filtri RFI
Fuses, Capacitors, RFI Filters

Fusibles, Condensateurs, Filtres RFI
Sicherungen, Kondensatoren und Entstörfi

330988



Condensatore di rifasamento 16µF 450V 50/60Hz

cavo L= 360 mm, codolo M8

Condensateur de mise en phase 16µF 450V 50/60Hz
câble L= 360 mm, vis M8

Condenser for poer factor correction 16µF 450V 50/60Hz

cable L= 360 mm, screw M8

Betriebskondensator 16µF 450V 50/60Hz
kabel L= 360 mm, Anschluss M8

Zanussi, Electrolux 083156 - 083439 -

330816



Condensatore di spunto 43-53 µF 330 Vac
50/60 Hz con cavetti faston

Condensateur de démarrage 43-53 µF 330 Vac
50/60 Hz câbles avec faston

Capacitor start 43-53 µF 330 Vac
50/60 Hz with faston cable

Anlaufkondensator Kapazität 43-53 µF 330 Vac
50/60 Hz mit faston kabel

Zanussi, Electrolux 086359 - 0A8764 -

330985



Condensatore di spunto 47-56µF 450V 50/60Hz
Ø 36.5x70 mm

Condensateur de démarrage 47-56µF 450V 50/60Hz
Ø 36.5x70 mm

Capacitor Start 47-56µF 450V 50/60Hz
Ø 36.5x70 mm

Anlaufkondensator Kapazität 47-56µF 450V 50/60Hz
Ø 36.5x70 mm

Zanussi, Electrolux 083155 - 083166 -

523316



Condensatore di spunto 80µF 330V 50/60Hz
Ø 46x100 mm; faston 6.3x0.8 mm; staffa 100x30x25 mm

Condensateur de démarrage 80µF 330V 50/60Hz
Ø 46x100 mm; faston 6.3x0.8 mm; support 100x30x25 mm

Capacitor Start 80µF 330V 50/60Hz
Ø 46x100 mm; faston 6.3x0.8 mm; support 100x30x25 mm

Anlaufkondensator Kapazität 80µF 330V 50/60Hz
Ø 46x100 mm; faston 6.3x0.8 mm; halter 100x30x25 mm

Zanussi, Electrolux 082640 - 083999 -

440948



Condensatore di spunto 72-88 µF 330V 50/60Hz
Ø 46x99 mm , codolo M8, cavo L=210

Condensateur de démarrage 72-88µF 330V 50/60Hz
Ø 46x99 mm , vis M8, câble L=210

Capacitor Start 72-88µF 330V 50/60Hz
Ø 46x99 mm , screw M8, cable L=210

Anlaufkondensator Kapazität 72-88µF 330V 50/60Hz
Ø 46x99 mm , Anschluss M8, kabel L=210

Zanussi, Electrolux 0A9228 -



Fusibili, Condensatori, Filtri RFI
Fuses, Capacitors, RFI Filters

Fusibles, Condensateurs, Filtres RFI
Sicherungen, Kondensatoren und Entstörfi

522800



Condensatore di spunto 88-108 µF 330V 50-60Hz
Ø 46x99 mm , codolo M8, cavo L=210 mm

Condensateur de demarrage 88-108 µF 330V 50-60Hz
Ø 46x99 mm , decoupe M8, câble L=210 mm

Capacitor start 88-108 µF 330V 50-60Hz
Ø 46x99 mm , fitting M8, cable L=210 mm

Anlaufkondensator Kapazität 88-108 µF 330V 50-60Hz
Ø 46x99 mm , Anschluss M8, kabel L=210 mm

Zanussi, Electrolux 083449 - 086174 -

522245



Filtro RFI
dim. Ø38x70 mm

Filtre RFI
dim. Ø38x70 mm

RFI filter
dim. Ø38x70 mm


RFI filter
dim. Ø38x70 mm

Zanussi, Electrolux 084987 -

Resistenze
Heating Elements

Résistances
Heizkörper

418822



Tubo riscaldante 1800W 230V cpl. termostato
Ø 40x290 mm

Resistance tubulaire 1800W 230V cpl. thermostat
Ø 40x290 mm

Pipe heater 1800W 230V cpl. thermostat
Ø 40x290 mm

Rohr heizung 1800W 230V Kpl. thermostat
Ø 40x290 mm

Zanussi, Electrolux 0KL339 - ST0107500-

414520



Resistenza sbrinamento 75W 220V
dim. 145x225 mm; con cavo

Résistances de dégivrage 75W 220V
dim. 145x225 mm; avec cable

Defrosting heating element 75W 220V
dim. 145x225 mm; with cable

Abtauheizungen 75W 220V
dim. 145x225 mm; mit kabel

Zanussi, Electrolux 0KJ268 -

317296



Resistenza sbrinamento 100W 120V

Résistances de dégivrage 100W 120V

Defrosting heating element 100W 120V

Abtauheizungen 100W 120V

Zanussi, Electrolux 091509 -



Resistenze
Heating Elements

Résistances
Heizkörper

414778



Resistenza sbrinamento 160W 230V
con cavo L=2000 mm

Résistances de dégivrage 160W 230V
avec cable L=2000 mm

Defrosting heating element 160W 230V
mit kabel L=2000 mm

Abtauheizungen 160W 230V
with cable L=2000 mm

Zanussi, Electrolux 087426 -

414659



Resistenza sbrinamento 600W 230V
dim. 430x115xh150 mm

Résistances de dégivrage 600W 230V
dim. 430x115xh150 mm

Defrosting heating element 600W 230V
dim. 430x115xh150 mm

Abtauheizungen 600W 230V
dim. 430x115xh150 mm

Zanussi, Electrolux 0KJ904 -

310996



Resistenza evaporatore
RCSF16G1X

Résistances évaporation
RCSF16G1X

Heating elements evaporation
RCSF16G1X

Tauwasserheizungen
RCSF16G1X

Zanussi, Electrolux 091785 -

414892



Resistenza evaporatore 46W 230V
con cavi: L1=700 mm - L2=120 mm

Résistances évaporation 46W 230V
avec câbles: L1=700 mm - L2=120 mm

Heating elements evaporation 46W 230V
with cables: L1=700 mm - L2=120 mm

Tauwasserheizungen 46W 230V
mit kabel : L1=700 mm - L2=120 mm

Zanussi, Electrolux 087736 -

415153



Resistenza evaporatore 220V 250W
dim. 370x320 mm; con cavo L=1000 mm con faston

Résistances évaporation 220V 250W
dim. 370x320 mm; avec cable L=1000 mm avec faston

Heating elements evaporation 220V 250W
dim. 370x320 mm; with cable L=1000 mm with faston

Tauwasserheizungen 220V 250W
dim. 370x320 mm; mit kabel L=1000 mm mit faston

Zanussi, Electrolux 083220 -



Resistenze
Heating Elements

Résistances
Heizkörper

414604

Resistenza evaporatore 230V 900W
con cavo L=1300 mm

Résistances évaporation 230V 900W
avec cable L=1300 mm

Heating elements evaporation 230V 900W
with cable L=1300 mm

Tauwasserheizungen 230V 900W
mit kabel L=1300 mm



Zanussi, Electrolux 084719 -

415036

Resistenza evaporatore 160W 220V
dim. 380x60 mm; con cavi L=1200 mm

Résistances évaporation 160W 220V
dim. 380x60 mm; avec cable L=1200 mm

Heating elements evaporation 160W 220V
dim. 380x60 mm; with cable L=1200 mm

Tauwasserheizungen 160W 220V
dim. 380x60 mm; mit kabel L=1200 mm



Zanussi, Electrolux 082733 -

435164

Resistenza evaporatore
BCW201R - BCFW201R - BCFWS102 - BCFWS101

Résistances évaporation
BCW201R - BCFW201R - BCFWS102 - BCFWS101

Heating elements evaporation
BCW201R - BCFW201R - BCFWS102 - BCFWS101

Tauwasserheizungen
BCW201R - BCFW201R - BCFWS102 - BCFWS101



Zanussi, Electrolux 088565 -

380776

Resistenza evaporatore 300W 230V
dim. Ø 8,5x400 mm; cavo L= 3500 mm

Résistances évaporation 300W
dim. Ø 8,5x400 mm; câble L= 3500 mm

Heating elements evaporation 300W
dim. Ø 8,5x400 mm; cable L= 3500 mm

Tauwasserheizungen 300W 230V
dim. Ø 8,5x400 mm; kabel L= 3500 mm



Zanussi, Electrolux 092209 -

414783

Resistenza evaporatore 335W 230V
dim. 310x260 mm; con cavo L=1800 mm con faston

Résistances évaporation 335W 230V
dim. 310x260 mm; avec cable L=1800 mm avec faston

Heating elements evaporation 335W 230V
dim. 310x260 mm; with cable L=1800 mm with faston

Tauwasserheizungen 335W 230V
dim. 310x260 mm; mit kabel L=1800 mm mit faston



Zanussi, Electrolux 083761 -



Resistenze
Heating Elements

Résistances
Heizkörper

340702



Resistenza evaporatore 335W 220V
dim. 320x260 mm

Résistances évaporation 335W 220V
dim. 320x260mm

Heating elements evaporation 335W 220V
dim. 320x260 mm

Tauwasserheizungen 335W 220V
dim. 320x260 mm

Zanussi, Electrolux 083093 -

337860



Resistenza evaporatore 400W 230V
con cavo L=500 mm

Résistances évaporation 400W 230V
avec cable L=500 mm

Heating elements evaporation 400W 230V
with cable L=500 mm

Tauwasserheizungen 400W 230V
mit kabel L=500 mm

Zanussi, Electrolux 088389 -

415172



Resistenza evaporatore 95W 230V
dim. 430x110 mm; cavo isolato L=1300 mm

Résistances évaporation 95W 230V
dim. 430x110 mm; cable isolée L=1300 mm

Heating elements evaporation 95W 230V
dim. 430x110 mm; insulated cable L=1300 mm

Tauwasserheizungen 95W 230V
dim. 430x110 mm; mit kabel L=1300 mm

Zanussi, Electrolux 082731 -

414613



Resistenza evaporatore 420W 230V
dim. 270x58x80 mm; cavo L=1800 mm; faston F
6,3x0,8 mm

Résistances évaporation 420W 230V
dim. 270x58x80 mm; câble L=1800 mm; faston F
6,3x0,8 mm

Heating elements evaporation 420W 230V
dim. 270x58x80 mm; cable L=1800 mm; faston F
6,3x0,8 mm

Tauwasserheizungen 420W 230V
dim. 270x58x80 mm; Kabel L=1800 mm; faston F
6,3x0,8 mm

Zanussi, Electrolux 087515 -

414992



Resistenza evaporatore 230V 420W
L=250 mm; con cavo L= 1600 mm

Résistances évaporation 230V 420W
L=250 mm; avec cable L= 1600 mm

Heating elements evaporation 230V 420W
L=250 mm; with cable L= 1600 mm

Tauwasserheizungen 230V 420W
L=250 mm; mit kabel L= 1600 mm

Zanussi, Electrolux 084726 -



Resistenze
Heating Elements

Résistances
Heizkörper

415053



Resistenza evaporatore 450W 230V

L=380 mm; con cavo L=1100 mm con faston F6;
connettore di terra L=1200 mm con occhiello

Résistances évaporation 450W 230V

L=380 mm; avec cable L=1100 mm avec faston F6;
connecteur de terre L=1200 mm avec œillet

Heating elements evaporation 450W 230V

L=380 mm; with cable L=1100 mm with faston F6;
ground connector L=1200 mm with eyelet

Tauwasserheizungen 450W 230V

L=380 mm; mit kabel L=1100 mm mit faston F6;
Masseanschluss L=1200 mm mit Öse

Zanussi, Electrolux 0A9683 -

415209



Resistenza evaporatore 540W 220V

dim. 735x310 mm

Résistances évaporation 540W 220V

dim. 735x310 mm

Heating elements evaporation 540W 220V


dim. 735x310 mm

Tauwasserheizungen 540W 220V

dim. 735x310 mm

Zanussi, Electrolux 082279 -

414609



Resistenza evaporatore 450W 230V

dim.485x120 mm; con cavo L=1300 mm

Résistances évaporation 450W 230V

dim.485x120 mm; avec cable L=1300 mm

Heating elements evaporation 450W 230V

dim.485x120 mm; with cable L=1300 mm

Tauwasserheizungen 450W 230V

dim.485x120 mm; mit kabel L=1300 mm

Zanussi, Electrolux 085533 -

415216



Resistenza evaporatore 1000W 230V

dim. 430x100 mm; cavo L=1400 mm

Résistances évaporation 1000W 230V

dim. 430x100 mm; câble L=1400 mm

Heating elements evaporation 1000W 230V

dim. 430x100 mm; cable L=1400 mmADN22060 -
ADF2206

Tauwasserheizungen 1000W 230V

dim. 430x100 mm; kabel L=1400 mm

Zanussi, Electrolux 0A9673 -

414896



Resistenze per bacinelle 95W 220V

dim. 495x60 mm; con cavo L=3000 mm

Résistances pour bac 95W 220V

dim. 495x60 mm; avec cable L=3000 mm

Heating elements for basin 95W 220V

dim. 495x60 mm; with cable L=3000 mm

Heizkörper für behälter 95W 220V

dim. 495x60 mm; mit kabel L=3000 mm

Zanussi, Electrolux 0A8134 -



Resistenze
Heating Elements

Résistances
Heizkörper

415072



Resistenze per bacinelle 95W 220V
dim. 320x50 mm; con cavo L=3000 mm

Résistances pour bac 95W 220V
dim. 320x50mm; avec cable L=3000 mm

Heating elements for basin 95W 220V
dim. 320x50 mm; with cable L=3000 mm

Heizkörper für behälter 95W 220V
dim. 320x50 mm; mit kabel L=3000 mm

Zanussi, Electrolux 083714 -

415311



Resistenze per bacinelle 120W 220
dim. 198x114x40 mm; con cavo L=95 mm

Résistances pour bac 120W 220
dim. 198x114x40 mm; avec cable L=95 mm

Heating elements for basin 120W 220
dim. 198x114x40 mm; with cable L=95 mm

Heizkörper für behälter 120W 220
dim. 198x114x40 mm; mit kabel L=95 mm

Zanussi, Electrolux 082188 -

415060



Resistenze per bacinelle 95W 230-265V
dim. Ø 12x120 mm; con cavo L=2900 mm

Résistances pour bac 95W 230-265V
dim. Ø 12x120 mm; avec cable L=2900 mm

Heating elements evaporation 95W 230-265V
dim. Ø 12x120 mm; with cable L=2900 mm

Heizkörper für behälter 95W 230-265V
dim. Ø 12x120 mm; mit kabel L=2900 mm

Zanussi, Electrolux 083814 -

532985



Resistenze per bacinelle PTC 350W 230V
dim. Ø 12x230 mm; con cavo L=1000 mm, Tmax
180°C, con guarnizioni e dado di fissaggio

Résistances pour bac PTC 350W 230V
dim. Ø 12x230 mm; avec cable L=1000 mm, Tmax
180°C, avec joint et ecroe fixe

Heating elements for basin PTC 350W 230V
dim. Ø 12x230 mm; with cable L=1000 mm, Tmax
180°C, with gasket and fixing nut

Heizkörper für behälter PTC 350W 230V
dim. Ø 12x230 mm; mit kabel L=1000 mm, Tmax
180°C, mit dichtung und mutter fix

Zanussi, Electrolux 099417 -

318266



Cavo riscaldante 9,1W 230V L=2400 mm
con faston F6,3

Câble chauffant 9,1W 230V L=2400 mm
avec faston F6,3

Heating cable 9,1W 230V L=2400 mm
with faston F6,3

Heizkoerper 9,1W 230V L=2400 mm
mit faston F6,3

Zanussi, Electrolux 091583 -



Resistenze
Heating Elements

Résistances
Heizkörper

319972

Cavo riscaldante 11W 230V L=1600 mm
Per tavoli 2 vani BT - TN

Câble chauffant 11W 230V L=1600 mm
puor tables 2 portes BT - TN

Heating cable 11W 230V L=1600 mm
for 2 doors tables BT - TN

Heizkabel 11W 230V L=1600 mm
for 2 doors tables BT - TN

Zanussi, Electrolux 091005 -

415182

Cavo riscaldante 21W 230V Ø 6x2500 mm
con faston 6,3 mm, per tubo scarico condensa

Câble chauffant 21W 230V Ø 6x2500 mm
avec cosse 6,3 mm, pour tuyau de vidange

Heating cable 21W 230V Ø 6x2500 mm
with faston 6,3 mm, for drain pipe

Heizkabel 21W 230V Ø 6x2500 mm
mit faston 6,3 mm, mit Ablaufanschluss

Zanussi, Electrolux 081939 - 087138 - 0K6065 -

414997

Cavo riscaldante 21W 230V Ø 6x3000 mm
con faston 7 mm

Câble chauffant 21W 230V Ø 6x3000 mm
avec faston 7 mm

Heating cable 21W 230V Ø 6x3000 mm
with faston 7 mm

Heizkabel 21W 230V Ø 6x3000 mm
mit faston 7 mm

Zanussi, Electrolux 087779 -

414988

Cavo riscaldante 21W 230V

Câble chauffant 21W 230V

Heating cable 21W 230V

Heizkabel 21W 230V

Zanussi, Electrolux 087353 -

435242

Cavo riscaldante 21,15W 230V L=6250 mm

Câble chauffant 21,15W 230V L=6250 mm

Heating cable 21,15W 230V L=6250 mm

Heizkabel 21,15W 230V L=6250 mm

Zanussi, Electrolux 082259 - 089898 -



Resistenze
Heating Elements

Résistances
Heizkörper

414920

Cavo riscaldante 21.3 W 230 V L= 2000 mm

Heating cable 21.3 W 230 V L= 2000 mm

Câble chauffant 21.3 W 230 V L= 2000 mm

Heizkabel 21.3 W 230 V L= 2000 mm



Zanussi, Electrolux 085979 - 0A9679 -

415237

Cavo riscaldante 21,5W 230V L=5250 mm
con faston F6,3 mm

Heating cable 21,5W 230V L=5250 mm
with faston F6,3 mm

Câble chauffant 21,5W 230V L=5250 mm
avec faston F6,3 mm

Heizkabel 21,5W 230V L=5250 mm
mit faston F6,3 mm



Zanussi, Electrolux 083585 -

414991

Cavo riscaldante 22,5W 230V L=3900
con faston

Heating cable 22,5W 230V L=3900
with faston

Câble chauffant 22,5W 230V L=3900
avec faston

Heizkabel 22,5W 230V L=3900
mit faston



Zanussi, Electrolux 087090 -

414894

Cavo riscaldante 26,7W 230V L=4200 mm

Heating cable 26,7W 230V L=4200 mm

Câble chauffant 26,7W 230V L=4200 mm

Heizkabel 26,7W 230V L=4200 mm



Zanussi, Electrolux 087393 -

414645

Cavo riscaldante 29W 220V L=7000 mm

Heating cable 29W 220V L=7000 mm

Câble chauffant 29W 220V L=7000 mm

Heizkabel 29W 220V L=7000 mm



Zanussi, Electrolux 082361 -



Resistenze
Heating Elements

Résistances
Heizkörper

435243

Cavo riscaldante 42W 230V Ø 4,5x6200 mm
con faston 7 mm e un puntale 1,5 mm



Câble chauffant 42W 230V Ø 4,5x6200 mm
avec cosse 7 mm et connecteur 1,5 m

Heating cable 42W 230V Ø 4,5x6200 mm
with faston 7 mm and spade connector 1,5 mm

Heizkabel 42W 230V Ø 4,5x6200 mm
faston 7 mm und spitze L=6200 mm

Zanussi, Electrolux 082247 - 089912 -

414918

Cavo riscaldante 42,4W 230V L=6000mm
con faston



Câble chauffant 42,4W 230V L=6000mm
avec cosse

Heating cable 42,4W 230V L=6000mm
with faston

Heizkabel 42,4W 230V L=6000mm
mit faston

Zanussi, Electrolux 085984 - 087170 -

414823

Cavo riscaldante 47W 230V L= 5500 mm



Câble chauffant 47W 230V L= 5500 mm

Heating cable 47W 230V L= 5500 mm

Heizkabel 47W 230V L= 5500 mm

Zanussi, Electrolux 083762 -

415273

Cavo riscaldante 57,4W 230V L=7750 mm
con faston e puntale



Câble chauffant 57,4W 230V L=7750 mm
avec faston et connecteur

Heating cable 57,4W 230V L=7750 mm
with faston and spade connector

Heizkabel 57,4W 230V L=7750 mm
faston und spitze

Zanussi, Electrolux 082355 - 089953 -

343507

Cavo riscaldante 90W 220V L=5300 mm



Câble chauffant 90W 220V L=5300 mm

Heating element 90W 220V L=5300 mm

Heizkoerper 90W 220V L=5300 mm

Zanussi, Electrolux 085750 -



Resistenze
Heating Elements

Résistances
Heizkörper

343509 Cavo riscaldante 94W 220V L=5800 mm Heating cable 94W 220V L=5800 mm



Câble chauffant 94W 220V L=5800 mm

Heizkabel 94W 220V L=5800 mm

Zanussi, Electrolux 085224 -

Trasformatori
Transformers

Transformateurs
Transformer

435285 **Trasformatore 230/12V P=3VA 50/60Hz** dim. 44x45x33 mm; per termoregolatori alimentati a 12V **Transformer 230/12V P=3VA 50/60Hz** dim. 44x45x33 mm; for 12V thermoregulator



Transformateur 230/12V P=3VA 50/60Hz dim. 44x45x33 mm; pour thermorégulateur 12V

Transformatoren 230/12V P=3VA 50/60Hz dim. 44x45x33 mm; für Temperaturregler versorgt ein 12V

Zanussi, Electrolux 004120 - 004121 - 083833 -

410166 **Trasformatore 230/12V P=6VA 50/60Hz** dim. 44x45x33 mm; per termoregolatori alimentati a 12V **Transformer 230/12V P=6VA 50/60Hz** dim. 44x45x33 mm; for 12V thermoregulator



Transformateur 230/12V P=6VA 50/60Hz dim. 44x45x33 mm; pour thermorégulateur 12V

Transformatoren 230/12V P=6VA 50/60Hz dim. 44x45x33 mm; für Temperaturregler versorgt ein 12V

Zanussi, Electrolux 082378 -

410066 **Trasformatore 10VA prim 220/ sec 12V 50/60Hz** dim.57x47x40 mm **Transformer 10VA prim 220/ sec 12V 50/60Hz** dim.57x47x40 mm




Transformateur 10VA prim 220/ sec 12V 50/60Hz dim.57x47x40 mm

Transformatoren 10VA prim 220/ sec 12V 50/60Hz dim.57x47x40 mm

Zanussi, Electrolux 085761 -

439329 **Trasformatore 20VA 50/60Hz** pri. 230V sec.24V 20W dim.57x59x52 mm **Transformer 20VA 50/60Hz** pri. 230V sec.24V 20W dim.57x59x52 mm



Transformateur 20VA 50/60Hz pri. 230V sec.24V 20W dim.57x59x52 mm

Transformatoren 20VA 50/60Hz pri. 230V sec.24V 20W dim.57x59x52 mm

Zanussi, Electrolux 087662 -



Trasformatori
Transformers

Transformateurs
Transformer

435908

Trasformatore per illuminazione 40W 230V 50Hz

Trasformer for lighting 40W 230V 50Hz

Transformateur pour technique d'éclairage 40W 230V 50Hz

Transformatoren für Beleuchtungstechnik 40W 230V 50Hz



Zanussi, Electrolux 0A9200 -

410100

Trasformatore 18VA 50/60Hz 230V
2 uscite 12V-9,5V

Transformer 18VA 50/60Hz 230V
2 outlet 12V-9,5V

Transformateur 18VA 50/60Hz 230V
2 sortie 12V-9,5V

Transformatoren 18VA 50/60Hz 230V
2 ausgang 12V-9,5V



Zanussi, Electrolux 083389 -

Termostati
Thermostats

Thermostats
Thermostate

435185

Termostato di sicurezza 1P +40/-30°C
10A 250V - cavo L=780 mm

Safety thermostat 1P +40/-30°C
10A 250V - cable L=780 mm

Thermostat de sécurité 1P +40/-30°C
10A 250V - câble L=780 mm

Sicherheitsthermostat 1P +40/-30°C
10A 250V - kabel L=780 mm



Zanussi, Electrolux 088567 -

435120

Termostato sicurezza 1P 40°C
cavo L=1600 mm con faston F 6,3 mm

Safety thermostat 1P 40°C
cable L=1600 mm with faston F 6,3 mm

Thermostat de sécurité 1P 40°C
câble L=1600 mm avec faston F 6,3 mm

Sicherheitsthermostat 1P 40°C
kabel L=1600 mm mit faston F 6,3 mm



Zanussi, Electrolux 0A9671 -

432479

Termostato di sicurezza 1P 110°C
capillare rivestito L=2000; bulbo Ø 6x78 mm

Safety thermostat 1P 110°C
coated capillary L=2000; bulb Ø 6x78 mm

Thermostat de sécurité 1P 110°C
capillaire revêtu L=2000; bulbe Ø 6x78 mm

Sicherheitsthermostat 1P 110°C
kapillar clad L=2000; Birne Ø 6x78 mm



Zanussi, Electrolux 0A9601 -



Termostati
Thermostats

Thermostats
Thermostate

520540



Termostato di sicurezza 3P 133°C
capillare L=1710 mm - bulbo Ø 6x74 mm

Thermostat de sécurité 3P 133°C
capillaire L=1710 mm - bulbe Ø 6x74 mm

Safety thermostat 3P 133°C
capillary L=1710 mm - bulb Ø 6x74 mm

Sicherheitsthermostat 3P 133°C
kapillar L=1710 mm - Birne Ø 6x74 mm

Zanussi, Electrolux 089633 -

435052



Termostato contatto NO 85°C - NC 75°C
tipo L85-10C T175

Thermostats contact NO 85°C - NC 75°C
type L85-10C T175

Bi-metal thermostats NO 85°C - NC 75°C
type L85-10C T175

Anlegethermostate NO 85°C - NC 75°C
type L85-10C T175

Zanussi, Electrolux 0A8707 -

520873



Termostato Klixon
cavo L=3500 mm, con faston

Thermostat Klixon
câble L=3500 mm, avec faston

Thermostat Klixon
cable L=3500 mm, with faston

Thermostat Klixon
kabel L=3500 mm, mit faston

Zanussi, Electrolux 088396 -

411524



Termostato fine sbrinamento +7/-1°C
temperatura di stacco +7°C; temperatura di riattacco
-1°C; cavo L=1150 mm con faston F7 mm

Thermostat fin de dégivrage +7/-1°C
température de détachement +7°C; température de
recollement -1°C; câble L=1150 mm avec faston F7
mm

Defrosting end thermostat +7/-1°C
switch-OFF temp. (warm) +7°C; switch-ON temp
(cold) -1°C; cavo L=1150 mm with faston F7 mm

Thermostat Ende Abtauen +7/-1°C
Ablösung Temperatur +7°C; Wiederanheftung
Temperatur -1°C; kabel L=1150 mm mit faston F7
mm

Zanussi, Electrolux 083106 -

438771



Termostato +10°C
cavo L=1850 mm

Thermostat +10°C
câble L=1850 mm

Thermostat +10°C
cable L=1850 mm

Thermostat +10°C
kabel L=1850 mm

Zanussi, Electrolux 0A9079 -



Termostati
Thermostats

Thermostats
Thermostate

438811



Termostato fine sbrinamento +20/0 C° cavo L=1600 mm

Thermostat fin de dégivrage +20/0 C° câble L=1600 mm

Defrosting end thermostat +20/0 C° cable L=1600 mm

Thermostat Ende Abtauen +20/0 C° kabel L=1600 mm

Zanussi, Electrolux 085940 -

411523



Termostato fine sbrinamento +25/10°C

temperatura di stacco +25°C; temperatura di riattacco +10°C; cavo L=2000 mm

Thermostat fin de dégivrage +25/10°C

température de détachement +25°C; température de recollement +10°C; câble L=2000 mm

Defrosting end thermostat +25/10°C

switch-OFF temp. (warm) +25°C; switch-ON temp (cold) +10°C; cable L=2000 mm

Thermostat Ende Abtauen +25/10°C

Ablösung Temperatur +25°C; Wiederanheftung Temperatur +10°C; kabel L=2000 mm

Zanussi, Electrolux 082618 - 083113 - 0A9529 -

349751



Termostato K22-L1537

Thermostat K22L 1537

Thermostat K22L 1537

Thermostat K22L 1537

Zanussi, Electrolux 0A9579 -

535279



Termostato K22-L3521

capillare L=2000 mm; perno a mezzaluna Ø 6x4,6 mm; campo di lavoro -2/+8°C

Thermostat K22-L3521

capillaire L=2000 mm; D-axe Ø 6x4,6 mm; température d'utilisation -2/+8°C

Thermostat K22-L3521

capillary L=2000 mm; D-shaft Ø 6x4,6 mm; operating temperature range -2/+8°C

Thermostat K22-L3521

kapillar L=2000 mm; Halbmondachse Ø 6x4,6 mm; Arbeitsbereich -2/+8°C

Zanussi, Electrolux 099551 -

346557



Termostato K50-P1115

capillare L=2000 mm; 6A 250V; perno mezzaluna Ø 6x4,6 mm; campo di lavoro +1,5/+11°C

Thermostat K50-P1115

capillaire L=2000 mm; 6A 250V; D-axe Ø 6x4,6 mm; température d'utilisation +1,5/+11°C

Thermostat K50-P1115

capillary L=2000 mm; 6A 250V; D-shaft Ø 6x4,6 mm; operating temperature range +1,5/+11°C

Thermostat K50-P1115

kapillar L=2000 mm; 6A 250V; Halbmondachse Ø 6x4,6 mm; Arbeitsbereich +1,5/+11°C

Zanussi, Electrolux 083520 -



Termostati
Thermostats

Thermostats
Thermostate

429530



Termostato K50-P1459

capillare L=400 mm; 6A 250V; perno mezzaluna Ø 6x4,6 mm; campo di lavoro -22,5/+2 °C

Thermostat K50-P1459

capillaire L=400 mm; 6A 250V; D-axe Ø 6x4,6 mm; température d'utilisation -22,5/+2 °C

Thermostat K50-P1459

capillary L=400 mm; 6A 250V; D-shaft Ø 6x4,6 mm; operating temperature range -22,5/+2 °C

Thermostat K50-P1459

kapillar L=400 mm; 6A 250V; Halbmondachse Ø 6x4,6 mm; Arbeitsbereich -22,5/+2 °C

Zanussi, Electrolux 0KS870 -

349495



Termostato K50-L3078

capillare L=2040 mm; 6A 250V; perno a mezzaluna Ø 6x4,6 mm; campo di lavoro -7/-3°C

Thermostat K50-L3078

capillaire L=2040 mm; 6A 250V; D-axe Ø 6x4,6 mm; température d'utilisation -7/-3°C

Thermostat K50-L3078


capillary L=2040 mm; 6A 250V; D-shaft Ø 6x4,6 mm; operating temperature range -7/-3°C

Thermostat K50-L3078

kapillar L=2040 mm; 6A 250V; Halbmondachse Ø 6x4,6 mm; Arbeitsbereich -7/-3°C

Zanussi, Electrolux 0A8089 -

416028



Termostato K50-L3199

capillare L=2000 mm; perno a mezzaluna Ø 6x4 mm

Thermostat K50 L3199

capillaire L=2000 mm; D-axe Ø 6x4 mm

Thermostat K50 L3199

capillary L=2000 mm; D-shaft Ø 6x4 mm

Thermostat K50 L3199

kapillar L=2000 mm; Halbmondachse Ø 6x4 mm

Zanussi, Electrolux 0A8728 -

346089



Termostato K50-L3324

capillare L=2500 mm; 6A 250V; perno a mezzaluna Ø 6x4,6 mm; campo di lavoro +1,5/+4 °C

Thermostat K50-L3324

capillaire L=2500 mm; 6A 250V; D-axe Ø 6x4,6 mm; température d'utilisation +1,5/+4 °C

Thermostat K50-L3324

capillar L=2500 mm; 6A 250V; D-shaft Ø 6x4,6 mm; operating temperature range +1,5/+4 °C

Thermostat K50-L3324

kapillar L=2500 mm; 6A 250V; Halbmondachse Ø 6x4,6 mm; Arbeitsbereich +1,5/+4 °C

Zanussi, Electrolux 086026 -

349489



Termostato K52-L4512

capillari L=2100 mm; 6A 250V; perno mezzaluna Ø 6x4,6 mm; campo di lavoro -6,4/+3,2

Thermostat K52-L4512

capillaire L=2100 mm; 6A 250V; D-axe Ø 6x4,6 mm; température d'utilisation -6,4/+3,2

Thermostat K52-L4512

capillar L=2100 mm; 6A 250V; D-shaft Ø 6x4,6 mm; operating temperature range -6,4/+3,2

Thermostat K52-L4512

kapillar L=2100 mm; 6A 250V; Halbmondachse Ø 6x4,6 mm; Arbeitsbereich -6,4/+3,2

Zanussi, Electrolux 0A8653 -



Termostati
Thermostats

Thermostats
Thermostate

349479



Termostato K55-L5026

capillare L=2000 mm; perno a mezzaluna Ø 6x4,6 mm; campo di lavoro 0,5/+8°C

Thermostat K55-L5026

capillaire L=2000 mm; D-axe Ø 6x4,6 mm; température d'utilisation 0,5/+8°C

Thermostat K55-L5026


capillar L=2000 mm; D-shaft Ø 6x4,6 mm; operating temperature range 0,5/+8°C

Thermostat K55-L5026

kapillar L=2000 mm; Halbmondachse Ø 6x4,6 mm; Arbeitsbereich 0,5/+8°C

Zanussi, Electrolux 082025 -

435319



Termostato K55-L5027

capillare L=2000 mm; 6A 250V; perno a mezzaluna Ø 6x4,6 mm; campo di lavoro -5/+8,5°C

Thermostat K55-L5027

capillaire L=2000 mm; 6A 250V; D-axe Ø 6x4,6 mm; température d'utilisation -5/+8,5°C

Thermostat K55-L5027

capillar L=2000 mm; 6A 250V; D-shaft Ø 6x4,6 mm; operating temperature range -5/+8,5°C

Thermostat K55-L5027

kapillar L=2000 mm; 6A 250V; Halbmondachse Ø 6x4,6 mm; Arbeitsbereich -5/+8,5°C

Zanussi, Electrolux 081689 -

349483



Termostato K55-L5070

capillare L=2500 mm; 6A 250V; perno a mezzaluna Ø 6x4,6 mm; campo di lavoro -22/-7°C

Thermostat K55-L5070

capillaire L=2500 mm; 6A 250V; D-axe Ø 6x4,6 mm; température d'utilisation -22/-7°C

Thermostat K55-L5070

capillar L=2500 mm; 6A 250V; D-shaft Ø 6x4,6 mm; operating temperature range -22/-7°C

Thermostat K55-L5070

kapillar L=2500 mm; 6A 250V; Halbmondachse Ø 6x4,6 mm; Arbeitsbereich -22/-7°C

Zanussi, Electrolux 082985 - 085000 -

435199



Termostato K55-L5078

capillare L=2000 mm; perno a mezzaluna Ø 6x4,6 mm; campo di lavoro +2/+10°C

Thermostat K55-L5078

capillaire L=2000 mm; D-axe Ø 6x4,6 mm; température d'utilisation +2/+10°C

Thermostat K55-L5078

capillar L=2000 mm; D-shaft Ø 6x4,6 mm; operating temperature range +2/+10°C

Thermostat K55-L5078

kapillar L=2000 mm; Halbmondachse Ø 6x4,6 mm; Arbeitsbereich +2/+10°C

Zanussi, Electrolux 083125 -

435198



Termostato K55-L5079

capillare L=2000 mm; perno a mezzaluna Ø 6x4,6 mm; campo di lavoro -2/+11°C

Thermostat K55-L5079

capillaire L=2000 mm; D-axe Ø 6x4,6 mm; température d'utilisation -2/+11°C

Thermostat K55-L5079

capillar L=2000 mm; D-shaft Ø 6x4,6 mm; operating temperature range -2/+11°C

Thermostat K55 L5079

kapillar L=2000 mm; Halbmondachse Ø 6x4,6 mm; Arbeitsbereich -2/+11°C

Zanussi, Electrolux 083135 -



Termostati
Thermostats

Thermostats
Thermostate

349487



Termostato K55-L5080

capillare L=2000 mm; perno a mezzaluna Ø 6x4,6 mm; campo di temperatura -3/+10°C

Thermostat K55-L5080

capillaire L=2000 mm; D-axis Ø 6x4,6 mm; température d'utilisation -3/+10°C

Thermostat K55-L5080

capillar L=2000 mm; D-shaft Ø 6x4,6 mm; operating temperature range -3/+10°C

Thermostat K55-L5080

kapillar L=2000 mm; Halbmondachse Ø 6x4,6 mm; Arbeitsbereich -3/+10°C

Zanussi, Electrolux 083147 -

436110



Termostato K55-L5106

capillare L=2500 mm; perno a mezzaluna Ø 6x4 mm; campo di lavoro -20°C

Thermostat K55-L5106

capillaire L=2500 mm; D-axis Ø 6x4 mm; température d'utilisation -20°C

Thermostat K55-L5106

capillar L=2500 mm; D-shaft Ø 6x4 mm; operating temperature range -20°C

Thermostat K55-L5106

kapillar L=2500 mm; Halbmondachse Ø 6x4 mm; Arbeitsbereich -20°C

Zanussi, Electrolux 085889 -

438704



Termostato K55-L5110

capillare L=1500 mm; perno a mezzaluna Ø 6x4 mm; campo di lavoro -21/-12°C

Thermostat K55-L5110

capillaire L=1500 mm; D-axis Ø 6x4 mm; température d'utilisation -21/-12°C

Thermostat K55-L5110

capillar L=1500 mm; D-shaft Ø 6x4 mm; operating temperature range -21/-12°C

Thermostat K55-L5110

kapillar L=1500 mm; Halbmondachse Ø 6x4 mm; Arbeitsbereich -21/-12°C

Zanussi, Electrolux 0A9688 -

438705



Termostato K55-L5112

capillare L=1550 mm; 16A 250V; perno a mezzaluna Ø 6x4 mm; campo di lavoro -3,6/+12°C

Thermostat K55-L5112

capillaire L=1550 mm; 16A 250V; D-axis Ø 6x4 mm; température d'utilisation -3,6/+12°C

Thermostat K55-L5112

capillar L=1550 mm; 16A 250V; D-shaft Ø 6x4 mm; operating temperature range -3,6/+12°C

Thermostat K55-L5112

kapillar L=1550 mm; 16A 250V; Halbmondachse Ø 6x4 mm; Arbeitsbereich -3,6/+12°C

Zanussi, Electrolux 087165 - 0A9690 -

349761



Termostato K55-L5113

capillare L=1500 mm; perno a mezzaluna Ø 6x4 mm; campo di lavoro -0,5/+12°C

Thermostat K55-L5113

capillaire L=1500 mm; D-axis Ø 6x4 mm; température d'utilisation -0,5/+12°C

Thermostat K55-L5113

capillar L=1500 mm; D-shaft Ø 6x4 mm; operating temperature range -0,5/+12°C

Thermostat K55-L5113

kapillar L=1500 mm; Halbmondachse Ø 6x4 mm; Arbeitsbereich -0,5/+12°C

Zanussi, Electrolux 0A9692 -



Termostati
Thermostats

Thermostats
Thermostate

436117

Termostato K55-L5115

capillare L=1600 mm; perno a mezzaluna Ø 6x4 mm;
campo di lavoro -23/-8,6 °C

Thermostat K55-L5115

capillaire L=1600 mm; D-axe Ø 6x4 mm; température
d'utilisation -23/-8,6 °C

Thermostat K55-L5115

capillar L=1600 mm; D-shaft Ø 6x4 mm; operating
temperature range -23/-8,6 °C

Thermostat K55-L5115

kapillar L=1600 mm; Halbmondachse Ø 6x4 mm;
Arbeitsbereich -23/-8,6 °C

Zanussi, Electrolux 087173 -

438768

Termostato K55-L5118

capillare L= mm; perno a mezzaluna Ø 6x4 mm;
campo di lavoro -7/+8 °C

Thermostat K55-L5118

capillaire L= mm; D-axe Ø 6x4 mm; température
d'utilisation -7/+8 °C

Thermostat K55-L5118

capillar L= mm; D-shaft Ø 6x4 mm; operating
temperature range -7/+8 °C

Thermostat K55-L5118

kapillar L= mm; Halbmondachse Ø 6x4 mm;
Arbeitsbereich -7/+8 °C

Zanussi, Electrolux 087181 -

436118

Termostato K55-L5119

capillare L=1500 mm; perno a mezzaluna Ø 6x4 mm

Thermostat K55-L5119

capillaire L=1500 mm; D-axe Ø 6x4 mm

Thermostat K55-L5119

capillar L=1500 mm; D-shaft Ø 6x4 mm

Thermostat K55-L5119

kapillar L=1500 mm; Halbmondachse Ø 6x4 mm

Zanussi, Electrolux 087360 -

435282

Termostato K55-P5851

capillare L=2500 mm; perno a mezzaluna Ø 6x4,6 mm

Thermostat K55-P5851

capillaire L=2500 mm; D-axe Ø 6x4,6 mm

Thermostat K55-P5851

capillary L=2500 mm; D-shaft Ø 6x4,6 mm

Thermostat K55-P5851

kapillar L=2500 mm; Halbmondachse Ø 6x4,6 mm

Zanussi, Electrolux 087516 -

432937

Termostato K59-P4811

capillare L=2000 mm; perno a mezzaluna Ø 6x4,6
mm; campo di lavoro +4,5/-21°C

Thermostat K59-P4811000

capillaire L=2000 mm; D-axe Ø 6x4 mm; température
d'utilisation +4,5/-21°C

Thermostat K59-P4811000

capillary L=2000 mm; D-shaft Ø 6x4 mm; operating
temperature range +4,5/-21°C

Thermostat K59-P4811000

kapillar L=2000 mm; Halbmondachse Ø 6x4 mm;
Arbeitsbereich +4,5/-21°C


Zanussi, Electrolux 0KJ232 -



Termostati
Thermostats

Thermostats
Thermostate

429532



Termostato K60-P1106
capillare L=400 mm; perno a mezzaluna Ø 6x4,6 mm

Thermostat K60-P1106
capillaire L=400 mm; D-axe Ø 6x4,6 mm

Thermostat K60-P1106
capillary L=400 mm; D-shaft Ø 6x4,6 mm

Thermostat K60-P1106
kapillar L=400 mm; Halbmondachse Ø 6x4,6 mm

Zanussi, Electrolux 0KS869 -

349478



Termostato K60-L2034
capillare L=1000 mm; 6A 250V; perno a mezzaluna Ø 6x4,6 mm; campo di lavoro -17/-10°C

Thermostat K60-L2034
capillaire L=1000 mm; 6A 250V; D-axe Ø 6x4 mm; température d'utilisation -17/-10°C

Thermostat K60-L2034
capillary L=1000 mm; 6A 250V; D-shaft Ø 6x4 mm; operating temperature range -17/-10°C

Thermostat K60-L2034
kapillar L=1000 mm; 6A 250V; Halbmondachse Ø 6x4 mm; Arbeitsbereich -17/-10°C

Zanussi, Electrolux 081378 -

349492



Termostato K60-L2112
capillare L=2500 mm; perno a mezzaluna Ø 6x4,6 mm

Thermostat K60-L2112
capillaire L=2500 mm; D-axe Ø 6x4,6 mm

Thermostat K60-L2112
capillary L=2500 mm; D-shaft Ø 6x4,6 mm

Thermostat K60-L2112
kapillar L=2500 mm; Halbmondachse Ø 6x4,6 mm

Zanussi, Electrolux 083177 -

349499



Termostato K60-L2141
capillare L=830 mm; perno a mezzaluna Ø 6x4,6 mm

Thermostat K60-L2141
capillaire L=830 mm; D-axe Ø 6x4,6 mm

Thermostat K60-L2141
capillary L=830 mm; D-shaft Ø 6x4,6 mm

Thermostat K60-L2141
kapillar L=830 mm; Halbmondachse Ø 6x4,6 mm

Zanussi, Electrolux 083178 -



Tendine
Curtains

Rideaux
Vorhang

521148

Tendina 113,50x120 mm

Curtain 113,50x120 mm

Rideau 113,50x120 mm

Vorhang 113,50x120 mm



Zanussi, Electrolux 088259 -

521147

Tendina 1080x1540 mm

Curtain 1080x1540 mm

Rideau 1080x1540 mm

Vorhang 1080x1540 mm



Zanussi, Electrolux 088260 -

Tubi
Hoses

Tuyaux
Schläuche

435003

Tubo di scarico L=145 mm - Ø 20x2 / Ø 15x2,5 mm

Drain pipe L=145 mm - Ø 20x2 / Ø 15x2,5 mm

Tube de vidage L=145 mm - Ø 20x2 / Ø 15x2,5 mm

Ablaufschlauch L=145 mm - Ø 20x2 / Ø 15x2,5 mm



Zanussi, Electrolux 087657 -

531772

Tubo Ltot= 350 mm

Ø 40x72 + Ø 21.5x27.9 mm

Hose Ltot= 350 mm

Ø 40x72 + Ø 21.5x27.9 mm

Touyau Ltot= 350 mm

Ø 40x72 + Ø 21.5x27.9 mm

Schlauch Ltot= 350 mm

Ø 40x72 + Ø 21.5x27.9 mm



Zanussi, Electrolux 0KZ366 - ST5001700-

700356

Raccordo a T

attacco Ø 6 mm

T-connection

connection Ø 6 mm

Raccord en T

raccord Ø 6 mm

T-stück

anschluss Ø 6 mm



Zanussi, Electrolux 091724 -



Componenti di scarico
Drain components

Composants de vidange
Ablaufeinheiten

348245

Piletta di scarico con raccordo Ø 1"1/2 H=60 mm
foro troppopieno Ø 50 mm, corpo in plastica

Drain plate with junction Ø 1"1/2 H=60 mm
overflow pipe hole Ø 50 mm, plastic body

Bonde de vidange avec raccord Ø 1"1/2 H=60 mm
trou pour trop plein Ø 50 mm, corps en plastique

Ablaufventil mit Anschluss Ø 1"1/2 H=60 mm
bohrung für überlaufrohr Ø 50 mm, aus Kunststoff



Zanussi, Electrolux 083591 - 0S1318 -

441309

Tappo Ø 50 mm

Plug Ø 50 mm

Bouchon Ø 50 mm

Stoepsel Ø 50 mm



Zanussi, Electrolux 083886 -

337874

Piletta di scarico Ø 1/2" H=34 mm
Øint 14mm, Øtop 1 1/3 ", in plastica

Drain plate Ø 1/2" H=34 mm
Øint 14mm, Øtop 1 1/3 ", plastic

Bonde de vidange Ø 1/2" H=34 mm
Øint 14mm, Øtop 1 1/3 ", plastique

Ablaufventil Ø 1/2" H=34 mm
Øint 14mm, Øtop 1 1/3 ", in Kunststoff



Zanussi, Electrolux 089756 -


521088

Piletta di scarico Ø 20 mm Htot=47 mm
Øint 16 mm

Drain plate Ø 20 mm Htot=47 mm
Øint 16 mm

Bonde de vidange Ø 20 mm Htot=47 mm
Øint 16 mm

Ablaufventil Ø 20 mm Htot=47 mm
Øint 16 mm



Zanussi, Electrolux 087912 -

525712

Guarnizione Ø 30x39x2 mm per piletta 348050

Gasket Ø 30x39x2 mm for drain plate 348050

Joint Ø 30x39x2 mm pour bonde de vidange 348050

Dichtung Ø 30x39x2 mm für ablaufventil 348050



Zanussi, Electrolux 033095 -



Componenti di scarico
Drain components

Composants de vidange
Ablaufeinheiten

441380

Dado Øint 19 mm

Lock nut Øint 19 mm



Ecroe Øint 19 mm

Mutter Øint 19 mm

Zanussi, Electrolux 081797 -

521813

Tappo

Plug



Bouchon


Stopfen

Zanussi, Electrolux 085535 -

521026

Tappo

Plug



Bouchon

Stoepsel

Zanussi, Electrolux 088089 -

414311

Molletta

Clips



Clips

Schelle

Zanussi, Electrolux 0KJ353 - 476020600 -

441319

Ghiera

Ring nut



Contre ecrou

Ringmutter

Zanussi, Electrolux 083592 -



Componenti di scarico
Drain components

Composants de vidange
Ablaufeinheiten

441318



Portagomma per tubo Ø 24,5
attacco Ø 36,30xh6,5

Raccord cannèle pour tuyau Ø 24,5
raccord Ø 36,30xh6,5

Rubber holder for hose Ø 24,5
connection Ø 36,30xh6,5

Schlauchtülle für Schläuche Ø 24,5 mm
Anschluss Ø 36,30xh6,5

Zanussi, Electrolux 083593 -

439037



Sifone tubo Ø 16 mm

Siphon tuyau Ø 16 mm

Siphon hose Ø 16 mm

Siphon Schläuche Ø 16 mm

Zanussi, Electrolux 085036 -

521347



Sifone

Siphon

Siphon

Siphon

Zanussi, Electrolux 087658 -

338549



Sifone Ltot 910 mm
Øext 16 - 21 mm Øint 13-18 mm

Siphon Ltot 910 mm
Øext 16 - 21 mm Øint 13-18 mm

Siphon Ltot 910 mm
Øext 16 - 21 mm Øint 13-18 mm

Siphon Ltot 910 mm
Øext 16 - 21 mm Øint 13-18 mm

Zanussi, Electrolux 082262 - 082301 -

520829



Siphon Øest. 19,5 mm
L=165 mm

Siphon Øest. 19,5 mm
L=165 mm

Siphon Øest. 19,5 mm
L=165 mm

Siphon Øest. 19,5 mm
L=165 mm

Zanussi, Electrolux 088463 -



Componenti di scarico
Drain components

Composants de vidange
Ablaufeinheiten

435004

Sifone

Siphon

Siphon

Siphon



Zanussi, Electrolux 087650 -

441343

Prolunga per condotto di scarico condensa

Extension for flue condensation

Rallonge pour canalisation de vidange eau de condensat

Erweiterung für anschluss kondensation



Zanussi, Electrolux 082204 -

321602

Collettore di scarico
attacco Ø 20 mm

Drain manifold
connection Ø 20 mm

Collecteur de vidange
raccord Ø 20 mm

Abflusskollektor
Anschluss Ø 20 mm



Zanussi, Electrolux 091652 -


410010

Bacinella

Bucket

Bac

Behälter



Zanussi, Electrolux 0A9397 -

344625

Bacinella

Bucket

Bac

Behälter



Zanussi, Electrolux 0A8645 -



Componenti di scarico
Drain components

Composants de vidange
Ablaufeinheiten

345139

Bacinella

Bucket

Bac

Behälter



Zanussi, Electrolux 087363 -

519388

Bacinella

Basin

Bac

Behälter



Zanussi, Electrolux 0A9670 -

519307

Bacinella 394x140 mm

Bucket 394x140 mm

Bac 394x140 mm

Behälter 394x140 mm



Zanussi, Electrolux 0A9682 -

510432

Bacinella H=65mm

Bucket H=65mm

Bac H=65mm

Behälter H=65mm



Zanussi, Electrolux 0A8018 -

411667

Bacinella

Bucket

Bac

Behälter




Zanussi, Electrolux 081215 -



Componenti di scarico
Drain components

Composants de vidange
Ablaufeinheiten

520064



Bacinella

Bucket

Bac

Behälter

Zanussi, Electrolux 0A8770 -

521202



Bacinella 1000x220x200 mm

Bucket 1000x220x200 mm

Bac 1000x220x200 mm

Behälter 1000x220x200 mm

Zanussi, Electrolux 087896 -

521206



Bacinella 1350x220x210 mm

Bucket 1350x220x210 mm

Bac 1350x220x210 mm

Behälter 1350x220x210 mm

Zanussi, Electrolux 087892 -

521314



Bacinella 255x245mm

Bucket 255x245mm

Bac 255x245mm

Behälter 255x245mm

Zanussi, Electrolux 087697 -

520031



Bacinella 600x295x200 mm

Bucket 600x295x200 mm

Bac 600x295x200 mm

Behälter 600x295x200 mm

Zanussi, Electrolux 0A8859 -



Componenti di scarico
Drain components

Composants de vidange
Ablaufeinheiten


523549

Bacinella 525x320x160 mm

Bucket 525x320x160 mm

Bac 525x320x160 mm

Behälter 525x320x160 mm



Zanussi, Electrolux 080702 -

438509

Bacinella 530x325x40 mm
in plastica; per Frigoriferi e Banchi

Bucket 530x325x40 mm
in plastic; for Refrigerators and Counters

Bac 530x325x40 mm
en plastique; pour réfrigérateur et table refrigerée

Behälter 530x325x40 mm
Kunststoff; für Kühlschränke & Bänke



Zanussi, Electrolux 080803 -

521432

Bacinella 410x325x34 mm

Bucket 410x325x34 mm

Bac 410x325x34 mm

Behälter 410x325x34 mm



Zanussi, Electrolux 087528 -


520557

Bacinella condensa 245/280x370x22 mm

Bucket 245/280x370x22 mm

Bac 245/280x370x22 mm

Behälter 245/280x370x22 mm



Zanussi, Electrolux 089619 -

520033

Bacinella 600x395x210 mm

Bucket 600x395x210 mm

Bac 600x395x210 mm

Behälter 600x395x210 mm



Zanussi, Electrolux 0A8858 -



Componenti di scarico
Drain components

Composants de vidange
Ablaufeinheiten

535121

Bacinella 300x65x35 mm
Ltot. 400 mm; tubo Ø 8 mm

Bac 300x65x35 mm
Ltot. 400 mm; tuyau Ø 8 mm



Bucket 300x65x35 mm
Ltot. 400 mm; hose Ø 8 mm

Behälter 300x65x35 mm
Ltot. 400 mm; Schlauch Ø 8 mm

Zanussi, Electrolux 099413 -

522879

Bacinella 306x143x 60 mm
(per Frigoriferi)

Bac 306x143x 60 mm
(pour réfrigérateur)



Bucket 306x143x 60 mm
(for Refrigerators)

Behälter 306x143x 60 mm
(Für Kühlschränke)

Zanussi, Electrolux 083813 -

521377

Bacinella 380x140 mm

Bac 380x140 mm



Bucket 380x140 mm

Behälter 380x140 mm

Zanussi, Electrolux 087483 -

523045

Bacinella 450x110 mm

Bac 450x110 mm



Bucket 450x110 mm

Behälter 450x110 mm

Zanussi, Electrolux 083014 -

Filtri
Filters

Filtres
Filter

322625

Filtro aria 1170x200x15 mm

Filtre à air 1170x200x15 mm



Air filter 1170x200x15 mm

Luftfilter 1170x200x15 mm

Zanussi, Electrolux OPE486 -



Componenti strutturali
Structural components

Composant structuraux
Strukturkomponente

322716

Cassetto completo 2x1/2

Complete drawer 2x1/2

Tiroir complet 2x1/2

Komplette Schublade 2x1/2



Zanussi, Electrolux 094291 -

520084

Cassetto completo 550x330x200 mm

Complete drawer 550x330x200 mm

con guarnizione magnetica e guide saldate,placca frontale 450x310

with magnetic gasket and runner, front plate 450x310

Tiroir complet 550x330x200 mm

Komplette Schublade 550x330x200 mm

avec joint magnétique en guide, plaque frontale 450x310

mit Schubladendichtung und schiene, Frontplatte 450x310



Zanussi, Electrolux 0A8936 -

310843

Cassetto 1/2 - 2/3 TR'99C GN 1/1

Drawer 1/2 - 2/3 TR'99C GN 1/1

Tiroir 1/2 - 2/3 TR'99C GN 1/1

Schublade 1/2 - 2/3 TR'99C GN 1/1



Zanussi, Electrolux 091363 -

611280

Supporto 560x680x56 mm

Support 560x680x56 mm

Support 560x680x56 mm

Halter 560x680x56 mm



Zanussi, Electrolux 099763 -

535072

Supporto 560x680x35 mm

Support 560x680x35 mm

Support 560x680x35 mm

Halter 560x680x35 mm



Zanussi, Electrolux 099374 -



Componenti strutturali
Structural components

Composant structuraux
Strukturkomponente

541301

Pannello cassetto 440x440 mm

Drawer panel 440x440 mm



Panneau tiroir 440x440 mm

Abdeckung schublade 440x440 mm

Zanussi, Electrolux 0C3627 -

439121

Cruscotto 235x75 mm

Control panel 235x75 mm



Panneau de contrôle 235x75 mm

Schalterblende 235x75 mm

Zanussi, Electrolux 0A8517 -

520729

Cruscotto

Control panel



Panneau de contrôle

Schalterblende

Zanussi, Electrolux 088621 -

439090

Cruscotto 280x50x25 mm

Control panel 280x50x25 mm



Panneau de contrôle 280x50x25 mm

Schalterblende 280x50x25 mm

Zanussi, Electrolux 0A8881 -

349100

Cruscotto 1470x310x75 mm

Control panel 1470x310x75 mm



Panneau de contrôle 1470x310x75 mm

Schalterblende 1470x310x75 mm

Zanussi, Electrolux 087163 -



Componenti strutturali
Structural components

Composant structuraux
Strukturkomponente

343729



Cruscotto frigo LUX-LINE 600L
dim. 257x45x24 mm


Panneau de contrôle armoire LUX-LINE 600L
dim. 257x45x24 mm

Control panel LUX-LINE fridge 600L
dim. 257x45x24 mm

Schalterblende LUX-LINE Kühlschrank 600L
dim. 257x45x24 mm

Zanussi, Electrolux 083204 -

532948



Cruscotto L=295 mm

Panneau de contrôle L=295 mm

Control panel L=295 mm

Schalterblende L=295 mm

Zanussi, Electrolux 099250 -

534864



Cruscotto 600x325x70 mm


Panneau de contrôle 600x325x70 mm

Control panel 600x325x70 mm

Schalterblende 600x325x70 mm

Zanussi, Electrolux 090218 -

534973



Pannello frontale 300x112mm

Panneau frontal 300x112mm

Front panel 300x112mm

Vordereabdeckung 300x112mm

Zanussi, Electrolux 099302 -

324248



Cruscotto 645x300x70 mm

Panneau de contrôle 645x300x70 mm

Control panel 645x300x70 mm

Schalterblende 645x300x70 mm

Zanussi, Electrolux 092496 -



Componenti strutturali
Structural components

Composant structuraux
Strukturkomponente

523254

Testata cruscotto

Head control panel

Tete panneau de contrôle

Armaturenbrett getestet



Zanussi, Electrolux 082903 -

522905

Copertura laterale

Covering

Couverture

Abdeckung



Zanussi, Electrolux 083120 -

521628

Carter evaporatore

Carter evaporator

Carter évaporateur

Verdampfer carter



Zanussi, Electrolux 087144 -


521972

Carter evaporatore 450x555x170 mm

Carter evaporator 450x555x170 mm

Carter évaporateur 450x555x170 mm

Verdampfer carter 450x555x170 mm



Zanussi, Electrolux 085638 -

615269

Carter evaporatore 580x430x30 mm
fino a matricola 745.....

Carter evaporator 580x430x30 mm
until SN 745.....

Carter évaporateur 580x430x30 mm
until SN 745.....

Verdampfer carter 80x430x30 mm
until SN 745.....



Zanussi, Electrolux 099998 -



Componenti strutturali
Structural components

Composant structuraux
Strukturkomponente

615268



Carter evaporatore 435x405mm
fornita con piletta e ghiera di blocco


Carter évaporateur 435x405mm
fourni avec les déchets et les contre-écrous

Carter evaporator 435x405mm
supplied with waste and lock nuts

Verdampfer carter 435x405mm
mit Abfall geliefert und Sicherungsmuttern

Zanussi, Electrolux 099997 -

310868



Carter evaporatore 580x585x150 mm

Carter évaporateur 580x585x150 mm

Carter evaporator 580x585x150 mm

Verdampfer carter 580x585x150 mm

Zanussi, Electrolux 091600 -

319611



Carter evaporatore 530x757x150 mm


Carter évaporateur 530x757x150 mm

Carter evaporator 530x757x150 mm

Verdampfer carter 530x757x150 mm

Zanussi, Electrolux 091606 -

438840



Copertura gruppo evaporante

Couverture pour groupe évaporateur

Defrozen unit cover

Coverage Verdampfungs Gruppe

Zanussi, Electrolux 089137 - 090079 -

532939



Copertura 760x600x250 mm

Couverture 760x600x250 mm

Covering 760x600x250 mm

Abdeckung 760x600x250 mm

Zanussi, Electrolux 099227 -



Componenti strutturali
Structural components

Composant structuraux
Strukturkomponente

343735

Griglia areazione

Grill



Grille


Gitter

Zanussi, Electrolux 082679 -

439108

Mascherina 347x267 mm

Small plate 347x267 mm



Plaque 347x267 mm

Blende 347x267 mm

Zanussi, Electrolux 0A8746 -

520223

Convogliatore 267x250x80 mm

Conveyor 267x250x80 mm



Convoyeur 267x250x80 mm


Förder 267x250x80 mm

Zanussi, Electrolux 0A9104 -

441156

Pannello 560x300x80 mm

Panel 560x300x80 mm



Panneau 560x300x80 mm

Panel 560x300x80 mm

Zanussi, Electrolux 087690 -

439470

Mascherina 185x90x60 mm

Small plate 185x90x60 mm



Plaque 185x90x60 mm

Blende 185x90x60 mm

Zanussi, Electrolux 082735 -



Componenti strutturali
Structural components

Composant structuraux
Strukturkomponente


521990

Sportello 340x280x83 mm

Door 340x280x83 mm

Portillon 340x280x83 mm

Klappe 340x280x83 mm



Zanussi, Electrolux 085586 -


532991

Supporto 545x75x120 mm

Support 545x75x120 mm

Support 545x75x120 mm

Halter 545x75x120 mm



Zanussi, Electrolux 099424 -

Porte
Doors

Portes
Türen


440892

Porta completa

Complete door

Porte complete

Komplete tür



Zanussi, Electrolux 089141 -

411742

Controporta 670x1570 mm

Inner door 670x1570 mm

Contreporte 670x1570 mm

Innentür 670x1570 mm



Zanussi, Electrolux 081292 -

441174

Porta completa 1540x690 mm

Complete door 1540x690 mm

Porte complete 1540x690 mm

Komplete tür 1540x690 mm



Zanussi, Electrolux 085695 - 093992 -



Porte
Doors

Portes
Türen

521799



Porta completa 766x720 mm

Porte complete 766x720 mm

Complete door 766x720 mm

Komplete tür 766x720 mm

Zanussi, Electrolux 085764 -

520765



Porta L=800 mm

Porte L=800 mm

Door L=800 mm

Tür L=800 mm

Zanussi, Electrolux 088537 -

520764



Porta L=800 mm

Porte L=800 mm

Door L=800 mm

Tür L=800 mm

Zanussi, Electrolux 088538 -

441329



Porta

Porte

Door

Tür

Zanussi, Electrolux 083340 -

434287



Cornice Lmax=650 mm Lmin=600 mm H=34 mm

Encadrement Lmax=650 mm Lmin=600 mm H=34 mm

Frame Lmax=650 mm Lmin=600 mm H=34 mm

Rahmen Lmax=650 mm Lmin=600 mm H=34 mm

Zanussi, Electrolux 088944 -



Porte
Doors

Portes
Türen

343663

Guarnizione 765x45 mm

Gasket 765x45 mm

Joint 765x45 mm

Dichtung 765x45 mm



Zanussi, Electrolux 085214 -

347860

Guarnizione porta Roll-in L= 1000 mm
spazzola 12 mm

Door gasket Roll-in L= 1000 mm
brush 12 mm

Joint porte Roll-in L= 1000 mm
brosse 12 mm

Tür dichtung Roll-in L= 1000 mm
Pinself 12 mm



Zanussi, Electrolux 0A8409 -

Maniglie
Handles

Poignées
Griffe

410214

Maniglia L=358 mm

Handle L=358 mm

Poignée L=358 mm

Griff L=358 mm



Zanussi, Electrolux 082796 -

435892

Maniglia L=426 mm

Handle L=426 mm

Poignée L=426 mm

Griff L=426 mm



Zanussi, Electrolux 082726 -

435125

Maniglia 450x54 mm
per Tavoli Refrigerati

Handle 450x54 mm
for Refrigerated table

Poignée 450x54 mm
pour table réfrigérée

Griff 450x54 mm
für Kühlische



Zanussi, Electrolux 0A8898 -



Maniglie
Handles

Poignées
Griffe

434986

Maniglia per tavoli refrigerati

Handle for refrigerated table

Poignée pour table réfrigérée

Griff für Kühlische



Zanussi, Electrolux 087463 -

348584

Maniglia 390x24 mm H=36 mm

Handle 390x24 mm H=36 mm

Poignée 390x24 mm H=36 mm

Griff 390x24 mm H=36 mm



Zanussi, Electrolux 081838 - 081906 -

435895

Coprimaniglia in plastica colore oro

Plastic handle cover

dim. 444x18x2,5 mm; 4 fori di fissaggio con interasse di 130 mm

dim. 444x18x2,5 mm; 4 holes with 130 mm center distance

Couvre poignée en plastique

Abdeckung Kunststoff-Griff Gold

dim. 444x18x2,5 mm; 4 trou avec 130 mm centre distance

dim. 444x18x2,5 mm; 4 bohrung mit Radstand 130 mm



Zanussi, Electrolux 0A8899 -

348583

Inserto maniglia L=400 mm H= 43 mm

Insert L=400 mm H= 43 mm

Piece d'insertion L=400 mm H= 43 mm

Einsatzstück L=400 mm H= 43 mm



Zanussi, Electrolux 081846 - 082448 -

520940

Maniglia

Handle

Poignée

Griff



Zanussi, Electrolux 088042 -



Maniglie
Handles

Poignées
Griffe


412076

Maniglia porta 310x170x60 mm

Door Handle 310x170x60 mm

Poignée de porte 310x170x60 mm

Griff tür 310x170x60 mm



Zanussi, Electrolux 054261 -

343710

Coperchio maniglia sinistro

Handle cover left

Poignée couverture gauche

Abdeckung griff links



Zanussi, Electrolux 082805 -

343712

Coperchio maniglia destro

Handle cover right

Poignée couverture droit

Abdeckung griff Recht



Zanussi, Electrolux 082791 -

343730

Coperchio maniglia sinistro

Handle cover left

Poignée couverture gauche

Abdeckung griff links



Zanussi, Electrolux 082727 -

343733

Coperchio maniglia destro

Handle cover right

Poignée couverture droit

Abdeckung griff Recht



Zanussi, Electrolux 082728 -



Maniglie
Handles

Poignées
Griffe

412154

Manico maniglia Ø 19x24x202 mm

Handle Ø 19x24x202 mm

Poignée Ø 19x24x202 mm

Griff Ø 19x24x202 mm



Zanussi, Electrolux 081728 -

412185

Manico Øint 19 mm L= 230 mm

Handle Øint 19 mm L= 230 mm

Poignée Øint 19 mm L= 230 mm

Griff Øint 19 mm L= 230 mm



Zanussi, Electrolux 081726 -

Cerniere
Hinges

Charnières
Scharniere


519588

Cerniera a molla

Hinge with spring

Charnière à ressort

Federscharniere



Zanussi, Electrolux 0A9532 -


522297

Cerniera a molla
completa di spessori

Hinge with spring
spacer included

Charnière à ressort
avec epaisseurs

Federscharniere
Volle Dicke



Zanussi, Electrolux 084892 -

436145

Cerniera a molla
mod. 466/VE destro

Hinge with spring
mod. 466/VE right

Charnière à ressort
mod. 466/VE droit

Federscharniere
mod. 466/VE Recht



Zanussi, Electrolux 0A9531 -



Cerniere
Hinges

Charnières
Scharniere

435150



Cerniera a molla 22x22x102 mm
con perno dim. 7,5x7,5xh6 mm

Charnière à ressort 22x22x102 mm
avec axe dim. 7,5x7,5xh6 mm

Hinge with spring 22x22x102 mm
with shaft dim. 7,5x7,5xh6 mm

Federscharniere 22x22x102 mm
mit acshe dim. 7,5x7,5xh6 mm

Zanussi, Electrolux 083876 -

435130



Cerniera a molla 22x22x102 mm
con perno dim. 7,5x7,5xh15 mm

Charnière à ressort 22x22x102 mm
axe dim. 7,5x7,5xh15 mm

Hinge with spring 22x22x102 mm
with shaft dim. 7,5x7,5xh15 mm

Federscharniere 22x22x102 mm
mit acshe dim. 7,5x7,5xh15 mm

Zanussi, Electrolux 082219 -

414393



Cerniera a molla superiore

Charnière à ressort supérieur

Hinge with spring higher

Federscharniere höher

Zanussi, Electrolux 082502 - 082587 -

441276



Cerniera a molla inferiore

Charnière à ressort inférieur

Hinge with spring lower

Federscharniere niedriger

Zanussi, Electrolux 084082 -

521336



Cerniera superiore con perno

Charnières supérieure avec boulon

Hinge upper with bolt

Scharniere oben mit Bolzen

Zanussi, Electrolux 087669 -



Cerniere
Hinges

Charnières
Scharniere

521321

Cerniera superiore con perno

Hinge upper with bolt



Charnières supérieure avec boulon

Scharniere oben mit Bolzen

Zanussi, Electrolux 087689 -

521323

Cerniera inferiore con perno

Hinge lower with bolt



Charnières inférieure avec boulon


Scharniere unten mit Bolzen

Zanussi, Electrolux 087688 -

520646

Cerniera superiore con perno

Hinge upper with bolt



Charnières supérieure avec boulon

Scharniere oben mit Bolzen

Zanussi, Electrolux 089145 -

520649

Cerniera inferiore con perno destro

Hinge lower with bolt right



Charnières inférieure avec boulon droit

Scharniere unten mit Bolzen Recht

Zanussi, Electrolux 089143 -

520648

Cerniera inferiore con perno sinistro

Hinge lower with bolt left



Charnières inférieure avec boulon gauche

Scharniere unten mit Bolzen links

Zanussi, Electrolux 089144 -



Cerniere
Hinges

Charnières
Scharniere

521219

Cerniera superiore con perno

Hinge upper with bolt

Charnières supérieure avec boulon

Scharniere oben mit Bolzen



Zanussi, Electrolux 087844 - 094058 -

522375

Cerniera inferiore con perno

Hinge lower with bolt

Charnières inférieure avec boulon

Scharniere unten mit Bolzen



Zanussi, Electrolux 084534 - 094059 -

459463

Cerniera inferiore con perno

Hinge lower with bolt

perno Ø 6x12 mm

bolt Ø 6x12 mm

Charnières inférieure avec boulon

Scharniere unten mit Bolzen

boulon Ø 6x12 mm

Bolzen Ø 6x12 mm



Zanussi, Electrolux 092775 -

439478

Cerniera inferiore con perno 30x19x11,5 mm

Hinge lower with bolt 30x19x11,5 mm

Charnières inférieure avec boulon 30x19x11,5 mm

Scharniere unten mit Bolzen 30x19x11,5 mm



Zanussi, Electrolux 082256 -

519669

Cerniera superiore con perno 135x20 mm

Hinge upper with bolt 135x20 mm

Charnières supérieure avec boulon 135x20 mm

Scharniere oben mit Bolzen 135x20 mm



Zanussi, Electrolux 0A9266 -



Cerniere
Hinges

Charnières
Scharniere

521533

Cerniera inferiore con perno 30x165x6 mm
perno Ø 7x30 mm

Hinge lower with bolt
bolt Ø 7x30 mm

Charnières inférieure avec boulon
boulon Ø 7x30 mm

Scharniere unten mit Bolzen
Bolzen Ø 7x30 mm



Zanussi, Electrolux 087355 -

429856

Cerniera superiore con perno

Hinge upper with bolt

Charnières supérieure avec boulon

Scharniere oben mit Bolzen



Zanussi, Electrolux 0KS550 -

439062

Cerniera di mezzeria con perno

Hinge centerline with bolt

Charnières avec boulon

Scharniere Mittellinie mit Bolzen



Zanussi, Electrolux 0A9740 -

439346

Cerniera inferiore con perno

Hinge lower with bolt

Charnières inférieure avec boulon

Scharniere unten mit Bolzen



Zanussi, Electrolux 087127 -

439474

Cerniera superiore con perno

Hinge upper with bolt

Charnières supérieure avec boulon

Scharniere oben mit Bolzen



Zanussi, Electrolux 082499 -



Cerniere
Hinges

Charnières
Scharniere

435084

Perno per cerniera

Bolt for hinge

Boulon pour charnières

Bolzen für scharniere



Zanussi, Electrolux 082757 -

410395

Perno per cerniera

Bolt for hinge

Boulon pour charnières

Bolzen für scharniere



Zanussi, Electrolux 0A8638 -

520002

Perno per cerniera Ø 6x17 mm

Bolt for hinge Ø 6x17 mm

Boulon pour charnières Ø 6x17 mm

Bolzen für scharniere Ø 6x17 mm



Zanussi, Electrolux 0A8689 -

441286

Cerniera superiore senza perno

Hinge upper without bolt

Charnières supérieure sans boulon

Scharniere oben ohne Bolzen



Zanussi, Electrolux 082721 -

441285

Cerniera superiore senza perno sinistra 50x41x20 mm

Hinge upper without bolt left 50x41x20 mm

Charnières supérieure sans boulon gauche 50x41x20 mm

Scharniere oben ohne Bolzen links 50x41x20 mm



Zanussi, Electrolux 082722 -



Cerniere
Hinges

Charnières
Scharniere

345170



Cerniera superiore senza perno

Charnières supérieure sans boulon

Hinge upper without bolt

Scharniere oben ohne Bolzen

Zanussi, Electrolux 085754 -

439026



Cerniera inferiore senza perno 50x35x20 mm

Charnières inférieure sans boulon 50x35x20 mm

Hinge lower without bolt 50x35x20 mm

Scharniere unten ohne Bolzen 50x35x20 mm

Zanussi, Electrolux 085755 -

441280



Cerniera inferiore senza perno

Charnières inférieure sans boulon

Hinge lower without bolt

Scharniere unten ohne Bolzen

Zanussi, Electrolux 082773 -

441281



Cerniera inferiore senza perno

Charnières inférieure sans boulon

Hinge lower without bolt

Scharniere unten ohne Bolzen

Zanussi, Electrolux 082756 -

521341



Cerniera inferiore senza perno

Charnières inférieure sans boulon

Hinge lower without bolt

Scharniere unten ohne Bolzen

Zanussi, Electrolux 087666 - 092983 -



Cerniere
Hinges

Charnières
Scharniere

345132

Cerniera inferiore senza perno 144x30x10 mm - H=6 mm

Hinge lower without bolt 144x30x10 mm - H=6 mm

Charnières inférieure sans boulon 144x30x10 mm - H=6 mm

Scharniere unten ohne Bolzen 144x30x10 mm - H=6 mm



Zanussi, Electrolux 0A9097 -

439476

Cerniera inferiore senza perno

Hinge lower without bolt

Charnières inférieure sans boulon

Scharniere unten ohne Bolzen



Zanussi, Electrolux 082350 -

439477

Cerniera superiore senza perno 184x30x5 mm

Hinge upper without bolt 184x30x5 mm

Charnières supérieure sans boulon 184x30x5 mm

Scharniere oben ohne Bolzen 184x30x5 mm



Zanussi, Electrolux 082257 -

439063

Cerniera inferiore senza perno 185x30x5 mm

Hinge lower without bolt 185x30x5 mm

Charnières inférieure sans boulon 185x30x5 mm

Scharniere unten ohne Bolzen 185x30x5 mm



Zanussi, Electrolux 0A9739 -

441165

Cerniera superiore senza perno

Hinge upper without bolt

Charnières supérieure sans boulon

Scharniere oben ohne Bolzen



Zanussi, Electrolux 087128 -



Cerniere
Hinges

Charnières
Scharniere

522383



Boccola per la cerniera inferiore

Bague pour charnières inférieure

Bush for hinge lower

Buchse für scharniere unten

Zanussi, Electrolux 084521 -

522376



Boccola per la cerniera inferiore


Bague pour charnières inférieure

Bush for hinge lower

Buchse für scharniere unten

Zanussi, Electrolux 084528 -

435900



Boccola per la cerniera inferiore Ø 7 mm


Bague pour charnières inférieure Ø 7 mm

Bush for hinge lower Ø 7 mm

Buchse für scharniere unten Ø 7 mm

Zanussi, Electrolux 0A9092 -

435928



Boccola per la cerniera inferiore

Bague pour charnières inférieure

Bush for hinge lower

Buchse für scharniere unten

Zanussi, Electrolux 082964 -

520227



Boccola per la cerniera superiore

Bague pour charnières supérieure

Bush for hinge upper

Buchse für scharniere oben

Zanussi, Electrolux 0A9096 -



Cerniere
Hinges

Charnières
Scharniere

521306

Cerniera inferiore senza perno

Hinge lower without bolt

Charnières inférieure sans boulon

Scharniere unten ohne Bolzen



Zanussi, Electrolux 087711 -

519572

Cerniera inferiore senza perno 112x30x6

Hinge lower without bolt 112x30x6

Charnières inférieure sans boulon 112x30x6

Scharniere unten ohne Bolzen 112x30x6



Zanussi, Electrolux 0A9549 -

520311

Cerniera inferiore senza perno 50,5x29x2,5 mm

Hinge lower without bolt 50,5x29x2,5 mm

Charnières inférieure sans boulon 50,5x29x2,5 mm

Scharniere unten ohne Bolzen 50,5x29x2,5 mm



Zanussi, Electrolux 0A8072 -

521534

Cerniera superiore senza perno

Hinge upper without bolt

Charnières supérieure sans boulon

Scharniere oben ohne Bolzen



Zanussi, Electrolux 087354 -

520645

Cerniera inferiore senza perno

Hinge lower without bolt

Charnières inférieure sans boulon

Scharniere unten ohne Bolzen




Zanussi, Electrolux 089146 -



Cerniere
Hinges

Charnières
Scharniere

520036



Boccola cerniera
dim. 22x22x4,5 mm - foro Ø 7,5 mm


Bague charnière
dim. 22x22x4,5 mm - trou Ø 7,5 mm

Bush hinge
dim. 22x22x4,5 mm - hole Ø 7,5 mm

Buchse Scharnier
dim. 22x22x4,5 mm - bohrung Ø 7,5 mm

Zanussi, Electrolux 0A8856 -

438760



Boccola cerniera
dim. 23x23 mm - foro Ø 7 mm


Bague charnière
dim. 23x23 mm - trou Ø 7 mm

Bush hinge
dim. 23x23 mm - hole Ø 7 mm

Buchse Scharnier
dim. 23x23 mm - bohrung Ø 7 mm

Zanussi, Electrolux 083875 -

435320



Boccola cerniera
dim. 22,5x22,5x22 mm - foro Ø 7,5 mm

Bague charnière
dim. 22,5x22,5x22 mm - trou Ø 7,5 mm

Bush hinge
dim. 22,5x22,5x22 mm - hole Ø 7,5 mm

Buchse Scharnier
dim. 22,5x22,5x22 mm - bohrung Ø 7,5 mm

Zanussi, Electrolux 081654 -

534918



Supporto cassetto

Support tiroir

Support drawer

Halter Schublade

Zanussi, Electrolux 099256 -

Termometri
Thermometers

Thermomètres
Thermometer

615261



Termometro digitale -50+70°C
bulbo Ø 6,3x46,5mm

Thermomètre digital -50+70°C
bulbe Ø 6,3x46,5mm

Thermometer digital -50+70°C
bulb Ø 6,3x46,5mm

Thermometer digital -50+70°C
Birne Ø 6,3x46,5mm

Zanussi, Electrolux 094760 - 099993 -



Termometri
Thermometers

Thermomètres
Thermometer

435190

Termometro 56x25 mm -40÷40°C
bulbo Ø 8,4x25 mm; capillare rivestito L=2500 mm

Thermomètre 56x25 mm -40÷40°C
bulbo Ø 8,4x25 mm; capillaire revetu L=2500 mm

Thermometer 56x25 mm -40÷40°C
bulbo Ø 8,4x25 mm; coated capillary L=2500 mm

Thermometer 56x25 mm -40÷40°C
Birne Ø 8,4x25 mm; kapillar L=2500 mm



Zanussi, Electrolux 083101 - 0A9687 - 0A9689 -

349112

Termometro 56x25 mm -40+40°C
bulbo Ø 8,4x25 mm; capillare rivestito L=3200 mm

Thermometre 56x25 mm -40+40°C
bulbe Ø 8,4x25 mm; capillaire revetu L=3200 mm

Thermometer 56x25 mm -40+40°C
bulb Ø 8,4x25 mm; coated capillary L=3200 mm

Thermometer 56x25 mm -40+40°C
Birne Ø 8,4x25 mm; kapillar L=3200 mm



Zanussi, Electrolux 087164 -

346558

Termometro digitale EVK100 range -40°C+110°C 230V
dim.75x32 mm; dima foro 71x29 mm; cavo L=4800 mm; display: 1 dgt decimal; OUT: PTC, NTC, PT100, PT1000; senza sonda

Thermometre digital EVK100 range -40°C+110°C 230V
dim.75x32 mm; dima trou 71x29 mm; cable L=4800 mm; display: 1 dgt decimal; OUT: PTC, NTC, PT100, PT1000; sans sonde

Digital thermometer EVK100 range -40°C+110°C 230V
dim.75x32 mm; mounting hole 71x29 mm; cable L=4800 mm; display: 1 dgt decimal; OUT: PTC, NTC, PT100, PT1000; without probe

Digital thermometer EVK100 range -40°C+110°C 230V
dim.75x32 mm; dima bohrung 71x29 mm; kabel L=4800 mm; display: 1 dgt decimal; OUT: PTC, NTC, PT100, PT1000; ohne fñhler



Zanussi, Electrolux 085206 -

Minuterie meccaniche
Small Mechanical Parts

Composants mécaniques
Mechanische Kleinteile

441149

Dado esagonale 1/4" H=5 mm CH19

Ecrou hexagona 1/4" H=5 mm CH19

Hexagonal nut 1/4" H=5 mm CH19

Sechskantmutter 1/4" H=5 mm CH19



Zanussi, Electrolux 088170 -

337646

Vite M5x9 mm Htot 20 mm

Vis M5x9 mm Htot 20 mm

Screw M5x9 mm Htot 20 mm

Schraube M5x9 mm Htot 20 mm



Zanussi, Electrolux 050168 -



Minuterie meccaniche
Small Mechanical Parts

Composants mécaniques
Mechanische Kleinteile

522873

Serratura cilindrica Ø 15x30 mm

Door lock with barrel Ø 15x30 mm

Fermeture de porte à barillet Ø 15x30 mm

Schließzylinder Ø 15x30 mm



Zanussi, Electrolux 083655 - 083824 -

440998

Serratura cilindrica Ø 15x26 mm

Door lock with barrel Ø 15x26 mm

Fermeture de porte à barillet Ø 15x26 mm

Schließzylinder Ø 15x26 mm



Zanussi, Electrolux 0A8655 -

438503

Serratura cilindrica Ø 19x16 mm

Door lock with barrel Ø 19x16 mm

Fermeture de porte à barillet Ø 19x16 mm

Schließzylinder Ø 19x16 mm



Zanussi, Electrolux 0A8053 -

438749

Serratura cilindrica Ø 19x39 mm

Door lock with barrel Ø 19x39 mm

Fermeture de porte à barillet Ø 19x39 mm

Schließzylinder Ø 19x39 mm



Zanussi, Electrolux 081694 -

319088

Serratura cilindrica Ø 19x29 mm

Door lock with barrel Ø 19x29 mm

Fermeture de porte à barillet Ø 19x29 mm

Schließzylinder Ø 19x29 mm



Zanussi, Electrolux 093345 -



Minuterie meccaniche
Small Mechanical Parts

Composants mécaniques
Mechanische Kleinteile

439442



Pedale
per apertura porte frigo

Pédale
pour ouverture porte réfrigérateur

Pedal
for door opening

Pedal
für die Öffnung der Kühlschränktüren

Zanussi, Electrolux 083988 -

435853



Boccola Øext 12xh5,5 mm INOX

Bague Øext 12xh5,5 mm INOX

Bush Øext 12xh5,5 mm INOX

Buchse Øext 12xh5,5 mm INOX

Zanussi, Electrolux 085474 -

521036



Boccola 10 pz

Bague 10 pz

Bush 10 pz

Buchse 10 pz

Zanussi, Electrolux 087955 -

440950



Perno Ø 7x29 mm
filetto M5

Pivot Ø 7x29 mm
filtée M5

Pin Ø 7x29 mm
thread M5

Stift Ø 7x29 mm
gevinde M5

Zanussi, Electrolux 0A9124 -

523224



Perno Ø 7x50 mm
filetto M5

Pivot Ø 7x50 mm
filtée M5

Pin Ø 7x50 mm
thread M5

Stift Ø 7x50 mm
gevinde M5

Zanussi, Electrolux 082962 -



Minuterie meccaniche
Small Mechanical Parts

Composants mécaniques
Mechanische Kleinteile

521501

Perno Ø 8x140 mm

Pin Ø 8x140 mm

Pivot Ø 8x140 mm

Stift Ø 8x140 mm



Zanussi, Electrolux 087396 -

439123

Distanziale Ø 20x17 mm

Spacer Ø 20x17 mm

Entretoise Ø 20x17 mm

Distanzstueck Ø 20x17 mm



Zanussi, Electrolux 088251 -

Cuscinetti
Bearings

Coussinets
Kugellager

521989

Cuscinetto a sfere Ø 5x19x6 mm

Ball bearing Ø 5x19x6 mm

Palier à billes Ø 5x19x6 mm

Kugellager Ø 5x19x6 mm



Zanussi, Electrolux 085587 -

340251

Cuscinetto Ø 6x22x7x12 mm

Bearing Ø 6x22x7x12 mm

Palier Ø 6x22x7x12 mm

Lager Ø 6x22x7x12 mm



Zanussi, Electrolux 032309 - OPE735 -

340250

Cuscinetto Ø 6x24x11,7 mm

Bearing Ø 6x24x11,7 mm

con rivestimento in plastica e tappo

with plastic cover and cap

Palier Ø 6x24x11,7 mm

Lager Ø 6x24x11,7 mm

avec capuchon et couverture en plastique

mit Kunststoff-Abdeckung und Kappe



Zanussi, Electrolux 0A8292 -



Chiusure
Lockings

Fermetures
Verschlüsse

319881

Maniglia

Handle

Poignee

Handgriff



Zanussi, Electrolux 094368 -

343642

Impugnatura

Handle

Poignee

Griff



Zanussi, Electrolux 085216 -


522296

Chiusura abbattitore

Door closure

Fermeture de porte

Verschluss



Zanussi, Electrolux 084893 -

Manopole
Knobs

Manettes
Knebel

438756

Manopola Ø 35 mm

Knob Ø 35 mm

perno a mezzaluna Ø 6x4,5 mm

D-shaft Ø 6x4,5 mm

Manette Ø 35 mm

Knebel Ø 35 mm

D-axe Ø 6x4,5 mm

Halbmondachse Ø 6x4,5 mm



Zanussi, Electrolux 082770 -

438504

Manopola termostato Ø 35 mm

Thermostat knob Ø 35 mm

perno a mezzaluna Ø 6x4 mm

D-shaft Ø 6x4 mm

Manette thermostat Ø 35 mm

Thermostatknebel 35 mm

D-axe Ø 6x4 mm

Halbmondachse Ø 6x4 mm



Zanussi, Electrolux 0A8203 -



Manopole
Knobs

Manettes
Knebel

343739



Manopola Ø 50 mm
perno a mezzaluna Ø 6x4 mm

Manette Ø 50 mm
D-axis Ø 6x4 mm

Knob Ø 50 mm
D-shaft Ø 6x4 mm

Knebel Ø 50 mm
Halbmondachse Ø 6x4 mm

Zanussi, Electrolux 083179 -

343741



Manopola termostato Ø 50 mm
perno a mezzaluna Ø 6x4 mm

Manette thermostat Ø 50 mm
D-axis Ø 6x4 mm

Thermostat knob Ø 50 mm
D-shaft Ø 6x4 mm

Thermostatknebel 50 mm
Halbmondachse Ø 6x4 mm

Zanussi, Electrolux 080837 - 081036 -

438297



Manopola termostato Ø 11 mm
perno a mezzaluna Ø 6x4,5 mm

Manette thermostat Ø 11 mm
D-axis Ø 6x4,5 mm

Thermostat knob Ø 11 mm
D-shaft Ø 6x4,5 mm

Thermostatknebel Ø 11 mm
Halbmondachse Ø 6x4,5 mm

Zanussi, Electrolux 082916 -

Vetri
Glasses

Vitres
Glasscheiben

615219



Vetro curvo 1465x470 mm

Verre curve 1465x470 mm

Curved glass 1465x470 mm

Glasscheibe 1465x470 mm

Zanussi, Electrolux 091029 - 094650 -

520919



Ripiano in vetro 1070x440x7,7 mm

Tablette verre 1070x440x7,7 mm

Glass panel 1070x440x7,7 mm

Glasstablär 1070x440x7,7 mm

Zanussi, Electrolux 087982 -



Vetri
Glasses

Vitres
Glasscheiben

521083

Ripiano in vetro 1480x440 mm

Glass panel 1480x440 mm

Tablette verre 1480x440 mm

Glasstablar 1480x440 mm



Zanussi, Electrolux 087923 -

521082

Ripiano in vetro 1480x360 mm

Glass panel 1480x360 mm

Tablette verre 1480x360 mm

Glasstablar 1480x360 mm



Zanussi, Electrolux 087924 -

Molle
Springs

Ressort
Feder

338813

Molle a torsione Ø 14,5x132 mm
filo Ø 2,5 mm

Torsion springs Ø 14,5x132 mm
wire Ø 2,5 mm

Ressort de torsion Ø 14,5x132 mm
fil Ø 2,5 mm

Drehfeder Ø 14,5x132 mm
kabel Ø 2,5 mm



Zanussi, Electrolux 082178 -

338817

Molle a torsione Ø 14,5x135 mm
filo Ø 2,7 mm

Torsion springs Ø 14,5x135 mm
wire Ø 2,7 mm

Ressort de torsion Ø 14,5x135 mm
fil Ø 2,7 mm

Drehfeder Ø 14,5x135 mm
kabel Ø 2,7 mm



Zanussi, Electrolux 082179 -


439521

Molla

Spring

Ressort

Feder



Zanussi, Electrolux 081707 -



Molle
Springs

Ressort
Feder

439481

Molla

Spring

Ressort

Feder



Zanussi, Electrolux 082205 -

338571

Molla

Spring

Ressort

Feder



Zanussi, Electrolux 082792 -

Guide - Cremagliere
Slide Ways - Shelf Supports

Rails et Montures de grille
Schienen - Stellschienenenträger

441205

Guida sinistro L=800 mm

Runner left L=800 mm

Guide gauche L=800 mm

Schiene links L=800 mm



Zanussi, Electrolux 084117 -

441204

Guida destro L=800 mm

Runner right L=800 mm

Guide droit L=800 mm

Schiene Recht L=800 mm



Zanussi, Electrolux 084118 -

316629

Guida ripiano 645x20x15 mm SX AISI 304

Shelf runner 645x20x15 mm SX AISI 304

Guide grille gauche 645x20x15 mm SX AISI 304

Stellschiene 645x20x15 mm SX AISI 304



Zanussi, Electrolux 093250 -



Guide - Cremagliere
Slide Ways - Shelf Supports

Rails et Montures de grille
Schienen - Stellschienenenträger

316630

Guida ripiano 645x20x15 mm DX AISI 304

Shelf runner 645x20x15 mm DX AISI 304

Guide grille gauche 645x20x15 mm DX AISI 304

Stellschiene 645x20x15 mm DX AISI 304



Zanussi, Electrolux 093251 -

523348

Guida ripiano 466x14x20,5 mm SX/DX
per frigo 500/1100 lt

Shelf runner 466x14x20,5 mm SX/DX
for 500/1100 Lt Refrigerators

Guide grille gauche 466x14x20,5 mm SX/DX
pour 500/1100 Lt Refrigerators

Stellschiene 466x14x20,5 mm SX/DX
für Kühlschrank 500/1100 Lt



Zanussi, Electrolux 082304 - 093853 -

440645

Guida ripiano 525x20,5x14,5 mm

Shelf runner 525x20,5x14,5 mm

Guide grille gauche 525x20,5x14,5 mm

Stellschiene 525x20,5x14,5 mm



Zanussi, Electrolux 093852 - 0A9710 -


438754

Guida ripiano 565x20x15 mm SX AISI 304
per Tavoli ed elementi refrigerati

Shelf runner 565x20x15 mm SX AISI 304
for reffridgerated tables

Guide grille gauche 565x20x15 mm SX AISI 304
pour tables réfrigérées

Stellschiene 565x20x15 mm SX AISI 304
für Tabellen und Kühleinheiten



Zanussi, Electrolux 082719 -


440952

Guida ripiano 565x20,5x14,5 mm

Shelf runner 565x20,5x14,5 mm

Guide grille gauche 565x20,5x14,5 mm

Stellschiene 565x20,5x14,5 mm




Zanussi, Electrolux 0A8919 -



Guide - Cremagliere
Slide Ways - Shelf Supports

Rails et Montures de grille
Schienen - Stellschienenträger

510694



Guida ripiano 580x20x15 mm DX AISI 304


Guide grille gauche 580x20x15 mm DX AISI 304

Shelf runner 580x20x15 mm DX AISI 304

Stellschiene 580x20x15 mm DX AISI 304

Zanussi, Electrolux 0A8259 -

510692



Guida ripiano 580x20x15 mm SX AISI 304


Guide grille gauche 580x20x15 mm SX AISI 304

Shelf runner 580x20x15 mm SX AISI 304

Stellschiene 580x20x15 mm SX AISI 304

Zanussi, Electrolux 0A8260 -

438755



Guida ripiano 565x20x15 mm DX AISI 304
per Tavoli ed elementi refrigerati


Guide grille gauche 565x20 mm DX AISI 304
pour tables réfrigérées

Shelf runner 565x20x15 mm DX AISI 304
for reffridgerated tables

Stellschiene 565x20x15 mm DX AISI 304
für Tabellen und Kühleinheiten

Zanussi, Electrolux 082720 -

438328



Guida ripiano 580x20x15 mm DX/SX fino Sn 839..


Guide grille gauche 580x20x15 mm DX/SX fino Sn 839..

Shelf runner 580x20x15 mm DX/SX fino Sn 839..

Stellschiene 580x20x15 mm DX/SX fino Sn 839..

Zanussi, Electrolux 082206 - 082263 - 093850 -

438703



Guida ripiano 620x20 mm DX/SX AISI 304 da SN 840..
in AISI 304 per frigo 650/1400 lt

Guide grille gauche 620x20 mm DX/SX AISI 304 da SN 840..
pour Réfrigérateur 650/1400 lt.; in AISI 304

Shelf runner 620x20 mm DX/SX AISI 304 da SN 840..
for 650/1400 lt Refrigerators; in AISI 304

Stellschiene 620x20 mm DX/SX AISI 304 da SN 840..
in AISI 304 Kühleinheiten 650/1400 lt

Zanussi, Electrolux 093851 - 0A9680 - 0A9696 - OTT840 - 881456 -



Guide - Cremagliere
Slide Ways - Shelf Supports

Rails et Montures de grille
Schienen - Stellschienenträger

441303

Guida destro

Runner right

Guide droit

Schiene Recht



Zanussi, Electrolux 082534 -

441304

Guida sinistro

Runner left

Guide gauche

Schiene links



Zanussi, Electrolux 082533 -

338622

Guida L=445 mm

Runner L=445 mm

Guide L=445 mm

Schiene L=445 mm



Zanussi, Electrolux 088265 -

441312

Guida L=375 mm destro

Runner L=375 mm right

Glissiere L=375 mm droite

Schiene L=375 mm Recht



Zanussi, Electrolux 083870 -

441311

Guida L=375 mm sinistro

Runner L=375 mm left

Glissiere L=375 mm gauche

Schiene L=375 mm links



Zanussi, Electrolux 083871 -



Guide - Cremagliere
Slide Ways - Shelf Supports

Rails et Montures de grille
Schienen - Stellschienträger

520640

Guida telescopica sinistra - Ltot 855 mm

Left telescopic runner - Ltot 855 mm

Guide telescopique gauche - Ltot 855 mm

Teleskopauszug links - Ltot 855 mm



Zanussi, Electrolux 089150 -

520641

Guida telescopica destra - Ltot 855 mm

Right telescopic runner - Ltot 855 mm

Guide telescopique droite - Ltot 855 mm

Teleskopauszug recht - Ltot 855 mm



Zanussi, Electrolux 089149 -

519822

Guida telescopica destra - Ltot 1190 mm

Right telescopic runner - Ltot 1190 mm

Guide telescopique droite - Ltot 1190 mm

Teleskopauszug recht - Ltot 1190 mm



Zanussi, Electrolux 0A9366 -

519821

Guida telescopica sinistra - Ltot 1190 mm

Left telescopic runner - Ltot 1190 mm

Guide telescopique gauche - Ltot 1190 mm

Teleskopauszug links - Ltot 1190 mm



Zanussi, Electrolux 0A9367 -

411109

Guida telescopica destra - Ltot 1130 mm

Right telescopic runner - Ltot 1130 mm

Guide telescopique droit - Ltot 1130 mm

Teleskopauszug recht - Ltot 1130 mm



Zanussi, Electrolux 082760 -



Guide - Cremagliere
Slide Ways - Shelf Supports

Rails et Montures de grille
Schienen - Stellschienenträger

411108 **Guida telescopica sinistra - Ltot 1130 mm** **Left telescopic runner - Ltot 1130 mm**

Guide telescopique gauche - Ltot 1130 mm **Teleskopauszug links - Ltot 1130 mm**



Zanussi, Electrolux 082761 -

522407 **Guida telescopica destra 580x60x15 mm** **Right telescopic runner 580x60x15 mm**


Guide telescopique droit 580x60x15 mm **Teleskopauszug recht 580x60x15 mm**



Zanussi, Electrolux 084437 -

411112 **Guida telescopica destra 620x29x11 mm** **Right telescopic runner 620x29x11 mm**


Guide telescopique droit 620x29x11 mm **Teleskopauszug recht 620x29x11 mm**



Zanussi, Electrolux 082743 -

411113 **Guida telescopica sinistra 620x29x11 mm** **Left telescopic runner 620x29x11 mm**

Guide telescopique gauche 620x29x11 mm **Teleskopauszug links 620x29x11 mm**



Zanussi, Electrolux 082742 -

522405 **Guida telescopica sinistra 580x60x15 mm** **Left telescopic runner 580x60x15 mm**

Guide telescopique gauche 580x60x15 mm **Teleskopauszug links 580x60x15 mm**



Zanussi, Electrolux 084438 -



Guide - Cremagliere
Slide Ways - Shelf Supports

Rails et Montures de grille
Schienen - Stellschienträger

346534

Guida telescopica destra e sinistra - L= 650 mm

Right and left telescopic runners - L= 650 mm

Guide telescopique droite et gauche - L= 650 mm

Teleskopauszug recht und links - L=650 mm



Zanussi, Electrolux 085377 - 092297 -

415471

Supporto griglie 540x48x18 mm

Holder for grid 540x48x18 mm

per montaggio laterale inferiore; 9 agganci di appoggio

lower side mount; 9 hookings

Support pour grille 540x48x18 mm
pour face lateral inferéure; 9 équerres

Rosthalter 540x48x18 mm
Montieren Unterseite; 9 Haken Unterstützung



Zanussi, Electrolux 080810 - 081957 -

415459

Supporto griglie 540x27x18 mm

Holder for grid 540x27x18 mm

per montaggio posteriore inferiore; 9 agganci di appoggio

for back lower; 9 hookings

Support pour grille 540x27x18 mm
pour face arrière inferéure; 9 équerres

Rosthalter 540x27x18 mm
Montieren Unterseite; 9 Haken Unterstützung



Zanussi, Electrolux 082317 -

415460

Supporto griglie 720x27x18 mm

Holder for grid 720x27x18 mm

per montaggio posteriore superiore; 12 agganci di appoggio

upper rear support; 12 hookings

Support pour grille 720x27x18 mm
pour supporte posterieur, avec 12 encastrement

Rosthalter 720x27x18 mm
Seitenmontage höher; 12 Haken Unterstützung



Zanussi, Electrolux 082316 -

415470

Supporto griglie 720x48x18 mm

Holder for grid 720x48x18 mm

per montaggio laterale superiore; 12 agganci di appoggio

upper rear support; 12 hookings

Support pour grille 720x48x18 mm
pour supporte posterieur, avec 12 encastrement

Rosthalter 720x48x18 mm
Seitenmontage höher; 12 Haken Unterstützung



Zanussi, Electrolux 081958 -



Guide - Cremagliere
Slide Ways - Shelf Supports

Rails et Montures de grille
Schienen - Stellschienenenträger

520144

Supporto L=530 mm

Support L=530 mm

Support L=530 mm

Halter L=530 mm



Zanussi, Electrolux 0A8257 -

439086

Supporto

Support

Support

Halter



Zanussi, Electrolux 0A9117 -

441315

Gancio H=12 mm

Hook H=12 mm

Crochet H=12 mm

Haken H=12 mm



Zanussi, Electrolux 083837 -

441314

Gancio H=32,5 mm

Hook H=32,5 mm

Crochet H=32,5 mm

Haken H=32,5 mm



Zanussi, Electrolux 083838 -

439445

Supporto

Support

Support

Halter



Zanussi, Electrolux 083878 -



Guide - Cremagliere
Slide Ways - Shelf Supports

Rails et Montures de grille
Schienen - Stellschienenenträger


439038

Fermo 20x12x9 mm

Stopping 20x12x9 mm

Arret 20x12x9 mm

Stopper 20x12x9 mm



Zanussi, Electrolux 089159 - 0A8370 -

345021

Cremagliera

Rack-rail

Cremaillere

Zahnstange



Zanussi, Electrolux 087498 -

521626

Cremagliera 585x32x12,5 mm

Rack-rail 585x32x12,5 mm

Cremaillere 585x32x12,5 mm

Zahnstange 585x32x12,5 mm



Zanussi, Electrolux 087146 -

521786

Cremagliera 600x32x32 mm

Rack-rail 600x32x32 mm

Cremaillere 600x32x32 mm

Zahnstange 600x32x32 mm



Zanussi, Electrolux 085985 -

521352

Cremagliera 1220x32x12,5 mm

Rack-rail 1220x32x12,5 mm

Cremaillere 1220x32x12,5 mm

Zahnstange 1220x32x12,5 mm



Zanussi, Electrolux 087648 -



Guide - Cremagliere
Slide Ways - Shelf Supports

Rails et Montures de grille
Schienen - Stellschienträger

521353

Cremagliera 1220x33x32 mm

Rack-rail 1220x33x32 mm

Cremaillere 1220x33x32 mm

Zahnstange 1220x33x32 mm



Zanussi, Electrolux 087646 -

344783

Cremagliera L=1259 mm

Rack-rail L=1259 mm

Cremaillere L=1259 mm

Zahnstange L=1259 mm



Zanussi, Electrolux 082748 -

323036

Cremagliera frontale 1270x32x12,5 mm

Rack-rail front 1270x32x12,5 mm

Cremaillere frontale 1270x32x12,5 mm

Zahnstange Front 1270x32x12,5 mm



Zanussi, Electrolux 091630 -

519508

Cremagliera 1270x32x32 mm

Rack-rail 1270x32x32 mm

Cremaillere 1270x32x32 mm

Zahnstange 1270x32x32 mm



Zanussi, Electrolux 091650 - 0A9663 - 0A9664 - 0A9694 -

323035

Cremagliera frontale 1270x33x32 mm

Rack-rail front 1270x33x32 mm

Cremaillere frontale 1270x33x32 mm

Zahnstange Front 1270x33x32 mm




Zanussi, Electrolux 091629 -



Schede elettroniche
Printed Circuit Boards

Platines
Platinen

529186



Scheda interfaccia
AOFP - AOC - RBFP10.1


Et carte interface utilisateur
AOFP - AOC - RBFP10.1

Interface board
AOFP - AOC - RBFP10.1

Platine
AOFP - AOC - RBFP10.1

Zanussi, Electrolux 088343 - 099162 -

436065



Scheda interfaccia
AQC31U US - BCF - BS15A- RBF - RBC061 -
EABP0101 - EEVAC151 - FRAB - KBCF61CW


Et carte interface utilisateur
AQC31U US - BCF - BS15A- RBF - RBC061 -
EABP0101 - EEVAC151 - FRAB - KBCF61CW

Interface board
AQC31U US - BCF - BS15A- RBF - RBC061 -
EABP0101 - EEVAC151 - FRAB - KBCF61CW

Platine
AQC31U US - BCF - BS15A- RBF - RBC061 -
EABP0101 - EEVAC151 - FRAB - KBCF61CW

Zanussi, Electrolux 088590 -

435183



Scheda interfaccia
LVA


Et carte interface utilisateur
LVA

Interface board
LVA

Platine
LVA

Zanussi, Electrolux 088591 -

433651



Scheda interfaccia
DPG/RCE - DPG/RUK - DPG/FCE - DPG/FUK

Et carte interface utilisateur
DPG/RCE - DPG/RUK - DPG/FCE - DPG/FUK

Interface board
DPG/RCE - DPG/RUK - DPG/FCE - DPG/FUK

Platine
DPG/RCE - DPG/RUK - DPG/FCE - DPG/FUK

Zanussi, Electrolux 087481 -

349670



Scheda interfaccia
BC - EEVA - ESK10 - ESF10 - ATPE061 - AF100

Et carte interface utilisateur
BC - EEVA - ESK10 - ESF10 - ATPE061 - AF100

Interface board
BC - EEVA - ESK10 - ESF10 - ATPE061 - AF100

Platine
BC - EEVA - ESK10 - ESF10 - ATPE061 - AF100


Zanussi, Electrolux 085925 -



Schede elettroniche
Printed Circuit Boards

Platines
Platinen

349429



Scheda interfaccia

BC11 - EEVA - ESK10 - ESF10 - ATPE061 - AF100

Et carte interface utilisateur

BC11 - EEVA - ESK10 - ESF10 - ATPE061 - AF100

Interface board


BC11 - EEVA - ESK10 - ESF10 - ATPE061 - AF100

Platine

BC11 - EEVA - ESK10 - ESF10 - ATPE061 - AF100

Zanussi, Electrolux 085926 -

318103



Scheda interfaccia

BCW - BCF1

Et carte interface utilisateur

BCW - BCF1

Interface board

BCW - BCF1

Platine

BCW - BCF1

Zanussi, Electrolux 092701 -

349207



Scheda interfaccia

BC

Et carte interface utilisateur

BC

Interface board


BC

Platine

BC

Zanussi, Electrolux 087337 -

349210



Scheda interfaccia

BC

Et carte interface utilisateur

BC

Interface board

BC

Platine

BC

Zanussi, Electrolux 087338 -

324555



Scheda interfaccia

Et carte interface utilisateur

Interface board

Platine

Zanussi, Electrolux 0PRC29 -



Schede elettroniche
Printed Circuit Boards

Platines
Platinen

380780

Scheda interfaccia

Interface board

Et carte interface utilisateur

Platine



Zanussi, Electrolux 092349 -

529164

Scheda madre

Motherboard

ADFS - ADN - RH06 - E06

ADFS - ADN - RH06 - E06

Platine électronique

Platine

ADFS - ADN - RH06 - E06

ADFS - ADN - RH06 - E06



Zanussi, Electrolux 092023 - 092562 - 093785 - 099161 -

435160

Scheda madre

Motherboard

AQC22U US - BC

AQC22U US - BC

Platine électronique

Platine

AQC22U US - BC

AQC22U US - BC



Zanussi, Electrolux 088344 - 088597 - 088601 - 088611 - 088630 - 088642 -
090018 - 090019 - 091330 - 092214 - 092521 - 092765 -
093125 - 093158 - 099160 - 099177 - 099911 - OTTD58 -

435115

Scheda madre

Motherboard

SSBMHC - DBMAC - ZLB

SSBMHC - DBMAC - ZLB

Platine électronique

Platine

SSBMHC - DBMAC - ZLB

SSBMHC - DBMAC - ZLB



Zanussi, Electrolux 087946 - 092598 -

413130

Scheda madre

Motherboard

SSDPC - DRPAF - ZLRP

SSDPC - DRPAF - ZLRP

Platine électronique

Platine

SSDPC - DRPAF - ZLRP

SSDPC - DRPAF - ZLRP



Zanussi, Electrolux 088038 - 092599 -




Schede elettroniche
Printed Circuit Boards

Platines
Platinen

380777

Scheda madre

Motherboard



Platine électronique

Platine

Zanussi, Electrolux 093931 -

380778

Scheda madre

Motherboard



Platine électronique

Platine

Zanussi, Electrolux 092309 -


371249

Scheda madre

Motherboard

MV - NW

MV - NW



Platine électronique

Platine

MV - NW

MV - NW

Zanussi, Electrolux 086586 -

343603

Valvola elettrica Ø 42 mm H=170 mm

Electric valve Ø 42 mm H=170 mm



Vanne électrique Ø 42 mm H=170 mm

Ventil elek Ø 42 mm H=170 mm

Zanussi, Electrolux 089676 - 089688 - 092573 - 099188 -

535182

Cablaggio L=800 mm

Wiring harness L=800 mm

F/PCB 648726401; blas

F/PCB 648726401; blas



Cablage L=800 mm

Kabelbaum L=800 mm

F/PCB 648726401; blas

F/PCB 648726401; blas

Zanussi, Electrolux 099468 -



Schede elettroniche
Printed Circuit Boards

Platines
Platinen

535188

Cablaggio L=1200 mm

Wiring harness L=1200 mm

Câblage L=1200 mm

Kabelbaum L=1200 mm



Zanussi, Electrolux 099472 -

439093

Supporto 90x116 mm

Support 90x116 mm

Support 90x116 mm

Halter 90x116 mm



Zanussi, Electrolux 0A8760 -

319872

Quadro elettrico completo SB

Complete control panel SB

Complete panneau de commande SB

Komplette Bedienfeld SB



Zanussi, Electrolux 094367 -

345266

Copertura 125x205x9 mm

Covering 125x205x9 mm

Couverture 125x205x9 mm

Berichterstattung 125x205x9 mm



Zanussi, Electrolux 086337 - 086552 -


345596

Scatola elettrica

Electric box

Boiteboîte électrique

Schaltkasten



Zanussi, Electrolux 086336 -



Membrane comandi
Membranes

Membranes
Membran -Befehle

349076

Membrana adesiva

Membrane keypads

Membrane adhésive

Folientastaturen



Zanussi, Electrolux 088990 -

439262

Membrana adesiva

Membrane keypads

Membrane adhésive

Folientastaturen



Zanussi, Electrolux 085783 -

312306

Membrana adesiva 310x75 mm
versione Alpeninox

Membrane keypads 310x75 mm
ver. Alpeninox

Membrane adhésive 310x75 mm
ver. Alpeninox

Folientastaturen 310x75 mm
ver. Alpeninox



Zanussi, Electrolux 091567 - 094225 -

311947

Membrana adesiva 105x60 mm

Membrane keypads 105x60 mm

Membrane adhésive 105x60 mm

Folientastaturen 105x60 mm



Zanussi, Electrolux 0D7087 -

439185

Membrana adesiva 236x74 mm

Membrane keypads 236x74 mm

Membrane adhésive 236x74 mm

Folientastaturen 236x74 mm



Zanussi, Electrolux 088164 -



Membrane comandi
Membranes

Membranes
Membran -Befehle

439261

Membrana adesiva 237x74 mm

Membrane keypads 237x74 mm

Membrane adhésive 237x74 mm

Folientastaturen 237x74 mm



Zanussi, Electrolux 085793 -

336966

Membrana adesiva 250x55 mm

Membrane keypads 250x55 mm

Membrane adhésive 250x55 mm

Folientastaturen 250x55 mm



Zanussi, Electrolux 088054 -

439058

Mascherina 276x74 mm

Membrane keypads 276x74 mm

Membrane adhésive 276x74 mm

Folientastaturen 276x74 mm



Zanussi, Electrolux 0A9793 -

308451

Membrana adesiva, blast chiller 310x74 mm

Membrane keypads, blast chiller 310x74 mm

Membrane adhésive, blast chiller 310x74 mm

Folientastaturen, blast chiller 310x74 mm



Zanussi, Electrolux 099928 -

308267

Membrana adesiva 310x75 mm

Membrane keypads 310x75 mm

Membrane adhésive 310x75 mm

Folientastaturen 310x75 mm



Zanussi, Electrolux 091296 - 094229 -



Membrane comandi
Membranes

Membranes
Membran -Befehle

308450

Membrana adesiva 310x75 mm

Membrane keypads 310x75 mm

Membrane adhésive 310x75 mm

Folientastaturen 310x75 mm



Zanussi, Electrolux 099927 -

310901

Membrana adesiva 310x75 mm
ver. Electrolux

Membrane keypads 310x75 mm
ver. Electrolux

Membrane adhésive 310x75 mm
ver. Electrolux

Folientastaturen 310x75 mm
ver. Electrolux



Zanussi, Electrolux 091564 - 094227 -

310319

Membrana adesiva 310x75 mm
ver. Electrolux

Membrane keypads 310x75 mm
ver. Electrolux

Membrane adhésive 310x75 mm
ver. Electrolux

Folientastaturen 310x75 mm
ver. Electrolux



Zanussi, Electrolux 091565 - 094226 -

434321

Membrana 310x75 mm

Membrane keypads 310x75 mm

Membrane adhésive 310x75 mm

Folientastaturen 310x75 mm



Zanussi, Electrolux 088584 -

434386

Membrana adesiva 310x75 mm

Membrane keypads 310x75 mm

Membrane adhésive 310x75 mm

Folientastaturen 310x75 mm



Zanussi, Electrolux 088587 -



Membrane comandi
Membranes

Membranes
Membran -Befehle

434298

Membrana adesiva

Membrane keypads

Membrane adhésive

Folientastaturen



Zanussi, Electrolux 088585 -

520592

Mascherina adesiva 284x60mm

Membrane keypads 284x60mm

Membrane adhésive 284x60mm

Folientastaturen 284x60mm



Zanussi, Electrolux 089196 -

349074

Membrana adesiva 900x60 mm
ver. Zanussi

Membrane keypads 900x60 mm
ver. Zanussi

Membrane adhésive 900x60 mm
ver. Zanussi

Folientastaturen 900x60 mm
ver. Zanussi



Zanussi, Electrolux 088994 -

349077

Mascherina adesiva 900x60 mm

Membrane keypads 900x60 mm

Membrane adhésive 900x60 mm

Folientastaturen 900x60 mm



Zanussi, Electrolux 088988 -

520743

Membrana adesiva 310x115 mm

Membrane keypads 310x115 mm

Membrane adhésive 310x115 mm

Folientastaturen 310x115 mm



Zanussi, Electrolux 088583 -



Membrane comandi
Membranes

Membranes
Membran -Befehle

324144



Membrana adesiva 460x160 mm

Membrane adhésive 460x160 mm

Membrane keypads 460x160 mm

Folientastaturen 460x160 mm

Zanussi, Electrolux 099919 -

535078



Membrana adesiva 380x127x0,5 mm

Membrane adhésive 380x127x0,5 mm

Membrane keypads 380x127x0,5 mm

Folientastaturen 380x127x0,5 mm

Zanussi, Electrolux 099381 -

Termoregolatori
Thermoregulators

Termoregulateurs
Temperaturregler

349742



Termoregolatore IC901 230V

sonda PTC; 1 uscita su relé 8(3)A 250V; alimentazione 12Vac/dc; dima foratura 71x29 mm; dim 76x67x28 mm

Thermorégulateur IC901 230V

sonde PTC; 1 relais sortie 8(3)A 250V; alimentation 12Vac/dc; decoupe 71x29 mm; dim 76x67x28 mm

Thermoregulator IC901 230V

probe PTC; 1 relay output 8(3)A 250V; power supply 12Vac/dc; mounting hole 71x29 mm; dim 76x67x28 mm

Thermoregler IC901 230V

Fühler PTC; 1 relay ausgang 8(3)A 250V; Versorgung 12Vac/dc; dima bohrung 71x29 mm; dim 76x67x28 mm

Zanussi, Electrolux 084337 - 091357 -

349430



Termoregolatore ICPlus 902 12V -50/+99°C

sonda PTC o NTC selezionabile; 1 uscita su relé 15A 250V per compressore; alimentazione 12V; dim. 74x32x67 mm; dima foratura 71x29 mm

Thermorégulateur IC902 12V -50/+99°C

PTC or NTC sonde; 1 relais sortie 8(3)A 250V pour compressor; alimentation 12V; dim. 74x32x67 mm; decoupe 71x29 mm

Thermoregulator IC902 12V -50/+99°C

PTC or NTC probe; 1 relay output 8(3)A 250V for compressor; power supply 12V; dim. 74x32x67 mm; mounting hole 71x29 mm

Thermoregler IC902 12V -50/+99°C

Fühler PTC o NTC wählbar; 1 relay ausgang 15A 250V für Kompressoren; Versorgung 12V; dim. 74x32x67 mm; dima bohrung 71x29 mm

Zanussi, Electrolux 084224 - OS0296 - OS0989 - OS1642 - OTT401 -

616186



Termoregolatore IC912 12V

sonda PT100; 1 uscita relé 8(3)A 250V; alimentazione 12V

Thermoregulateur IC912 12V

sonde PT100; 1 relais sortie 8(3)A 250V; alimentation 12V

Thermoregulator IC912 12V

probe PT100; 1 relay output 8(3)A 250V; power supply 12V

Thermoregler IC912 12V

Fühler PT100; 1 relay ausgang 8(3)A 250V; Versorgung 12V

Zanussi, Electrolux 003260 - 0C3991 - 0C3992 -



Termoregolatori
Thermoregulators

Termoregulateurs
Temperaturregler

349728



Termoregolatore IC915 Plus NTC-PTC 230V
sonda PTC o NTC selezionabile; 1 uscita su relé 8(4)A 250V per compressore; alimentazione 230V; dim. 78x37x65 mm; dima foratura 71x29 mm

Thermorégulateur IC915 Plus NTC-PTC 230V
Sonde PTC ou NTC à choisir; 1 sortie 8(3)A 250V pour compressor; dim. 74x32x67 mm; decoupé 71x29 mm

Thermoregulator IC915 Plus NTC-PTC 230V
PTC or NTC probe to be selected; 1 output 8(3)A 250V for compressor; dim. 74x32x67 mm; mounting hole 71x29 mm

Thermoregler IC915 Plus NTC-PTC 230V
sonda PTC o NTC selezionabile; 1 uscita su relé 8(4)A 250V per compressore; alimentazione 230V; dim. 78x37x65 mm; dima foratura 71x29 mm

Zanussi, Electrolux 082388 - 082396 - 0S0295 - 0S0789 - 0S1643 -

532931



Termoregolatore IS974LX 230V 50Hz
unità master per unità di potenza EWEM 245 non compresa; range -50...99 °C; ingresso digitale; uscita porta seriale; TTL; connessioni su morsettiera a vite risoluzione: 1°C(°F); dim. 74x32x60 mm

Thermorégulateur IS974LX 230V 50Hz
unité de puissance EWM425 not included; range -50...99 °C; entrée digital, sortie digital; TTL; connection à vis ; résolution 1°C(°F); dim. 74x32x60 mm

Thermoregulator IS974LX 230V 50Hz
"Master" power unit EWM425 not included, range -50...99 °C; digital input, serial output;TTL; connection on screw terminal board; resolution 1°C(°F); dim. 74x32x60 mm

Thermoregler IS974LX 230V 50Hz
Master-Einheit für Leistungseinheiten EWEM 245 nicht enthalten sind; Bereich -50 ... 99 ° C; Digitaleingang ; Ausgang serielle Schnittstelle; TTL; Anschlüsse auf Schraubklemme Auflösung: 1 ° C (° F); dimmen. 74x32x60 mm

Zanussi, Electrolux 099221 -

349779



Termoregolatore EWPC970 0/+4°C
sonda PTC; 2 uscite su relé: compressore e sbrinamento; alimentazione 230V; dim. 74x32x67 mm; dima foratura 71x29 mm

Thermorégulateur EWPC970 0/+4°C
PTC sonde; 2 relais sortie pour compressor et degivrage; 230V; dim. 74x32x67 mm; decoupé 71x29 mm

Thermoregulator EWPC970 0/+4°C
PTC probe; 2 relay outputs for compressor and defrosting; power supply 230V; dim. 74x32x67 mm; mounting hole 71x29 mm

Thermoregler EWPC970 0/+4°C
fühler PTC; 2 ausgnag relay: Kompressoren und Abtauuhr; Versorgung 230V; dim. 74x32x67 mm; dima bohrung 71x29 mm

Zanussi, Electrolux 087831 -

532935



Unità di potenza, EWEM 233, 230V
IN 2 PTC/NTC - 3 OUT relé compressore, relé sbrinamento, relé ventole

Carte électronique; EWEM 233, 230V
entrée: 2 NTC/PTC sonde; 3 relais, sortie pour compressor, degivrage et ventilateur

Pcb, EWEM 233, 230V
IN 2 PTC/NTC - 3 relay outputs for compressor, defrosting and fan

Thermoregler EWEM 233, 230V
IN 2 PTC/NTC - 3 OUT relais Kompressoren, relais Abtauuhr, relais Lüfter

Zanussi, Electrolux 085143 - 099224 -

438116



Termoregolatore ID961 Plus 230V -50/+99°C
ingresso: 2 sonde NTC o PTC selezionabile; 1 uscita su relé in scambio 8(3)A 250V; dim. 74x32x67 mm; dima foratura 71x29 mm

Thermorégulateur ID961 Plus -50/+99°C
input: 2 NTC or PTC sonde; 1 relais de sortie 8(3)A 250V; dim. 74x32x67 mm; decoupé 71x29 mm

Thermoregulator ID961 Plus -50/+99°C
input: 2 NTC or PTC probe; 1 changeover relay output 8(3)A 250V; dim. 74x32x67 mm; mounting hole 71x29 mm

Thermoregler ID961 Plus 230V -50/+99°C
Eingang: 2 Fühler NTC o PTC; 1 Ausgang und relais 8(3)A 250V; dim. 74x32x67 mm; dim bohrung 71x29 mm

Zanussi, Electrolux 089903 - 099695 - 0S0786 - 0S1453 -



Termoregolatori
Thermoregulators

Termoregulateurs
Temperaturregler

520605



Termoregolatore ID971 Plus 230V -50/+99°C
ingresso: 2 sonde NTC o PTC selezionabile; 2 uscite su relè: compressore e sbrinamento; dim. 74x32x67 mm; dima foratura 71x29 mm

Thermorégulateur ID971 Plus -50/+99°C
entrée: 2 NTC or PTC sonde; 2 relais, sortie pour compressor et degivrage; dim. 74x32x67 mm; decoupé 71x29 mm

Thermoregulator ID971 Plus -50/+99°C
input: 2 NTC or PTC probe (to select); 2 relay outputs for compressor and defrosting; dim. 74x32x67 mm; mounting hole 71x29 mm

Thermoregler ID971 Plus -50/+99°C
Eingang: 2 Fühler NTC o PTC; 2 Ausgang und relais: Kompressoren, Abtauuhr; dim. 74x32x67 mm; dima bohrung 71x29 mm

Zanussi, Electrolux 089176 - 089177 - 0S0787 -

412344



Termoregolatore ID974 Plus 230V -50/+99°C
ingresso: 2 sonde NTC o PTC selezionabile; 3 uscite su relè: compressore, sbrinamento e ventole; dim. 74x32x67 mm; dima foratura 71x29 mm

Thermorégulateur ID974 Plus -50/+99°C
entrée: 2 NTC or PTC sonde; 3 relais, sortie pour compressor, degivrage et ventilateur; dim. 74x32x67 mm; decoupé 71x29 mm

Thermoregulator ID974 Plus -50/+99°C
input: 2 NTC or PTC probe (to select); 3 relay outputs for compressor, defrosting and fan; dim. 74x32x67 mm; mounting hole 71x29 mm

Thermoregler ID974 Plus 230V -50/+99°C
Eingang: 2 Fühler NTC o PTC; 3 Ausgang und relais: Kompressoren, Abtauuhr e Lüfter; dim. 74x32x67 mm; dima bohrung 71x29 mm

Zanussi, Electrolux 083799 - 085975 - 085983 - 087161 - 087169 - 089904 -
099276 - 0A8908 - 0A8909 - 0A9230 - 0A9520 - 0A9737 -
0S0303 - 0S0788 - 0S1454 -

310049



Termometro digitale EM300 230V
range del display -50°C...999°C - IN: NTC - dim. 74x32x30 mm

Thermomètre digital EM300 230V
display range -50°C...999°C - IN: NTC - dim. 74x32x30 mm

Digital thermometer EM300 230V
display range -50°C...999°C - IN: NTC - dim. 74x32x30 mm

Digital Thermometer EM300 230V
range display -50°C...999°C - IN: NTC - dim. 74x32x30 mm

Zanussi, Electrolux 082915 - 0S0790 - 0S1891 -

339004



Termoregolatore MP330 -24/-15°C
sonda PTC 2500 mm; 1 uscita per sbrinamento; alimentazione 12Vac/dc; dim. 74x32x67 mm; dima foratura 71x29 mm

Thermorégulateur MP330 -24/-15°C
PTC sonde 2500 mm; 1 sortie degivrage; alimentation 12Vac/dc; dim. 74x32x67 mm; decoupé 71x29 mm

Thermoregulator MP330 -24/-15°C
PTC probe 2500 mm; 1 output for defrosting; power supply 12Vac/dc; dim. 74x32x67 mm; mounting hole 71x29 mm

Thermoregler MP330 -24/-15°C
fühler PTC 2500 mm; 1 ausgnag für Abtauen; Versorgung 12Vac/dc; dim. 74x32x67 mm; dima bohrung 71x29 mm

Zanussi, Electrolux 083429 - 092061 -

343622



Termoregolatore IS 972LX

Thermorégulateur IS 972LX

Thermoregulator IS 972LX

Thermoregler IS 972LX

Zanussi, Electrolux 090074 -



Termoregolatori
Thermoregulators

Termoregulateurs
Temperaturregler

521550



Termoregolatore EWTM052 [KIT]

1 sonda NTC; 1 uscita su relé; alimentazione 230V - cavo L=3000 mm - sonda Ø 7x26 mm

Termorégolateur EWTM052 [KIT]

1 sonde NTC; 1 sortie relais; alimentation 230V - câble L=3000 mm - sonde Ø 7x26 mm

Thermoregulator EWTM052 [KIT]

1 probe NTC; 1 output for relay ; power supply 230V - cable L=3000 mm - probe Ø 7x26 mm

Thermoregler EWTM052 [KIT]

1 fñhler NTC; 1 ausgnag relay; Versorgung 230V - kabel L=3000 mm - fñhler Ø 7x26 mm

Zanussi, Electrolux 087313 -

319467



Termoregolatore IR33

2 sonda NTC; 2 uscite su relé 8(3)A 250V; alimentazione 12V

Termoregulateur IR33

2 sonde NTC; 2 relais sortie 8(3)A 250V; alimentation 12V

Thermoregulator IR33

2 probe NTC; 2 relay output 8(3)A 250V; power supply 12V

Thermoregler IR33

2 Fñhler NTC; 2 relay ausgang 8(3)A 250V; Versorgung 12V

Zanussi, Electrolux 091642 -

310835



Termoregolatore IR33

ingresso: 2 sonde; 3 uscita su relé 8(3)A 250V; alimentazione 230V; dima foratura 70x28 mm

Thermorégolateur IR33

input: 2 sonde; 3 relais de sortie 8(3)A 250V; alimentation 230V; decoupé 70x28 mm

Thermoregulator IR33

input: 2 probes; 3 relay output 8(3)A 250V; alimentation 230V; mounting hole 70x28 mm

Thermoregler IR33

Eingang: 2 fñhler; 3 ausgang auf relay 8(3)A 250V; Versorgung 230V; dima bohrung 70x28 mm

Zanussi, Electrolux 091609 - 0T1027 -

318403



Termoregolatore IR33

ingresso: 2 sonde; 1 uscita su relé 8(3)A 250V; alimentazione 230V

Termoregulateur IR33

input: 2 sonde; 1 relais de sortie 8(3)A 250V; alimentation 230V

Thermoregulator IR33

input: 2 probes; 1 relay output 8(3)A 250V; alimentation 230V

Thermoregler IR33

Eingang: 2 fñhler; 1 ausgang auf relay 8(3)A 250V; Versorgung 230V

Zanussi, Electrolux 093532 -

311837



Termoregolatore IR33

ingresso: 3 sonde; 1 uscita su relé in scambio 8(3)A 250V; alimentazione 230V; dima foratura 70x28 mm

Termoregulateur IR33

input: 3 sonde; 1 relais de sortie en contrepartie 8(3)A 250V; alimentation 230V; decoupé 70x28 mm

Thermoregulator IR33

input: 3 probes; 1 switching relay output 8(3)A 250V; alimentation 230V; mounting hole 70x28 mm

Thermoregler IR33

Eingang: 3 fñhler; 1 ausgang auf relay dafür 8(3)A 250V; Versorgung 230V; dima bohrung 70x28 mm

Zanussi, Electrolux 092355 -



Termoregolatori
Thermoregulators

Termoregulateurs
Temperaturregler

324256



Termoregolatore [KIT]

ingresso: 3 sonde; 1 uscita su relé in scambio 8(3)A 250V; alimentazione 230V

Termoregulateur [KIT]

input: 3 sonde; 1 relais de sortie en contrepartie 8(3)A 250V; alimentation 230V

Thermoregulator [KIT]

input: 3 probes; 1 switching relay output 8(3)A 250V; alimentation 230V

Thermoregler [KIT]

Eingang: 3 fñhler; 1 ausgang auf relay dafür 8(3)A 250V; Versorgung 230V

Zanussi, Electrolux 094078 -

429917



Termoregolatore PJEZ

sonda NTC L=1400 mm con bulbo INOX Ø 6x50 mm IP68; 1 uscita di potenza; 230V 50/60Hz dima foratura 71x29 mm

Thermorégulateur PJEZ

sonde NTC L=1400 mm avec bulbe INOX Ø 6x50 mm IP68; 1 relais de sortie; 230V 50/60Hz decoupé 71x29 mm

Thermoregulator PJEZ

probe NTC L=1400 mm with bulb INOX Ø 6x50 mm IP68; 1 switching relay; 230V 50/60Hz mounting hole 71x29 mm

Thermoregler PJEZ

fñhler NTC L=1400 mm mit Birne INOX Ø 6x50 mm IP68; 1 ausgang auf relay; 230V 50/60Hz dima bohrung 71x29 mm

Zanussi, Electrolux 0KJ381 -

318922



Termoregolatore Beta RD31 230V 16A

dim.74x32x64 mm

Thermorégulateur Beta RD31 230V 16A

dim.74x32x64

Thermoregulator Beta RD31 230V 16A

dim.74x32x64

Thermoregler Beta RD31 230V 16A

319013



Termoregolatore Beta RD31-6001-8A 9÷24V 50/60Hz - Joystick

1 uscita relé 8A - 1 ingresso sonda PTC - display a 3 digit rosso - dima 71x29 mm

Thermorégulateur Beta RD31-6001-8A 9÷24V 50/60Hz - Joystick

1 sortie relais 8A - 1 entrée sonde PTC - display à 3 digit rouge - decoupé 71x29 mm

Thermoregulator Beta RD31-6001-8A 9÷24V 50/60Hz - Joystick

1 output relé 8A - 1 input probe PTC - 3 digit red display - cut out 71x29 mm

Thermoregler Beta RD31-6001-8A 9÷24V 50/60Hz - Joystick

1 Ausgang und relais 8A - 1 Eingang Fñhler PTC - display a 3 digit rot - dima 71x29 mm

319020



Termoregolatore Beta RD31-6004-8A 230V 50/60Hz - Joystick

1 uscita relé 8A - 1 ingresso sonda PTC - display a 3 digit rosso - dima 71x29 mm

Thermorégulateur Beta RD31-6004-8A 230V 50/60Hz - Joystick

1 sortie relais 8A - 1 entrée sonde PTC - display à 3 digit rouge - decoupé 71x29 mm

Thermoregulator Beta RD31-6004-8A 230V 50/60Hz - Joystick

1 output relé 8A - 1 input probe PTC - 3 digit red display - cut out 71x29 mm

Thermoregler Beta RD31-6004-8A 230V 50/60Hz - Joystick

1 Ausgang und relais 8A - 1 Eingang Fñhler PTC - display a 3 digit rot - dima 71x29 mm



Termoregolatori
Thermoregulators

Termoregulateurs
Temperaturregler

318991



Termoregolatore Beta RC31-6001 2HP 230V 50/60Hz

1 uscita 2HP - 1 ingresso sonda NTC/PTC/PTC300 conf. - display a 3 digit rosso - dima 71x29 mm

Thermorégulateur Beta RC31-6001 2HP 230V 50/60Hz

1 sortie relais 2HP - 1 entrée sonde NTC/PTC/PTC300 conf. - display à 3 digit rouge - découpé 71x29 mm

Thermoregulator Beta RC31-6001 2HP 230V 50/60Hz

1 output relé 2HP - 1 input probe NTC/PTC/PTC300 conf. - 3 digit red display - cut out 71x29 mm

Thermoregler Beta RC31-6001 2HP 230V 50/60Hz

1 Ausgang 2HP - 1 Eingang Fühler NTC/PTC/PTC300 conf. - display a 3 digit rot - dima 71x29 mm

318997



Termoregolatore Beta RC31-6004 2HP 9+24V 50/60Hz

1 uscita 2HP - 1 ingresso sonda NTC/PTC/PTC300 conf. - display a 3 digit rosso - dima 71x29 mm

Thermorégulateur Beta RC31-6004 2HP 9+24V 50/60Hz

1 sortie relais 2HP - 1 entrée sonde NTC/PTC/PTC300 conf. - display à 3 digit rouge - découpé 71x29 mm

Zanussi, Electrolux 083836 -

Thermoregulator Beta RC31-6004 2HP 9+24V 50/60Hz

1 output relé 2HP - 1 input probe NTC/PTC/PTC300 conf. - 3 digit red display - cut out 71x29 mm

Thermoregler Beta RC31-6004 2HP 9+24V 50/60Hz

1 Ausgang 2HP - 1 Eingang Fühler NTC/PTC/PTC300 conf. - display a 3 digit rot - dima 71x29 mm

319004



Termoregolatore Beta RC32-2604 2HP 9+24V 50/60Hz

2 uscite relé 2HP/8A - 2 ingressi sonda NTC/PTC/PTC300 conf. - display a 3 digit rosso - dima 71x29 mm

Thermorégulateur Beta RC32-2604 2HP 9+24V 50/60Hz

2 sorties relais 2HP/8A - 2 entrées sonde NTC/PTC/PTC300 conf. - display à 3 digit rouge - découpé 71x29 mm

Thermoregulator Beta RC32-2604 2HP 9+24V 50/60Hz

2 output relé 2HP/8A - 2 input probe NTC/PTC/PTC300 conf. - 3 digit red display - cut out 71x29 mm

Thermoregler Beta RC32-2604 2HP 9+24V 50/60Hz

2 Ausgang und relais 2HP/8A - 2 Eingang Fühler NTC/PTC/PTC300 conf. - display a 3 digit rot - dima 71x29 mm

319005



Termoregolatore Beta RC33-2601 2HP 230V 50/60Hz

3 uscite relé 2HP/8A/5A - 3 ingressi sonda NTC/PTC/PTC300 conf. - display a 3 digit rosso - dima 71x29 mm

Thermorégulateur Beta RC33-2601 2HP 230V 50/60Hz

3 sorties relais 2HP/8A/5A - 3 entrée sonde NTC/PTC/PTC300 conf. - display à 3 digit rouge - découpé 71x29 mm

Thermoregulator Beta RC33-2601 2HP 230V 50/60Hz

3 output relé 2HP/8A/5A - 3 input probe NTC/PTC/PTC300 conf. - 3 digit red display - cut out 71x29 mm

Thermoregler Beta RC33-2601 2HP 230V 50/60Hz

3 Ausgang und relais 2HP/8A/5A - 3 Eingang Fühler NTC/PTC/PTC300 conf. - display a 3 digit rot - dima 71x29 mm



Termoregolatori
Thermoregulators

Termoregulateurs
Temperaturregler

319008



Termoregolatore Beta RC33-2604 2HP 9+24V 50/60Hz
3 uscite relé 2HP/8A/5A - 3 ingressi sonda NTC/PTC/PTC300 conf. - display a 3 digit rosso - dima 71x29 mm

Thermorégulateur Beta RC33-2604 2HP 9+24V 50/60Hz

3 sorties rélais 2HP/8A/5A - 3 entrée sonde NTC/PTC/PTC300 conf. - display à 3 digit rouge - découpé 71x29 mm

Thermoregulator Beta RC33-2604 2HP 9+24V 50/60Hz

3 output relé 2HP/8A/5A - 3 input probe NTC/PTC/PTC300 conf. - 3 digit red display - cut out 71x29 mm

Thermoregler Beta RC33-2604 2HP 9+24V 50/60Hz

3 Ausgang und relais 2HP/8A/5A - 3 Eingang Fühler NTC/PTC/PTC300 conf. - display a 3 digit rot - dima 71x29 mm

319214



Termoregolatore EVCO EVK204 230V -50/+150°C
ingresso: 2 sonde NTC/PTC selezionabile; 4 uscite su relè: compressore 16A, sbrinamento e ventole, in scambio 8A; dim. 75x33x73 mm; dima foratura 71x29 mm

Thermoregulateur EVCO EVK204 230V -50/+150°C

entrée: 2 sonde NTC/PTC; 4 sortie relais: compresseur 16A, degivrage, ventilateur, exchange 8A; dim. 75x33x73 mm; découpé 71x29 mm

Thermoregulator EVCO EVK204 230V -50/+150°C

Input: 2 probe NTC/PTC; 4 output relé: compressor 16A, de-frost and fan, exchange 8A; dim. 75x33x73 mm; cut-out 71x29 mm

Thermoregulator EVCO EVK204 230V -50/+150°C

Eingang: 2 fñhler NTC/PTC wählbar; 4 ausgang relay: kompressor 16A, Abtauen und lñfter, dafür 8A; dim. 75x33x73 mm; dima bohrung 71x29 mm

Zanussi, Electrolux 0PE750 -

349692



Mascherina con pulsanti

Plaque avec boutons

Small plate with buttons

Folientastaturen mit taste

Zanussi, Electrolux 087702 - 087703 - 0A9820 -

520596



Guarnizione per 349692

Joint pour 349692

Gasket for 349692

Dichtung für 349692

Zanussi, Electrolux 089191 -

349698



Mascherina con pulsanti 170x40 mm

Plaque avec boutons 170x40 mm

Small plate with buttons 170x40 mm

Folientastaturen mit taste 170x40 mm

Zanussi, Electrolux 087796 - 087830 - 0A9819 -



Termoregolatori
Thermoregulators

Termoregulateurs
Temperaturregler

532955



Mascherina con pulsanti, versione -2°C (Alpeninox, Zanussi)*
per termoregolatore digitale serie ID9**; serie HD

Plaque avec boutons, version -2°C (Alpeninox, Zanussi)
pour thermorégulateur ID9**, série HD

Small plate with buttons, version -2°C (Alpeninox, Zanussi)
for thermoregulator ID9**, series HD

Folientastaturen mit taste version -2°C (Alpeninox, Zanussi)
für thermoregulator ID9**, series HD

Zanussi, Electrolux 099273 -

535090



Mascherina con pulsanti, serie HD
completa di interruttori START/STOP e umidità

Plaque avec boutons, serie HD
avec START/STOP et Humidity interrupteur

Small plate with buttons, serie HD
with START/STOP and Humidity switch

Folientastaturen mit taste, serie HD
komplexe START/STOP taste und Feuchtigkeit

Zanussi, Electrolux 099389 -

375024



Mascherina con pulsanti 170x38 mm

Plaque avec boutons 170x38 mm

Small plate with buttons 170x38 mm

Folientastaturen mit taste 170x38 mm

Zanussi, Electrolux 092471 -

315327



Mascherina per IR33

Plaque IR33

Small plate IR33

Folientastaturen für IR33

Zanussi, Electrolux 092362 -

534981



Mascherina con pulsanti, versione -24°C (Electrolux)
per termoregolatore digitale serie ID9**; serie HD

Plaque avec boutons, version -24 C° (marque Electrolux)
pour thermorégulateur ID9**, série HD

Small plate with buttons, version -24 C° (brand Electrolux)
for thermoregulator ID9**, series HD

Folientastaturen mit taste version -24 C° (brand Electrolux)
für thermoregulator ID9**, series HD

Zanussi, Electrolux 099307 -



Termoregolatori
Thermoregulators

Termoregulateurs
Temperaturregler

534976



Mascherina con pulsanti, versione -2°C (Electrolux)*

per termoregolatore digitale serie ID9**; series HD

Plaquette avec boutons, version -2 C° (marque Electrolux)

pour thermorégulateur ID9**, série HD

Small plate with buttons, version -2 C° (brand Electrolux)

for thermoregulator ID9**, series HD

Folientastaturen mit taste, version -2 C° (brand Electrolux)

für thermoregulator ID9**, series HD

Zanussi, Electrolux 099304 -

532961



Guarnizione per 534976

Joint pour 534976

Gasket for 534976

Dichtung für 534976

Zanussi, Electrolux 099277 - 099303 -

534940



Mascherina con pulsanti, versione -24°C (Alpeninox Zanussi)

per termoregolatore digitale serie ID9**; serie HD, senza tasto umidità solo copritasto

Plaquette avec boutons, version -24 C° (Alpeninox, Zanussi)

pour thermorégulateur ID9**, série HD, sans bouton humidity

Small plate with buttons, version -24 C° (Alpeninox, Zanussi)

for thermoregulator ID9**, series HD

Folientastaturen mit taste version -24°C

Zanussi, Electrolux 099278 -

Sonde
Probes

Sondes
Fühler

532952



Sonda NTC, L=1500 mm, blu, bulbo Ø 6x20 mm, cell:

Puntalini, cavo con guaina TPE - IP68; bulbo in acciaio inox; campo di lavoro -50+105°C

Sonde NTC, L=1500 mm, bleus, bulbe Ø 6x20 mm, cellule

embouts, câble gainé TPE - IP68; bulbe inox; plage de réglage temp -50+105°C

Probe NTC, L=1500 mm, blue, bulb Ø 6x20 mm, cavity

wire end sleeve, TPE cable with sheath - IP68; bulb st. steel; working range -50+105°C

Fühler NTC, L=1500 mm, blue, Birne Ø 6x20 mm, cella

Aderendhülsen, Kabelmantel TPE - IP68; Birne Stahl; Arbeitslager -50+105°C

Zanussi, Electrolux 092173 - 099267 -

435281



Sonda NTC, L=2000 mm, blu, bulbo Ø 6x20 mm, cell:

Puntalini, cavo con guaina TPE - IP68; bulbo in acciaio inox, campo di lavoro -50+105°C

Sonde NTC L=2000 mm, bleus, bulbe Ø 6x20 mm, cellule

embouts, câble gainé TPE - IP68; bulbe inox, plage de réglage temp -50+105°C

Probe NTC, L=2000 mm, blue, bulb Ø 6x20 mm, cavity

wire end sleeve, cable with sheath TPE - IP68; bulb steel, working range -50+105°C

Fühler NTC, L=2000 mm, blue, Birne Ø 6x20 mm, cella

Aderendhülsen, Kabelmantel TPE - IP68; Birne Stahl inox, Arbeitslager -50+105°C

Zanussi, Electrolux 087654 - 092174 -



Sonde
Probes

Sondes
Fühler

435167



Sonda NTC, L=3000 mm, blu, bulbo Ø 6x20 mm, cell:

Puntalini, cavo con guaina TPE - IP68; bulbo in acciaio inox; campo di lavoro -50+105°C

Sonde NTC L=3000 mm, bleus, bulbe Ø 6x20 mm, cellule

embouts, câble gainé TPE - IP68; bulbe inox; plage de réglage temp -50+105°C

Zanussi, Electrolux 088405 - 092175 -

Probe NTC, L=3000 mm, blue, bulb Ø 6x20 mm, cavity

wire end sleeve, cable with sheath TPE - IP68; bulb steel; working range -50+105°C

Fühler NTC, L=3000 mm, blue, Birne Ø 6x20 mm, cella

Aderendhülsen, Kabelmantel TPE - IP68; Birne Stahl inox; Arbeitslager -50+105°C

435116



Sonda NTC, L=4000 mm, blu, bulbo Ø 6x20 mm, cell:

Puntalini, cavo con guaina TPE - IP68; bulbo in acciaio inox, campo di lavoro -50+105°C

Sonde NTC L=4000 mm, bleus, bulbe Ø 6x20 mm, cellule

embouts, câble gainé TPE - IP68; bulbe inox, plage de réglage temp -50+105°C

Zanussi, Electrolux 087832 - 088183 - 092176 -

Probe NTC, L=4000 mm, blue, bulb Ø 6x20 mm, cavity

wire end sleeve, cable with sheath TPE - IP68; bulb steel, working range -50+105°C

Fühler NTC, L=4000 mm, blue, Birne Ø 6x20 mm, cella

Aderendhülsen, Kabelmantel TPE - IP68; Birne Stahl inox, Arbeitslager -50+105°C

435276



Sonda NTC, L=1500 mm, blu, bulbo Ø 6x20 mm, cell:

Connettore Lumberg, cavo con guaina TPE - IP68; bulbo in acciaio inox; campo di lavoro -50+105°C

Sonde NTC, L=1500 mm, bleus, bulbe Ø 6x20 mm, cellule

Lumberg raccord, câble gainé TPE - IP68; bulbe inox; plage de réglage temp -50+105°C

Zanussi, Electrolux 087699 - 092184 -

Probe NTC, L=1500 mm, blue, bulb Ø 6x20 mm, cavity

Connection Lumberg, cable with sheath TPE - IP68; bulb steel; working range -50+105°C

Fühler NTC, L=1500 mm, blue, bulb Ø 6x20 mm, cella

Anschlüss Lumberg, Kabelmantel TPE - IP68; Birne Stahl; Arbeitslager -50 +105°C

435277



Sonda NTC, L=2000 mm, blu, bulbo Ø 6x20 mm, cell:

Connettore Lumberg, cavo con guaina TPE - IP68; bulbo in acciaio inox, campo di lavoro -50+105°C

Sonde NTC L=2000 mm, bleus, bulbe Ø 6x20 mm, cellule

Lumberg raccord, câble gainé TPE - IP68; lbe in, plage de réglage temp -50+105°C

Zanussi, Electrolux 087692 - 092177 -

Probe NTC, L=2000 mm, blue, bulb Ø 6x20 mm, cavity

Connection Lumberg, cable with sheath TPE - IP68; bulb steel, working range -50+105°C

Fühler NTC, L=2000 mm, blue, Birne Ø 6x20 mm, cella

Anschlüss Lumberg, Kabelmantel TPE - IP68; Birne Stahl inox, Arbeitslager -50+105°C

435990



Sonda NTC, L=4000 mm, blu, bulbo Ø 6x20 mm, cell:

Connettore Lumberg, cavo con guaina TPE - IP68; bulbo in acciaio inox; campo di lavoro -50+105°C

Sonde NTC Bleu L=4000 mm bulb Ø 6x42 mm, cellule

Lumberg raccord, câble gainé TPE - IP68; bulbe inox; plage de réglage temp -50+105°C

Zanussi, Electrolux 088066 - 092185 -

Probe NTC, L=4000 mm, blue, bulb Ø 6x20 mm, cavity

Connection Lumberg, cable with sheath TPE - IP68; bulb steel; working range -50+105°C

Fühler NTC, L=4000 mm, blue, Birne Ø 6x20 mm, cella

Anschlüss Lumberg, Kabelmantel TPE - IP68; Birne Stahl inox; Arbeitslager -50+105°C



Sonde
Probes

Sondes
Fühler

435059



Sonda NTC, L=1000 mm, giallo/nero, bulbi Ø 6x20 mm cell+cond

Connettore Lumberg, cavo con guaina TPE - IP68; bulbo in acciaio inox; campo di lavoro -50+105°C

Sonde NTC Jaune/Noir L=1000 mm bulbe Ø 6x20 mm

Lumberg raccord, TPE câble gainé - IP68; bulbe inox; plage de réglage temp -50+105°C

Zanussi, Electrolux 088443 - 092181 -


Probe NTC Jellow/black L=1000 mm bulb Ø 6x20 mm

Connection Lumberg, cable with sheath TPE - IP68; bulb steel; working range -50+105°C

Fühler NTC, L=1000 mm, gelb/schwarz, Birne Ø 6x20 mm

Anschlüss Lumberg, Kabelmantel TPE - IP68; Birne Stahl inox; Arbeitslager -50+105°C

436120



Sonda NTC, L=2000 mm, giallo/nero, bulbi Ø 6x40 mm

Cella+condensatore, Connettore Lumberg, cavo con guaina TPE - IP68; bulbo in acciaio inox, campo di lavoro -50+105°C

Sonde NTC, L=2000 mm, jaune/noir, bulbe Ø 6x40 mm

Cellule+ cond. Lumberg connecteur, TPE câble gainé - IP68; bulbe inox Ø 6x40 mm; plage de réglage temp. -50+105°C

Zanussi, Electrolux 087480 - 088345 - 092188 -

Probe NTC, L=2000 mm, yellow/black, bulb Ø 6x40 mm

Cavity+condenser, Lumberg connector, TPE cable with sheath - IP68; bulb st. steel Ø 6x40 mm; working range -50+105°C

Fühler NTC, L=2000 mm, gelb/schwarz, Birne Ø 6x40 mm

Cella+kondensatore, Anschlüss Lumberg, Kabelmantel TPE - IP68; Birne Stahl inox, Arbeitslager -50+105°C

535433



Sonda NTC, L=1500 mm, verde, bulbo Ø 6x40 mm, evaporatore

Puntalini, cavo con guaina TPE - IP68; bulbo in acciaio inox; campo di lavoro -50+105°C

Sonde NTC, L=1500 mm, vert, bulbe Ø 6x40 mm, évaporateur

embout, TPE câble gainé - IP68; bulbe inox Ø 6x40 mm; plage de réglage temp. -50+105°C

Zanussi, Electrolux 092178 - 099657 - 0S0299 -


Probe NTC, L=1500 mm, green, bulb Ø 6x40 mm, evaporator

wire end sleeve, TPE cable with sheath - IP68; bulb st. steel Ø 6x40 mm; working range -50+105°C

Fühler NTC, L=1500 mm, verde, Birne Ø 6x40 mm, évaporateur

Aderendhülsen, Kabelmantel TPE - IP68; Birne Stahl; Arbeitslager -50+105°C

535324



Sonda NTC, L=2000 mm, verde, bulbo Ø 6x40 mm, evaporatore

Puntalini, cavo con guaina TPE - IP68; bulbo in acciaio inox, campo di lavoro -50+105°C

Sonde NTC, L=2000 mm, vert, bulbe Ø 6x40 mm, évaporateur

Embout, TPE câble gainé - IP68; bulbe inox Ø 6x40 mm; plage de réglage temp. -50+105°C

Zanussi, Electrolux 092182 - 099570 -

Probe NTC, L=2000 mm, green, bulb Ø 6x40 mm, evaporator

wire end sleeve, TPE cable with sheath - IP68; bulb st. steel Ø 6x40 mm; working range -50+105°C

Fühler NTC, L=2000 mm, grün, Birne Ø 6x40 mm, évaporateur

Aderendhülsen, Kabelmantel TPE - IP68; Birne Stahl inox, Arbeitslager -50+105°C

535436



Sonda NTC, L=3000 mm, verde, bulbo Ø 6x40 mm, evaporatore

Puntalini, cavo con guaina TPE - IP68; bulbo in acciaio inox, campo di lavoro -50+105°C

Sonde NTC L=3000 mm, vert, bulbe Ø 6x40 mm, évaporateur

Embout, TPE câble gainé - IP68; bulbe inox; plage de réglage temp. -50+105°C

Zanussi, Electrolux 092179 - 099660 -

Probe NTC L=3000 mm, green, bulb Ø 6x40 mm, evaporator

wire end sleeve, TPE cable with sheath - IP68; st. steel bulb; working range -50+105°C

Fühler NTC, L=3000 mm, grün, Birne Ø 6x40 mm, évaporateur

Aderendhülsen, Kabelmantel TPE - IP68; Birne Stahl inox, Arbeitslager -50+105°C



Sonde
Probes

Sondes
Fühler

610872



Sonda NTC, L=4000 mm, verde, bulbo Ø 6x40 mm, evaporatore

Puntalini, cavo con guaina TPE - IP68; bulbo in acciaio inox, campo di lavoro -50+105°C

Sonde NTC, L=4000 mm, vert, bulbe Ø 6x40 mm, évaporateur

embouts, câble gainé TPE - IP68; bulbe inox, plage de réglage temp -50+105°C

Zanussi, Electrolux 092183 - 099722 -

Probe NTC, L=4000 mm, green, bulb Ø 6x40 mm, evaporator

wire end sleeve, cable with sheath TPE - IP68; bulb steel, working range -50+105°C

Fühler NTC, L=4000 mm, grün, Birne Ø 6x40 mm, evaporator

Aderendhülsen, Kabelmantel TPE - IP68; Birne Stahl inox, Arbeitslager -50+105°C

535434



Sonda NTC, L=1500 mm, verde, bulbo Ø 6x40 mm, evaporatore

Connettore Lumberg, cavo con guaina TPE - IP68; bulbo in acciaio inox, campo di lavoro -50+105°C

Sonde NTC, L=1500 mm, vert, bulbe Ø 6x40 mm, évaporateur

Lumberg raccord, TPE câble gainé - IP68; bulbe inox Ø 6x40 mm; plage de réglage temp. -50+105°

Zanussi, Electrolux 092180 - 099658 -

Probe NTC, L=1500 mm, green, bulb Ø 6x40 mm, evaporator

Lumberg connector, TPE cable with sheath - IP68; bulb st. steel Ø 6x40 mm; working range -50+105°C

Fühler NTC, L=1500 mm, grün, Birne Ø 6x40 mm, evaporator

Anschlöss Lumberg, Kabelmantel TPE - IP68; Birne Stahl inox, Arbeitslager -50+105°C

535435



Sonda NTC, L=2000 mm, verde, bulbo Ø 6x40 mm, evaporatore

Connettore Lumberg, cavo con guaina TPE - IP68; bulbo in acciaio inox, campo di lavoro -50+105°C

Sonde NTC, L=2000 mm, vert, bulbe Ø 6x40 mm, évaporateur

Lumberg raccord, TPE câble gainé - IP68; bulbe inox Ø 6x40 mm; plage de réglage temp. -50+105°C

Zanussi, Electrolux 092186 - 093531 - 099659 -

Probe NTC, L=2000 mm, green, bulb Ø 6x40 mm, evaporator

Lumberg connector, TPE cable with sheath - IP68; bulb st. steel Ø 6x40 mm; working range -50+105°C

Fühler NTC, L=2000 mm, grün, Birne Ø 6x40 mm, evaporator

Anschlöss Lumberg, Kabelmantel TPE - IP68; Birne Stahl inox, Arbeitslager -50+105°C

610751



Sonda NTC, L=3600 mm, verde, bulbo Ø 6x40 mm, evaporatore

Connettore Lumberg, cavo con guaina TPE - IP68; bulbo in acciaio inox; campo di lavoro -50+105°C

Sonde NTC, L=3600 mm, vert, bulbe Ø 6x40 mm, évaporateur

Lumberg raccord, câble gainé TPE - IP68; bulbe inox; plage de réglage temp. -50+105°C

Zanussi, Electrolux 092187 - 099683 -

Probe NTC, L=3600 mm, green, bulb Ø 6x40 mm, evaporator

Lumberg connector, TPE cable with sheath - IP68; bulb st. steel; working range -50+105°C

Fühler NTC, L=3600 mm, grün, Birne Ø 6x40 mm, evaporator

Anschlöss Lumberg, Kabelmantel TPE - IP68; Birne Stahl inox; Arbeitslager -50+105°C

615111



Sonda temperatura evaporatore

cavo L=3000 mm, bulbo Ø 5,3x6,4x16 mm

Sonde température évaporateur

câble L=3000 mm, bulbe Ø 5,3x6,4x16 mm

Zanussi, Electrolux 038068 -

Temperature probe evaporator

cable L=3000 mm, bulb Ø 5,3x6,4x16 mm

Temperaturfühler für Verdampfer

Kabel L=3000 mm, bulb Ø 5,3x6,4x16 mm



Sonde
Probes

Sondes
Fühler

435228



Sonda NTC, L=3000 mm, nera, bulbo Ø 6x15 mm
cavo con guaina TPE - IP67; campo di lavoro
-40+110°C

Sonde NTC, L=3000 mm, noir, bulbe Ø 6x15 mm

TPE câble gainé - IP67; temperature de travail
-40+110°C

Probe NTC, L=3000 mm, black, bulb Ø 6x15 mm
TPE coated cable - IP67; working range -40+110°C

Fühler NTC, L=3000 mm, schwarz, Birne Ø 6x15 mm

Kabelmantel TPE - IP67; Arbeitslager -40+110°C

Zanussi, Electrolux 091389 - 099567 - 0A9498 -

435227



Sonda NTC, L=1500 mm, nera, bulbo Ø 6x15 mm
cavo con guaina TPE - IP67; campo di lavoro
-40+110°C

Sonde NTC L=1500 mm, noir, bulbe Ø 6x15 mm

câble gainé TPE; temperature de travail -40+110°C

Probe NTC 1500 mm, black, bulb Ø 6x15 mm
TPE coated cable - IP67; working range -40+110°C

Fühler NTC, L=1500 mm, schwarz, Birne Ø 6x15 mm

Kabelmantel TPE - IP67; Arbeitslager -40 bis + 110 ° C

Zanussi, Electrolux 0A9499 - 0PE403 -

438453



Sonda di temperatura NTC, L=1600 mm, bulbo Ø 6x19 mm

Sonde de température NTC, L=1600 mm, bulbe Ø 6x19 mm

Temperature probe NTC, L=1600 mm, bulb Ø 6x19 mm

Temperaturfühler NTC, L=1600 mm, Birne Ø 6x19 mm

Zanussi, Electrolux 087959 - 0PE274 - 10100162 -

435136



Sonda di temperatura NTC, L=4000 mm, bulbo Ø 6x19 mm [KIT]

Sonde de température NTC, L=4000 mm, bulbe Ø 6x19 mm [KIT]

Temperature probe NTC, L=4000 mm, bulb Ø 6x19 mm [KIT]

Temperaturfühler NTC, L=4000 mm, Birne Ø 6x19 mm [KIT]

Zanussi, Electrolux 087130 -

438454



Sonda di temperatura NTC, L=900 mm, bulbo Ø 6x19,5 mm

Sonde de température NTC, L=900 mm, bulbe Ø 6x19,5 mm

Temperature probe NTC, L=900 mm, bulb Ø 6x19,5 mm

Temperaturfühler NTC, L=900 mm, Birne Ø 6x19,5 mm

Zanussi, Electrolux 088040 - 093446 -



Sonde
Probes

Sondes
Fühler

436130



Sonda di temperatura NTC, L=3200 mm, bulbo Ø 6x20 mm

Sonde de température NTC, L=3200 mm, bulbe Ø 6x20 mm

Temperature probe NTC, L=3200 mm, bulb Ø 6x20 mm

Temperaturfühler NTC, L=3200 mm, Birne Ø 6x20 mm

Zanussi, Electrolux 088308 - 093444 -

436127



Sonda di temperatura NTC, L=4000 mm, nera, bulbo Ø 6x20 mm

Sonde de température NTC, L=4000 mm, noir, bulbe Ø 6x20 mm

Temperature probe NTC, L=4000 mm, black, bulb Ø 6x20 mm

Temperaturfühler NTC, L=4000 mm, nera, Birne Ø 6x20 mm

Zanussi, Electrolux 088182 - 093441 -

435984



Sonda di temperatura NTC, L=2250 mm, bulbo Ø 6x40 mm

Sonde de température NTC, L=2250 mm, bulbe Ø 6x40 mm

Temperature probe NTC, L=2250 mm, bulb Ø 6x40 mm

Temperaturfühler NTC, L=2250 mm, Birne Ø 6x40 mm

Zanussi, Electrolux 087958 -

435985



Sonda di temperatura NTC, L=3900 mm, grigia, bulbo Ø 6x40 mm

Sonde de température NTC, L=3900 mm, grigia, bulbe Ø 6x40 mm

Temperature probe NTC, L=3900 mm, grigia, bulb Ø 6x40 mm

Temperaturfühler NTC, L=3900 mm, grigia, Birne Ø 6x40 mm

Zanussi, Electrolux 088011 -

349682



Sonda di temperatura NTC, L=2000 mm, grigia, bulbo Ø 7x25 mm
faston, cavo con guaina PVC - IP68

Sonde de température NTC, L=2000 mm, grigia, bulbe Ø 7x25 mm
faston, câble gainé PVC - IP68

Temperature probe NTC, L=2000 mm, grigia, bulb Ø 7x25 mm
faston, cable with sheath PVC - IP68

Temperaturfühler NTC, L=2000 mm, grigia, Birne Ø 7x25 mm
faston, Kabelmantel PVC - IP68

Zanussi, Electrolux 087348 -



Sonde
Probes

Sondes
Fühler

435987



Sonda NTC, L=3000-3800 mm, gialla/verde bulbo Ø 9x30 mm

Sonde NTC, L=3000-3800 mm, gialla/verde bulbe Ø 9x30 mm

NTC Probe, L=3000-3800 mm, yellow-green bulb Ø 9x30 mm

Fühler NTC, L=3000-3800 mm, gialla/grün Birne Ø 9x30 mm

Zanussi, Electrolux 088041 - 093442 -

435986



Sonda PTC, L=900 mm, nera, bulbo Ø 6x20 mm, condensatore

Connettore Lumberg, cavo con guaina TPE - IP68; bulbo in acciaio inox

Sonde PTC, L=900 mm, noir, bulbe Ø 6x20 mm, condensateur

Lumberg raccord, câble gainé TPE - IP68; bulbe inox

Probe PTC, L=900 mm, black, bulb Ø 6x20 mm, condenser

Lumberg connector, cable with sheath TPE - IP68; bulb st. Steel

Fühler PTC, L=900 mm, schwarz, bulbo Ø 6x20 mm, Kondensator

Anschlüss Lumberg, Kabelmantel TPE - IP68; Birne Stahl inox

Zanussi, Electrolux 088039 - 093443 -

618875



Sonda PTC, L=1500 mm, PVC nero, bulbo Ø 6x30 mm, IP68

Puntalini, cavo con guaina TPE - IP68; bulbo in acciaio inox, campo di lavoro -50+105°C

Sonde PTC L=1500 mm, PVC noir, bulbe Ø 6x30 mm IP68

Embout, TPE câble - IP68; bulbe inox ; plage de réglage temp. -50+105°C

Probe PTC L=1500 mm, black PVC, bulb Ø 6x30 mm, IP68

wire end sleeve, TPE cable - IP68; bulb st. steel; working range -50+105°C

Fühler PTC, L=1500 mm, PVC schwarz, Birne Ø 6x30 mm, IP68

Aderendhülsen, Kabelmantel TPE - IP68; Birne Stahl inox, Arbeitslager -50+105°C

Zanussi, Electrolux 0S0301 -

618876



Sonda PTC, L=3000 mm, PVC nero, bulbo Ø 6x30 mm IP68

Puntalini, cavo con guaina TPE - IP68; bulbo in acciaio inox, campo di lavoro -50+105°C

Sonde PTC L=3000 mm, PVC noir, bulbe Ø 6x30 mm IP68

Embout, TPE câble - IP68; bulbe inox ; plage de réglage temp. -50+105°C

Probe PTC L=3000 mm, black PVC, bulb Ø 6x40 mm IP68

wire end sleeve, TPE cable - IP68; bulb st. steel; working range -50+105°C

Fühler PTC, L=3000 mm, PVC schwarz, Birne Ø 6x30 mm IP68

Aderendhülsen, Kabelmantel TPE - IP68; Birne Stahl, Arbeitslager -50 + 105 ° C

Zanussi, Electrolux 085961 -

349636



Sonda PTC, L=1500 mm silicone, bulbo Ø 6x40 mm, IP68

Puntalini, cavo con guaina TPE - IP68; bulbo in acciaio inox, campo di lavoro -50+105°C

Sonde PTC L=1500 mm, silicone, bulbe Ø 6x40 mm, IP68

Embout, TPE câble - IP68; bulbe inox Ø 6x40 mm; plage de réglage temp. -50+105°C

Probe PTC L=1500 mm, silicone, bulb Ø 6x40 mm, IP68

wire end sleeve, TPE cable - IP68; bulb st. steel Ø 6x40 mm; working range -50+105°C

Fühler PTC, L=1500 mm silikon, Birne Ø 6x40 mm, IP68

Aderendhülsen, Kabelmantel TPE - IP68; Birne Stahl inox, Arbeitslager -50+105°C

Zanussi, Electrolux 083583 - 0S0302 -



Sonde
Probes

Sondes
Fühler

435122



Sonda PTC, L=3000 mm, silicone, bulbo Ø 6x40 mm IP68

Puntalini, cavo con guaina TPE - IP68; bulbo in acciaio inox, campo di lavoro -50+105°C

Sonde PTC L=3000 mm, silicone, bulbe Ø 6x40 mm IP68

Embout, TPE câble - IP68; bulbe inox, plage de réglage temp -50+105°C

Zanussi, Electrolux 0A9600 -

Probe PTC L=3000 mm, silicone, bulb Ø 6x40 mm IP68

wire end sleeve, TPE cable - IP68; bulb st. steel; working range -50+105°C

Fühler PTC, L=3000 mm, silikon, Birne Ø 6x40 mm IP68

Aderendhülsen, Kabelmantel TPE - IP68; Birne Stahl inox, Arbeitslager -50+105°C

349657



Sonda di temperatura PT100

bulbo Ø 6x40 mm da -50 a +350°C - cavo L=1550

Sonde de température PT100

bulbe Ø 6x40 mm à partir de -50 a +350°C - câble L=1550

Zanussi, Electrolux 083649 -

Temperature probe PT100

bulb Ø 6x40 mm from -50 a +350°C - cable L=1550

Temperaturfühler PT100

Birne Ø 6x40 mm von -50 a +350°C - kabel L=1550

436132



Sonda di temperatura PT312, L=1700 mm, bulbo Ø 4x41,5 mm

Sonde de température PT312, L=1700 mm, bulbe Ø 4x41,5 mm

Zanussi, Electrolux 088439 -

Temperature probe PT312, L=1700 mm, bulb Ø 4x41,5 mm

Temperaturfühler PT312, L=1700 mm, Birne Ø 4x41,5 mm

342939



Sonda spillone curvo 90°

Sonde a coeur 90°

Zanussi, Electrolux 085562 -

Curved core probe 90°

Einstechfühler 90°

435114



Sonda spillone curvo PT100 90°

bulbo Ø 4,5x80 mm; cavo L=4200 mm - maniglia Ø 10x120 mm

Sonde à coeur PT100 90°

bulbe Ø 4,5x80 mm; câble L=4200 mm - manette Ø 10x120 mm

Zanussi, Electrolux 085561 - 087464 - 088044 -

Curved core probe PT100 90°

bulb Ø 4,5x80 mm; cable L=4200 mm - handle Ø 10x120 mm

Einstechfühler PT100 90°

Birne Ø 4,5x80 mm; kabel L=4200 mm - griff Ø 10x120 mm



Sonde
Probes

Sondes
Fühler

349609

Sonda spillone PT100

bulbo Ø 4x100 mm; cavo con guaina TPE L=3000 mm

Sonde à coeur PT100

bulbe Ø 4x100 mm; câble gainé TPE L=3000 mm

Core probe PT100

bulb Ø 4x100 mm; cable with sheath TPE L=3000 mm

Einstechfühler PT100

Birne Ø 4x100 mm; kabelmantel TPE L=3000 mm

Zanussi, Electrolux 083648 -

349679

Sonda spillone PTC

bulbo Ø 4x100 mm; cavo L=3000 mm

Sonde à coeur PTC

bulbe Ø 4x100 mm; câble L=3000 mm

Core probe PTC

bulb Ø 4x100 mm; cable L=3000 mm

Einstechfühler PTC

Birne Ø 4x100 mm; kabel L=3000 mm

Zanussi, Electrolux 083582 -

306900

Sonda spillone curvo 90° NTC

bulbo Ø 5x80 mm; cavo L=3300 mm

Sonde à coeur NTC 90°

bulbe Ø 5x80 mm; câble L=3300 mm

Curved core probe NTC 90°

bulb Ø 5x80 mm; cable L=3300 mm

Einstechfühler NTC 90°

Birne Ø 5x80 mm; kabel L=3300 mm

Zanussi, Electrolux 091126 - 092705 -

435158

Sonda spillone curvo 90° NTC

bulbo Ø 5x80 mm; cavo L=3300 mm

Sonde à coeur NTC 90°

bulbe Ø 5x80 mm; câble L=3300 mm

Curved core probe NTC 90°

bulb Ø 5x80 mm; cable L=3300 mm

Einstechfühler NTC 90°

Birne Ø 5x80 mm; kabel L=3300 mm

Zanussi, Electrolux 088348 - 092704 -

312414

Cavo per sonda lambda

Cable pour sonde Lamda

Cable for lambda probe

Kabel für fuhrler lambsa

Zanussi, Electrolux 0C6110 -



Sonde
Probes

Sondes
Fühler

438455



Corpo sensore di livello M13
foro Ø 4.5 mm

Le corps du capteur de niveau M13
trou Ø 4.5 mm

Level sensor body M13
hole Ø 4.5 mm

Ebene Sensorkörper M13
bohrung Ø 4.5 mm

Zanussi, Electrolux 088167 -

321524



Sensore per gas refrigerante 316-4


Sonde pour gas réfrigérant 316-4

Sensor for gas refrigerant 316-4

Fühler für gaz Kältemittel 316-4

Zanussi, Electrolux 0S1265 -

520735



Protezione

Protection

Protection

Schutzgitter

Zanussi, Electrolux 088602 -


Filtri deidratore
Dehydrator filters
Filtres déshydrateur
Filtertrockner

319561


Filtro deidratore GR.10 2 vie Ø 34x148 mm
 Ø IN 8,5 mm - Ø OUT 4,5 mm

Filtre déshydrateur GR. 10 2 voies Ø 34x148 mm
 Ø IN 8,5 mm - Ø OUT 4,5 mm

Dehydrator filter GR. 10 2 ways Ø 34x148 mm
 Ø IN 8,5 mm - Ø OUT 4,5 mm

Trockner GR. 10 2 wege Ø 34x148 mm
 Ø IN 8,5 mm - Ø OUT 4,5 mm

Zanussi, Electrolux 092157 -

435149


Filtro deidratore GR.40 2 vie Ø 24x160 mm
 Ø IN 6,2 mm - OUT 3,3; R134-R404A

Filtre déshydrateur GR.40 2 voies Ø 24x160 mm
 Ø IN 6,2 mm - OUT 3,3; R134-R404A

Dehydrator filter GR.40 2 ways Ø 24x160 mm
 Ø IN 6,2 mm - OUT 3,3; R134-R404A

Trockner GR.40 2 wege Ø 24x160 mm
 Ø IN 6,2 mm - OUT 3,3; R134-R404A

Zanussi, Electrolux 084078 -

430340


Filtro deidratore GR.15 2 vie Ø 19x120 mm
 Ø IN 6,5 mm - Ø OUT 2,6 mm

Filtre déshydrateur GR.15 2 voies Ø 19x120 mm
 Ø IN 6,5 mm - Ø OUT 2,6 mm

Dehydrator filter GR.15 2 ways Ø 19x120 mm
 Ø IN 6,5 mm - Ø OUT 2,6 mm

Trockner GR.15 2 wege Ø 19x120 mm
 Ø IN 6,5 mm - Ø OUT 2,6 mm

Zanussi, Electrolux 081716 -

519790


Filtro deidratore GR.40 2 vie Ø 24x160 mm
 Ø IN 6,2 mm - OUT 6,2 mm

Filtre déshydrateur GR.40 2 voies Ø 24x160 mm
 Ø IN 6,2 mm - OUT 6,2 mm

Dehydrator filter GR.40 2 ways Ø 24x160 mm
 Ø IN 6,2 mm - OUT 6,2 mm

Trockner GR.40 2 wege Ø 24x160 mm
 Ø IN 6,2 mm - OUT 6,2 mm

Zanussi, Electrolux 0A9410 -

435284


Filtro deidratore GR.40 3 vie Ø 24x170 mm
 Ø IN 6,2/6,2 mm - Ø OUT 3,3 mm; R134-R404A

Filtre déshydrateur GR.40 3-voies Ø 24x170 mm
 Ø IN 6,2/6,2 mm - Ø OUT 3,3 mm; R134-R404A

Dehydrator filter GR.40 3 ways Ø 24x170 mm
 Ø IN 6,2/6,2 mm - Ø OUT 3,3 mm; R134-R404A

Trockner GR.40 3 wege Ø 24x170 mm
 Ø IN 6,2/6,2 mm - Ø OUT 3,3 mm; R134-R404A

Zanussi, Electrolux 083719 - 083854 -



Filtri deidratore
Dehydrator filters

Filtres déshydrateur
Filtertrockner

519819

Filtro deidratore GR.40 3 vie Ø 24x170 mm
Ø IN 6,2/6,2 mm - OUT 6,2 mm; R404A

Filtre déshydrateur GR.40 3-voies Ø 24x170 mm
Ø IN 6,2-6,2 mm / OUT 6,2 mm; R404A

Dehydrator filter GR.40 3-ways Ø 24x170 mm
Ø IN 6,2-6,2 mm / OUT 6,2 mm; R404A

Trockner GR.40 3 wege Ø 24x170 mm
Ø IN 6,2/6,2 mm - OUT 6,2 mm; R404A

Zanussi, Electrolux 0A9371 -

441159

Filtro deidratore DCL 083S 46bar
-40/+160°F; -40/+70°C

Filtre déshydrateur DCL 083S 46bar
-40/+160°F; -40/+70°C

Dehydrator filter DCL 083S 46bar
-40/+160°F; -40/+70°C

Trockner DCL 083S 46bar
-40/+160°F; -40/+70°C

Zanussi, Electrolux 087438 -

522289

Filtro deidratore DCL 083 42bar
-40/+160°F; -40/+70°C

Filtre déshydrateur DCL 083 42bar
-40/+160°F; -40/+70°C

Dehydrator filter DCL 083 42bar
-40/+160°F; -40/+70°C

Trockner DCL 083 42bar
-40/+160°F; -40/+70°C

Zanussi, Electrolux 084902 - 0A9072 -

520980

Filtro deidratore DML 052S

Filtre déshydrateur DML 052S

Dehydrator filter DML 052S

Trockner DML 052S

Zanussi, Electrolux 088201 -

Evaporatori
Evaporator

Evaporateurs
Verdampfer

337861

Batteria evaporante 400x110x200 mm
AZF1103 - ALNN2203

Evaporateur batterie 400x110x200 mm
AZF1103 - ALNN2203

Evaporator unit 400x110x200 mm
AZF1103 - ALNN2203

Verdampfereinheit 400x110x200 mm
AZF1103 - ALNN2203


Zanussi, Electrolux 088390 -



Evaporatori
Evaporator

Evaporateurs
Verdampfer

337734



Evaporatore 550x200x150 mm

BC22 - BCF22 - EEVA20/1 - EEVAC20/1 - AB210 - AF210

Evaporateur 550x200x150 mm

BC22 - BCF22 - EEVA20/1 - EEVAC20/1 - AB210 - AF210

Evaporator 550x200x150 mm

BC22 - BCF22 - EEVA20/1 - EEVAC20/1 - AB210 - AF210

Verdampfer 550x200x150 mm

BC22 - BCF22 - EEVA20/1 - EEVAC20/1 - AB210 - AF210

Zanussi, Electrolux 085062 -

337774



Batteria evaporante 470x150x100 mm

ICP130 - ICN110UK

Evaporateur batterie 470x150x100 mm

ICP130 - ICN110UK

Evaporator unit 470x150x100 mm

ICP130 - ICN110UK

Verdampfereinheit 470x150x100 mm

ICP130 - ICN110UK

Zanussi, Electrolux 0A8024 -

349255



Evaporatore 440x95x110 mm

MLP

Evaporateur 440x95x110 mm

MLP

Evaporator 440x95x110 mm


MLP

Verdampfer 440x95x110 mm

MLP

Zanussi, Electrolux 0A9212 -

521492



Batteria evaporante 405x230x145 mm

ADF - ADN - AEN - 83012001 - 83012033 - 83012201 - ARD - 83012101 - ASN - ASF - - ZPR06

Evaporateur batterie 405x230x145 mm

ADF - ADN - AEN - 83012001 - 83012033 - 83012201 - ARD - 83012101 - ASN - ASF - - ZPR06

Evaporator unit 405x230x145 mm


ADF - ADN - AEN - 83012001 - 83012033 - 83012201 - ARD - 83012101 - ASN - ASF - - ZPR06

Verdampfereinheit 405x230x145 mm

ADF - ADN - AEN - 83012001 - 83012033 - 83012201 - ARD - 83012101 - ASN - ASF - - ZPR06

Zanussi, Electrolux 087402 - 0A9681 -

337795



Evaporatore 280x420x75 mm

DCBR40 - DCB/R40F - DCB/R40U - DCB/R40/61

Evaporateur 280x420x75 mm

DCBR40 - DCB/R40F - DCB/R40U - DCB/R40/61

Evaporator 280x420x75 mm

DCBR40 - DCB/R40F - DCB/R40U - DCB/R40/61

Verdampfer 280x420x75 mm

DCBR40 - DCB/R40F - DCB/R40U - DCB/R40/61


Zanussi, Electrolux 081755 -



Evaporatori
Evaporator

Evaporateurs
Verdampfer

441283



Evaporatore dim. 395x250x100 mm*
TRN


Evaporateur batterie dim. 395x250x100 mm
TRN

Evaporator dim. 395x250x100 mm
TRN

Verdampfereinheit dim. 395x250x100 mm
TRN

Zanussi, Electrolux 082732 -

521307



Evaporatore 300x260x160 mm
TRN - TRR - TRF


Evaporateur 300x260x160 mm
TRN - TRR - TRF

Evaporator 300x260x160 mm
TRN - TRR - TRF

Verdampfer 300x260x160 mm
TRN - TRR - TRF

Zanussi, Electrolux 087708 - 092271 -

337798



Batteria evaporante 315x125x105 mm
per frigoriferi 500-600 lt


Evaporateur batterie 315x125x105 mm
for 500-600 lt frigidaire

Evaporator unit 315x125x105 mm
for 500-600 lt Refrigerators

Verdampfereinheit 315x125x105 mm

Zanussi, Electrolux 082211 -

337863



Batteria evaporante
AZP - ALN - KL - RS06RX1F - KE

Evaporateur batterie
AZP - ALN - KL - RS06RX1F - KE

Evaporator unit
AZP - ALN - KL - RS06RX1F - KE

Verdampfereinheit
AZP - ALN - KL - RS06RX1F - KE

Zanussi, Electrolux 088373 -

312359



Evaporatore 350x115x100 mm
RS06 - RS0PX1FD

Evaporateur 350x115x100 mm
RS06 - RS0PX1FD

Evaporator 350x115x100 mm
RS06 - RS0PX1FD

Verdampfer 350x115x100 mm
RS06 - RS0PX1FD

Zanussi, Electrolux 091586 -



Evaporatori
Evaporator

Evaporateurs
Verdampfer

337799

Batteria evaporante
IK - ISF - ILF - FVN

Evaporateur batterie
IK - ISF - ILF - FVN

Evaporator unit
IK - ISF - ILF - FVN

Verdampfereinheit
IK - ISF - ILF - FVN

Zanussi, Electrolux 082243 -

337779

Batteria evaporante
ES950 - KT - KK - 13000130.1 - 13000131.1 -
13000132.1

Evaporateur batterie
ES950 - KT - KK - 13000130.1 - 13000131.1 -
13000132.1

Evaporator unit
ES950 - KT - KK - 13000130.1 - 13000131.1 -
13000132.1

Verdampfereinheit
ES950 - KT - KK - 13000130.1 - 13000131.1 -
13000132.1

Zanussi, Electrolux 0A9146 -

521446

Evaporatore 150x350x150 mm
AQC22U US - BC7 - BCF7 - BC10A - BCF7A

Evaporateur 150x350x150 mm
AQC22U US - BC7 - BCF7 - BC10A - BCF7A

Evaporator 150x350x150 mm
AQC22U US - BC7 - BCF7 - BC10A - BCF7A

Verdampfer 150x350x150 mm
AQC22U US - BC7 - BCF7 - BC10A - BCF7A

Zanussi, Electrolux 087510 -

337742

Batteria evaporante
IK - ISF10 - ILF - IKNF - FVNE051 - IKF - ISF110N

Evaporateur batterie
IK - ISF10 - ILF - IKNF - FVNE051 - IKF - ISF110N

Evaporator unit
IK - ISF10 - ILF - IKNF - FVNE051 - IKF - ISF110N

Verdampfereinheit
IK - ISF10 - ILF - IKNF - FVNE051 - IKF - ISF110N

Zanussi, Electrolux 083432 -

337721

Evaporatore
ILF120 - ILF110

Evaporateur
ILF120 - ILF110

Evaporator
ILF120 - ILF110

Verdampfer
ILF120 - ILF110

Zanussi, Electrolux 084760 -




Evaporatori

Evaporator

Evaporateurs

Verdampfer

337802

**Evaporatore**

BC11 - BCF11 - EEVA10/1 - EEVAC10/1 - AB100 - AF100

Evaporateur

BC11 - BCF11 - EEVA10/1 - EEVAC10/1 - AB100 - AF100

Evaporator


BC11 - BCF11 - EEVA10/1 - EEVAC10/1 - AB100 - AF100

Verdampfer

BC11 - BCF11 - EEVA10/1 - EEVAC10/1 - AB100 - AF100

Zanussi, Electrolux 085061 -

337713

**Evaporatore 175x230x200 mm**

PRO4

Evaporateur batterie

PRO4

Evaporator unit

PRO4

Verdampferinheit

PRO4

Zanussi, Electrolux 088496 -

519717

**Evaporatore 605x200x95 mm**

EDVP10VR1

Evaporateur 605x200x95 mm

EDVP10VR1

Evaporator 605x200x95 mm

EDVP10VR1

Verdampfer 605x200x95 mm

EDVP10VR1

Zanussi, Electrolux 0A9518 -

337778

**Batteria evaporante 420x100x62 mm**

MLP

Evaporateur batterie 420x100x62 mm

MLP

Evaporator unit 420x100x62 mm


MLP

Verdampferinheit 420x100x62 mm

MLP

Zanussi, Electrolux 0A9106 -

346583

**Evaporatore 433x280x90 mm**

MVR - 7BAE10C - 7BAE14S - 7BAE10S - B105RC - B140RC

Evaporateur 433x280x90 mm

MVR - 7BAE10C - 7BAE14S - 7BAE10S - B105RC - B140RC

Evaporator 433x280x90 mm

MVR - 7BAE10C - 7BAE14S - 7BAE10S - B105RC - B140RC

Verdampfer 433x280x90 mm

MVR - 7BAE10C - 7BAE14S - 7BAE10S - B105RC - B140RC


Zanussi, Electrolux 083529 -



Evaporatori
Evaporator

Evaporateurs
Verdampfer

441328



Griglia 443x347x46 mm


Grille 443x347x46 mm

Grill 443x347x46 mm

Gitter 443x347x46 mm

Zanussi, Electrolux 083342 -

521313



Evaporatore 265x255x145 mm
TRN - TRR - TRF


Evaporateur 265x255x145 mm
TRN - TRR - TRF

Evaporator 265x255x145 mm
TRN - TRR - TRF

Verdampfer 265x255x145 mm
TRN - TRR - TRF

Zanussi, Electrolux 087698 - 092270 -

520069



Batteria evaporante
TRNP1802


Evaporateur batterie
TRNP1802

Evaporator unit
TRNP1802

Verdampfereinheit
TRNP1802

Zanussi, Electrolux 0A8745 -

520723



Batteria evaporante
AQC60U - BC28A6 - BC28A - BCF28A


Evaporateur batterie
AQC60U - BC28A6 - BC28A - BCF28A

Evaporator unit
AQC60U - BC28A6 - BC28A - BCF28A

Verdampfereinheit
AQC60U - BC28A6 - BC28A - BCF28A

Zanussi, Electrolux 088627 -

521017



Evaporatore
AQC31U US - BCF15A6 - BC15A - BCF15A

Evaporateur
AQC31U US - BCF15A6 - BC15A - BCF15A

Evaporator
AQC31U US - BCF15A6 - BC15A - BCF15A

Verdampfer
AQC31U US - BCF15A6 - BC15A - BCF15A


Zanussi, Electrolux 088094 -



Evaporatori
Evaporator

Evaporateurs
Verdampfer

521177



Evaporatore 460x280x45 mm
SSDPC - DRPAF - ZLRP

Evaporateur 460x280x45 mm
SSDPC - DRPAF - ZLRP

Evaporator 460x280x45 mm
SSDPC - DRPAF - ZLRP

Verdampfer 460x280x45 mm
SSDPC - DRPAF - ZLRP

Zanussi, Electrolux 088019 -

521529



Evaporatore 440x200x150 mm
APP

Evaporateur 440x200x150 mm
APP

Evaporator 440x200x150 mm
APP

Verdampfer 440x200x150 mm
APP

Zanussi, Electrolux 087362 -

522041



Batteria evaporante
ALN - ADN - AEN - ARD - 83012101 - AKN

Evaporateur batterie 320x150x100 mm
ALN - ADN - AEN - ARD - 83012101 - AKN

Evaporator unit 320x150x100 mm
ALN - ADN - AEN - ARD - 83012101 - AKN

Verdampfereinheit 320x150x100 mm
ALN - ADN - AEN - ARD - 83012101 - AKN

Zanussi, Electrolux 085136 -

337751



Evaporatore 395x350x100 mm
TRR - TRF


Evaporateur 395x350x100 mm
TRR - TRF

Evaporator 395x350x100 mm
TRR - TRF

Verdampfer 395x350x100 mm
TRR - TRF

Zanussi, Electrolux 082856 -

520736



Evaporatore 310x520x160 mm
AQC31U US - BCF15A6 - BC15A - BCF15A

Evaporateur batterie 310x520x160 mm
AQC31U US - BCF15A6 - BC15A - BCF15A

Evaporator 310x520x160 mm
AQC31U US - BCF15A6 - BC15A - BCF15A

Verdampfereinheit 310x520x160 mm
AQC31U US - BCF15A6 - BC15A - BCF15A

Zanussi, Electrolux 088596 -



Evaporatori

Evaporator

Evaporateurs

Verdampfer

337862

Batteria evaporante 570x420x110 mm

AZP2203 - AZF2203 - ALN2203

Evaporateur batterie 570x420x110 mm

AZP2203 - AZF2203 - ALN2203

Evaporator unit 570x420x110 mm

AZP2203 - AZF2203 - ALN2203

Verdampfereinheit 570x420x110 mm

AZP2203 - AZF2203 - ALN2203



Zanussi, Electrolux 088391 -

337872

Batteria evaporante 590x330x110 mm

AZP2203 - AZF2203 - ALN2203

Evaporateur batterie 590x330x110 mm


AZP2203 - AZF2203 - ALN2203

Evaporator unit 590x330x110 mm

AZP2203 - AZF2203 - ALN2203

Verdampfereinheit 590x330x110 mm

AZP2203 - AZF2203 - ALN2203



Zanussi, Electrolux 088392 -

337801

Batteria evaporante 690x32x30 mm

ALF220UK - ALF220 - ALF240 - AKF240 - AKF230 - AKF220 - ASF220

Evaporateur batterie 690x32x30 mm

ALF220UK - ALF220 - ALF240 - AKF240 - AKF230 - AKF220 - ASF220

Evaporator unit 690x32x30 mm

ALF220UK - ALF220 - ALF240 - AKF240 - AKF230 - AKF220 - ASF220

Verdampfereinheit 690x32x30 mm

ALF220UK - ALF220 - ALF240 - AKF240 - AKF230 - AKF220 - ASF220



Zanussi, Electrolux 082252 - 084755 -

337804

Batteria evaporante 690x315x105 mm

ALP - ALN - ILP - ILN - AKP - AKN - IK - ASP - ASN - IS - ISN

Evaporateur batterie 690x315x105 mm

ALP - ALN - ILP - ILN - AKP - AKN - IK - ASP - ASN - IS - ISN

Evaporator unit 690x315x105 mm

ALP - ALN - ILP - ILN - AKP - AKN - IK - ASP - ASN - IS - ISN

Verdampfereinheit 690x315x105 mm

ALP - ALN - ILP - ILN - AKP - AKN - IK - ASP - ASN - IS - ISN



Zanussi, Electrolux 082231 -

521516

Evaporatore

APP223 - APP224 - APP224/60

Evaporateur

APP223 - APP224 - APP224/60

Evaporator

APP223 - APP224 - APP224/60

Verdampfer

APP223 - APP224 - APP224/60



Zanussi, Electrolux 087375 -



Evaporatori
Evaporator

Evaporateurs
Verdampfer

349251

Evaporatore 935x115x190 mm
MLC130V12C - MLC139V12C - MLC132V12C

Evaporateur 935x115x190 mm
MLC130V12C - MLC139V12C - MLC132V12C

Evaporator 935x115x190 mm
MLC130V12C - MLC139V12C - MLC132V12C

Verdampfer 935x115x190 mm
MLC130V12C - MLC139V12C - MLC132V12C

Zanussi, Electrolux 0A9210 -

440947

Evaporatore a piastra 520x895 mm
EP406VRPUK - RW24 - E04P6SRC - EP406VRC

Evaporateur 520x895 mm
EP406VRPUK - RW24 - E04P6SRC - EP406VRC

Evaporator 520x895 mm
EP406VRPUK - RW24 - E04P6SRC - EP406VRC

Verdampfer 520x895 mm
EP406VRPUK - RW24 - E04P6SRC - EP406VRC

Zanussi, Electrolux 0A9550 -

380690

Evaporatore 450x300x50 mm
TCGS

Evaporateur 450x300x50 mm
TCGS

Evaporator 450x300x50 mm
TCGS

Evaporator 450x300x50 mm
TCGS

Zanussi, Electrolux 091521 -

Condensatori
Condensators

Condensateurs
Kondensator

411729

Condensatore 240x244x90 mm
DL14/F - DL21/F

Condensateur 240x244x90 mm
DL14/F - DL21/F

Condenser 240x244x90 mm
DL14/F - DL21/F

Kondensator 240x244x90 mm
DL14/F - DL21/F

Zanussi, Electrolux 082229 -

520214

Condensatore 240x320x100 mm
ZILNF230

Condenseur 240x320x100 mm
ZILNF230

Condenser 240x320x100 mm
ZILNF230

Kondensator 240x320x100 mm
ZILNF230


Zanussi, Electrolux 0A9112 -



Condensatori
Condensators

Condenseurs
Kondensator

521349



Condensatore 250x265x95 mm

AZP - ALN - KLN650R - RS06RX1F - KL650R - KEP6500R

Condensateur 250x265x95 mm

AZP - ALN - KLN650R - RS06RX1F - KL650R - KEP6500R

Condenser 250x265x95 mm


AZP - ALN - KLN650R - RS06RX1F - KL650R - KEP6500R

Kondensator 250x265x95 mm

AZP - ALN - KLN650R - RS06RX1F - KL650R - KEP6500R

Zanussi, Electrolux 087653 -

519427



Condensatore 270x255x95 mm

ALN - AKN110UK - ASN110UK - ARDN110 - EO6N - C06R - RS - MCD - RDN - RVN

Condensateur 270x255x95 mm

ALN - AKN110UK - ASN110UK - ARDN110 - EO6N - C06R - RS - MCD - RDN - RVN

Condenser 270x255x95 mm


ALN - AKN110UK - ASN110UK - ARDN110 - EO6N - C06R - RS - MCD - RDN - RVN

Kondensator 270x255x95 mm

ALN - AKN110UK - ASN110UK - ARDN110 - EO6N - C06R - RS - MCD - RDN - RVN

Zanussi, Electrolux 0A9707 -

519389



Condensatore 275x380x140 mm

ALN - AKN220UK - ASN220UK - E14N - C14RD - RS - RVNE

Condensateur 275x380x140 mm

ALN - AKN220UK - ASN220UK - E14N - C14RD - RS - RVNE

Condenser 275x380x140 mm

ALN - AKN220UK - ASN220UK - E14N - C14RD - RS - RVNE

Kondensator 275x380x140 mm

ALN - AKN220UK - ASN220UK - E14N - C14RD - RS - RVNE

Zanussi, Electrolux 0A9669 -

521791



Condensatore 280x270x110 mm

ADN - EC4 - C14C - KD

Condensateur 280x270x110 mm

ADN - EC4 - C14C - KD

Condenser 280x270x110 mm

ADN - EC4 - C14C - KD

Kondensator 280x270x110 mm

ADN - EC4 - C14C - KD

Zanussi, Electrolux 085981 -

521624



Condensatore 285x280x110 mm

ADN - AEN - ARDN - 83012101

Condensateur 285x280x110 mm

ADN - AEN - ARDN - 83012101

Condenser 285x280x110 mm

ADN - AEN - ARDN - 83012101

Kondensator 285x280x110 mm

ADN - AEN - ARDN - 83012101


Zanussi, Electrolux 087149 -



Condensatori
Condensators

Condenseurs
Kondensator

521320



Condensatore 280x300x40-95 mm
TRN - TRR - TRF


Condensateur 280x300x40-95 mm
TRN - TRR - TRF

Condenser 280x300x40-95 mm
TRN - TRR - TRF

Kondensator 280x300x40-95 mm
TRN - TRR - TRF

Zanussi, Electrolux 087693 -

441335



Condensatore 315x250x110 mm
ALP - ALN - ILP - ILN - AKP - AKN - IKP220 - IKN - ASF
- ASN - ISP220 - ISN220


Condensateur 315x250x110 mm
ALP - ALN - ILP - ILN - AKP - AKN - IKP220 - IKN - ASF
- ASN - ISP220 - ISN220

Condenser 315x250x110 mm
ALP - ALN - ILP - ILN - AKP - AKN - IKP220 - IKN -
ASP - ASN - ISP220 - ISN220

Kondensator 315x250x110 mm
ALP - ALN - ILP - ILN - AKP - AKN - IKP220 - IKN -
ASP - ASN - ISP220 - ISN220

Zanussi, Electrolux 083167 -

520946



Condensatore 350x310x170 mm
SSDPC - DRPAF - ZLRP


Condensateur 350x310x170 mm
SSDPC - DRPAF - ZLRP

Condenser 350x310x170 mm
SSDPC - DRPAF - ZLRP

Kondensator 350x310x170 mm
SSDPC - DRPAF - ZLRP

Zanussi, Electrolux 088029 -

521644



Condensatore 380x280x140 mm
ADN - ADF - AEF - ASF - AKF220UK - ARDN - ASN


Condensateur 380x280x140 mm
ADN - ADF - AEF - ASF - AKF220UK - ARDN - ASN

Condenser 380x280x140 mm
ADN - ADF - AEF - ASF - AKF220UK - ARDN - ASN

Kondensator 380x280x140 mm
ADN - ADF - AEF - ASF - AKF220UK - ARDN - ASN

Zanussi, Electrolux 087115 -

337791



Condensatore 390x260x210 mm
BC7 - BCF7

Condensateur 390x260x210 mm
BC7 - BCF7

Condenser 390x260x210 mm
BC7 - BCF7

Kondensator 390x260x210 mm
BC7 - BCF7

Zanussi, Electrolux 087508 -



Condensatori
Condensators

Condenseurs
Kondensator

522246



Condensatore 395x280x110 mm
BC11 - BCF11

Condensateur 395x280x110 mm
BC11 - BCF11

Condenser 395x280x110 mm
BC11 - BCF11

Kondensator 395x280x110 mm
BC11 - BCF11

Zanussi, Electrolux 084978 -

519387



Evaporatore 460x250x200 mm
ADN - ADF - ALN - AEN - AEF - ASN - ASF - AKN220U
- AKF220UK - ARDN0

Evaporateur 460x250x200 mm
ADN - ADF - ALN - AEN - AEF - ASN - ASF - AKN220U
- AKF220UK - ARDN0

Evaporator 460x250x200 mm
ADN - ADF - ALN - AEN - AEF - ASN - ASF -
AKN220UK - AKF220UK - ARDN0

Verdampfer 460x250x200 mm
ADN - ADF - ALN - AEN - AEF - ASN - ASF -
AKN220UK - AKF220UK - ARDN0

Zanussi, Electrolux 0A9672 -

521439



Condensatore 970x660 mm
R04NVF4 - R04NVF4F


Condensateur 970x660 mm
R04NVF4 - R04NVF4F

Condenser 970x660 mm
R04NVF4 - R04NVF4F

Kondensator 970x660 mm
R04NVF4 - R04NVF4F

Zanussi, Electrolux 087520 -

337714



Condensatore
AZF1103 - AZP2203 - AZF2203 - ALN2203 -
ALNN2203


Condensateur
AZF1103 - AZP2203 - AZF2203 - ALN2203 -
ALNN2203

Condenser
AZF1103 - AZP2203 - AZF2203 - ALN2203 -
ALNN2203

Kondensator
AZF1103 - AZP2203 - AZF2203 - ALN2203 -
ALNN2203

Zanussi, Electrolux 085632 -

349245



Condensatore
MLP

Condensateur
MLP

Condenser
MLP

Kondensator
MLP

Zanussi, Electrolux 0A9592 -



Condensatori
Condensators

Condenseurs
Kondensator

411746



Condensatore

ALP - ALN - ILP - ILN - ALF110UK - ILF - ALF - AK - IK
AKF - AKN - AS - ISF

Condensateur

ALP - ALN - ILP - ILN - ALF110UK - ILF - ALF - AK - IK
AKF - AKN - AS - ISF

Condenser


ALP - ALN - ILP - ILN - ALF110UK - ILF - ALF - AK - IK
- AKF - AKN - AS - ISF

Kondensator

ALP - ALN - ILP - ILN - ALF110UK - ILF - ALF - AK - IK
- AKF - AKN - AS - ISF

Zanussi, Electrolux 082032 -

441341



Condensatore

ALF - ALN - ILF - ILN - AKP - AKN - AKF - IK - ASF - ISF

Condensateur

ALF - ALN - ILF - ILN - AKP - AKN - AKF - IK - ASF - ISF

Condenser

ALF - ALN - ILF - ILN - AKP - AKN - AKF - IK - ASF - ISF

Kondensator

ALF - ALN - ILF - ILN - AKP - AKN - AKF - IK - ASF - ISF

Zanussi, Electrolux 082251 -

521309



Condensatore

TRN - TRR - TRF

Condensateur

TRN - TRR - TRF

Condenser

TRN - TRR - TRF

Kondensator

TRN - TRR - TRF

Zanussi, Electrolux 087706 -

520814



Condensatore

BCW061 - BCFW061 - BCFWS061T - BCFWS061

Condensateur

BCW061 - BCFW061 - BCFWS061T - BCFWS061

Condenser

BCW061 - BCFW061 - BCFWS061T - BCFWS061

Kondensator

BCW061 - BCFW061 - BCFWS061T - BCFWS061

Zanussi, Electrolux 088481 -

523005



Condensatore

BC11 - BCF11

Condenseur

BC11 - BCF11

Condenser

BC11 - BCF11

Kondensator

BC11 - BCF11

Zanussi, Electrolux 083597 -



Condensatori
Condensators

Condenseurs
Kondensator

319985



Condensatore 285x285x155 mm

completo di ventilatore 18/73W 230V 50/60Hz 0,52A - TCG

Condenseur 285x285x155 mm

complet avec ventilateur 18/73W 230V 50/60Hz 0,52A - TCG

Condenser 285x285x155 mm

complete with fan 18/73W 230V 50/60Hz 0,52A - TCG

Kondensator 285x285x155 mm

komplett mit Lüfter 18/73W 230V 50/60Hz 0,52A - TCG

Zanussi, Electrolux 099839 -

520061



Convogliatore

Convoyeur

Conveyor

Fuehrung

Zanussi, Electrolux 0A8778 -

315551



Copertura 237x215 mm

Couverture 237x215 mm

Cover 237x215 mm


Abdeckung 237x215 mm

Zanussi, Electrolux 099871 -

Valvole espansione
Expansion valves

Vannes a espansion
Expansionsventile

520867



Valvola espansione termostatica - R134a

campo di regolazione -40/-5°C, Pmax 34Bar

Vanne détenteur thermostatique - R134a

température d'utilisation -40/-5°C, Pmax 34Bar

Thermostatic expansion valve - R134a

operating temperature range -40/-5°C, Pmax 34Bar

Expansionsventil thermostatisch - R134a

Arbeitsbereich -40/-5°C, Pmax 34Bar

Zanussi, Electrolux 088402 -

520942



Valvola espansione termostatica - R134a

campo di regolazione -40+10°C, Pmax 34Bar

Vanne détenteur thermostatique - R134a

température d'utilisation -40+10°C, Pmax 34Bar

Thermostatic expansion valve - R134a

operating temperature range -40+10°C, Pmax 34Bar

Expansionsventil thermostatisch - R134a

Arbeitsbereich -40+10°C, Pmax 34Bar

Zanussi, Electrolux 088036 -



Valvole espansione

Expansion valves

Vannes a espansion

Expansionsventile

439338

**Valvola espansione termostatica - R134a**

campo di regolazione -40/+10°C; Pmax 34 bar

Vanne détenteur thermostatique - R134a

température d'utilisation -40/+10°C; Pmax 34 bar

Thermostatic expansion valve - R134a

operating temperature range -40/+10°C; Pmax 34 bar

Expansionsventil thermostatic - R134a

Arbeitsbereich -40/+10°C; Pmax 34 bar

Zanussi, Electrolux 087333 -

439313

**Valvola espansione termostatica - R134a**

campo di regolazione -40/+10°C; Pmax 34 bar

Vanne détenteur thermostatique - R134a

température d'utilisation -40/+10°C; Pmax 34 bar

Thermal expansion valve - R134a

operating temperature range -40/+10°C; Pmax 34 bar

Expansionsventil thermostatic - R134a

Arbeitsbereich -40/+10°C; Pmax 34 bar

Zanussi, Electrolux 088095 -

441316

**Valvola espansione termostatica**

capillare L=1500 mm; campo di regolazione -40/+10°C; connessioni 3/8"-1/2"

Vanne détenteur thermostatique

capillaire L=1500 mm; température d'utilisation -40/+10°C; raccord 3/8"-1/2"

Thermostatic expansion valve

capillar L=1500 mm; operating temperature range -40/+10°C; connection 3/8"-1/2"

Expansionsventil thermostatic

kapillar L=1500 mm; Arbeitsbereich -40/+10°C; Anschluss 3/8"-1/2"

Zanussi, Electrolux 083758 -

424579

**Valvola espansione termostatica - R134a**

capillare L=1500 mm; connessioni 3/8" - 1/2"

Vanne détenteur thermostatique - R134a

capillaire L=1500 mm; raccord 3/8" - 1/2"

Thermostatic expansion valve - R134a

capillar L=1500 mm; connection 3/8" - 1/2"

Expansionsventil thermostatic - R134a

kapillar L=1500 mm; Anschluss 3/8" - 1/2"

Zanussi, Electrolux 0KW895 -

439337

**Valvola espansione termostatica - R404a**

entrata Ø 6 mm - uscita Ø 12 mm - campo di regolazione -40/+10°C

Vanne détenteur thermostatique - R404a

aspiration Ø 6 mm - sortie Ø 12 mm - température d'utilisation -40/+10°C

Thermal expansion valve - R404a

inlet Ø 6 mm - outler Ø 12 mm - operating temperature range -40/+10°C

Expansionsventil thermostatic - R404a

eingang Ø 6 mm - ausgang Ø 12 mm - Arbeitsbereich -40/+10°C

Zanussi, Electrolux 087334 -



Valvole espansione

Expansion valves

Vannes a espansion

Expansionsventile

520901

**Valvola espansione termostatica - R404a**

capillare L=560 mm; bulbo Ø 14x47 mm; campo di regolazione -40/-15°C

Vanne détenteur thermostatique - R404a

capillaire L=560 mm; bulbe Ø 14x47 mm; température d'utilisation -40/-15°C

Thermostatic expansion valve - R404a

capillar L=560 mm; bulb Ø 14x47 mm; operating temperature range -40/-15°C

Expansionsventil thermostatisch - R404a

kapillar L=560 mm; Birne Ø 14x47 mm; Arbeitsbereich -40/-15°C

Zanussi, Electrolux 088347 - 088652 -

531400

**Valvola espansione termostatica - R404a**

capillare L=1500 mm; connessione 3/8"; campo di regolazione -40/+5°C

Vanne détenteur thermostatique - R404a

capillaire L=1500 mm; raccord 3/8"; température d'utilisation -40/+5°C

Thermal expansion valve - R404a

capillar L=1500 mm; connection 3/8"; operating temperature range -40/+5°C

Expansionsventil thermostatisch - R404a

kapillar L=1500 mm; Anschluss 3/8"; Arbeitsbereich -40/+5°C

Zanussi, Electrolux 090121 -

342549

**Valvola espansione termostatica - R404a**

capillare L=1500 mm; campo di regolazione -40/+5°C; connessioni 3/8" - 1/2"

Vanne détenteur thermostatique - R404a

capillaire L=1500 mm; température d'utilisation -40/+5°C; raccord 3/8" - 1/2"

Thermostatic expansion valve - R404a

capillar L=1500 mm; operating temperature range -40/+5°C; connection 3/8" - 1/2"

Expansionsventil thermostatisch - R404a

kapillar L=1500 mm; Arbeitsbereich -40/+5°C; Anschluss 3/8" - 1/2"

Zanussi, Electrolux 084083 -

324271

**Valvola espansione termostatica - R404a**

campo di regolazione -40/-15°C

Vanne détenteur thermostatique - R404a

température d'utilisation -40/-15°C

Thermostatic expansion valve - R404a

operating temperature range -40/-15°C

Expansionsventil thermostatisch - R404a

Arbeitsbereich -40/-15°C

Zanussi, Electrolux 089929 -

425568

**Valvola espansione termostatica - R404a**

capillare L=1500 mm; connessioni 3/8" - 1/2"

Vanne détenteur thermostatique - R404a

capillaire L=1500 mm; raccord 3/8" - 1/2"

Thermostatic expansion valve - R404a

capillar L=1500 mm; connection 3/8" - 1/2"

Expansionsventil thermostatisch - R404a

kapillar L=1500 mm; Anschluss 3/8" - 1/2"

Zanussi, Electrolux 0KW894 -



Valvole espansione

Expansion valves

Vannes a espansion

Expansionsventile

439411

**Corpo valvola per gas EVR6 - NC**

attacchi a brasare IN-OUT Ø 10 mm - temp. fluido -40° a +105°C -; Pmax 42,5 bar per gas freon CFC, HCFC, HFC

Corps vanne gaz chaud EVR6

Raccordi IN-OUT Ø 10 mm - fluid temperature -40° a +105°C -; Pmax 42,5 bar pour gas freon CFC, HCFC, HFC

Zanussi, Electrolux 084085 - 085412 -

Hot gas valve body EVR6

Connections IN-OUT Ø 10 mm - fluid temperature -40° a +105°C -; Pmax 42,5 bar for gas freon CFC, HCFC, HFC

Heissgas Ventilkörper EVR6

Anschluss IN-OUT Ø 10 mm - fluid temperature -40° a +105°C -; Pmax 42,5 bar für gaz freon CFC, HCFC, HFC

434959

**Bobina 10W 220-230V 50/60Hz**

Temperatura di lavoro : -40 - +80°C (NC valve), -40 - +55°C (NO valve).

Bobine 10W 220-230V 50/60Hz

Temperature de travail : -40 - +80°C (NC valve), -40 - +55°C (NO valve).

Zanussi, Electrolux 088351 -

Coil 10W 220-230V 50/60Hz

Ambient temperature: -40 - +80°C (NC valve), -40 - +55°C (NO valve).

Spule 10W 220-230V 50/60Hz

Arbeitstemperatur: -40 - +80°C (NC valve), -40 - +55°C (NO valve).

438298

**Bobina EVR6 10W 230V 50/60Hz [KIT]**

con guarnizione; cavo L= 1750 mm

Bobine EVR6 10W 230V 50/60Hz [KIT]

avec joint; cable L= 1750 mm

Zanussi, Electrolux 082769 - 083386 - 093743 -


Coil EVR6 10W 230V 50/60Hz [KIT]

with gasket; cable L= 1750 mm

Spule EVR6 10W 230V 50/60Hz [KIT]

mit dichtung; kabel L= 1750 mm

439317

**Corpo valvola PARKER IN-OUT Ø 6 mm
M.O.P.D.=21BAR****Corps de vanne PARKER IN-OUT Ø 6 mm
M.O.P.D.=21BAR**

Zanussi, Electrolux 088030 -

**Valve body PARKER IN-OUT Ø 6 mm
M.O.P.D.=21BAR****Ventilkoerper PARKER IN-OUT Ø 6 mm
M.O.P.D.=21BAR**

410232

**Elettrovalvola fuori produzione (vedi note tecniche)**

sostituita da 2x085847+2x088030+1x091724

Electrovanne hors production (voir bulletin technique)

remplacé par 2x085847+2x088030+1x091724

Zanussi, Electrolux 081908 -

Solenoid valve out of production (read technical notes)

replaced by 2x085847+2x088030+1x091724

**Magnetventil [sost. new Kit
2x085847+2x088030+1x091724]**

ersetzt by 2x085847+2x088030+1x091724



Valvole espansione
Expansion valves

Vannes a espansion
Expansionsventile

435139



Bobina Parker 15W 220/230V 50/60Hz
per valvola 088030

Bobine Parker 15W 220/230V 50/60Hz
pour valve 088030

Coil Parker 15W 220/230V 50/60Hz
for valve 088030

Spule Parker 15W 220/230V 50/60Hz
für ventil 088030

Zanussi, Electrolux 085847 -

410236



Bobina Parker 15W 220/230V 50/60Hz

Bobine Parker 15W 220/230V 50/60Hz

Coil Parker 15W 220/230V 50/60Hz

Spule Parker 15W 220/230V 50/60Hz

Zanussi, Electrolux 0A9426 -

435857



Bobina Parker 220-230V 50/60Hz

Bobine Parker 220-230V 50/60Hz

Coil Parker 220-230V 50/60Hz

Spule Parker 220-230V 50/60Hz

Zanussi, Electrolux 085570 -

310112



Bobina 8W 220V 50/60Hz
9100/RA6 HM2

Bobine 8W 220V 50/60Hz
9100/RA6 HM2

Coil 8W 220V 50/60Hz
9100/RA6 HM2

Spule 8W 220V 50/60Hz
9100/RA6 HM2

Zanussi, Electrolux 085289 -

315441



Valvola d'espansione FBJ-1/4

Détendeur FBJ-1/4

Expansion valve FBJ-1/4

Expansionsventil FBJ-1/4

Zanussi, Electrolux 091698 -



Valvole espansione
Expansion valves

Vannes a espansion
Expansionsventile

435909



Corpo valvola

Valve body

Corps de vanne

Ventilkoerper

Zanussi, Electrolux 0A9377 -

342581



Ugello

Nozzle

Injecteur

Düse

Zanussi, Electrolux 083404 -

425737



Ugello Ø 10x14 mm L=42 mm

Nozzle Ø 10x14 mm L=42 mm

Injecteur Ø 10x14 mm L=42 mm

Düse Ø 10x14 mm L=42 mm

Zanussi, Electrolux 0KW896 -

433817



Ugello Ø 4,5x10 mm L=36 mm

Nozzle Ø 4,5x10 mm L=36 mm

Injecteur Ø 4,5x10 mm L=36 mm

Düse Ø 4,5x10 mm L=36 mm

Zanussi, Electrolux 099114 -

522633



Ugello DANFOSS Ø 5x14 mm L=42 mm

Nozzle DANFOSS Ø 5x14 mm L=42 mm

Injecteur DANFOSS Ø 5x14 mm L=42 mm

Düse DANFOSS Ø 5x14 mm L=42 mm

Zanussi, Electrolux 084084 -



Valvole espansione
Expansion valves

Vannes a espansion
Expansionsventile

439328



Corpo valvola

Valve body

Corps de vanne

Ventilkoerper

Zanussi, Electrolux 087694 -

Compressori
Compressors

Compresseurs
Kompressor

342965



Compressore T2155E R22

Compressor T2155E R22

220-240V 50Hz

220-240V 50Hz

Compresseur T2155E R22

Kompressor T2155E R22

220-240V 50Hz

220-240V 50Hz

Zanussi, Electrolux 083792 -

522690



Compressore EMT6160Z R134a

Compressor EMT6160Z R134a

220/240V, 50Hz, 1/4 Hp, 7,60 cc.

220/240V, 50Hz, 1/4 Hp, 7,60 cc.

Compresseur EMT6160Z R134a

Kompressor EMT6160Z R134a

220/240V, 50Hz, 1/4 Hp, 7,60 cc.

220/240V, 50Hz, 1/4 Hp, 7,60 cc.

Zanussi, Electrolux 083735 - 093207 -

522707



Compressore EMT6170Z 134a

Compressore EMT6170Z 134a

220/240V, 50Hz, 1/4 Hp, 8,80 cc.

220/240V, 50Hz, 1/4 Hp, 8,80 cc.

Compresseur EMT6170Z 134a

Kompressor EMT6170Z 134a

220/240V, 50Hz, 1/4 Hp, 8,80 cc.

220/240V, 50Hz, 1/4 Hp, 8,80 cc.

Zanussi, Electrolux 083718 - 086461 - 093206 -

700932



Compressore NE6187Z R134a

Compressor NE6187Z R134a

220/240V, 50Hz

220/240V, 50Hz

Compresseur NE6187Z R134a

Kompressor NE6187Z R134a

220/240V, 50Hz

220/240V, 50Hz

Zanussi, Electrolux 083752 - 093297 -



Compressori
Compressors

Compresseurs
Kompressor

522394

Compressore NT2180GK R404a
230V 50Hz

Compresseur NT2180GK R404a
230V 50Hz

Compressor NT2180GK R404a
230V 50Hz

Kompressor NT2180GK R404a
230V 50Hz

Zanussi, Electrolux 084464 - 087379 - 093735 - 099529 - 0TH286 -

320079

Compressore EMT6165GK R404a
230V 50Hz

Compresseur EMT6165GK R404a
230V 50Hz

Compressor EMT6165GK R404a
230V 50Hz

Kompressor EMT6165GK R404a
230V 50Hz

Zanussi, Electrolux 085599 - 093208 -

522639

Compressore NJ2192GK LBP R404a
220/240V, 50Hz, 1,2 Hp, 26,2 cc.

Compresseur NJ2192GK LBP R404a
220/240V, 50Hz, 1,2 Hp, 26,2 cc.

Compressor NJ2192GK LBP R404a
220/240V, 50Hz, 1,2 Hp, 26,2 cc.

Kompressor NJ2192GK LBP R404a
220/240V, 50Hz, 1,2 Hp, 26,2 cc.

Zanussi, Electrolux 084076 -

438096

Compressore NT2178GK R404a
220/240V 50Hz

Compresseur NT2178GK R404a
220/240V 50Hz

Compressor NT2178GK R404a
220/240V 50Hz

Kompressor NT2178GK R404a
220/240V 50Hz

Zanussi, Electrolux 084759 - 089914 - 092278 - 092785 -

320829

Compressore NEK2168GK R404a
230/240V 50Hz

Compresseur NEK2168GK R404a
230/240V 50Hz

Compressor NEK2168GK R404a
230/240V 50Hz

Kompressor NEK2168GK R404a
230/240V 50Hz

Zanussi, Electrolux 093233 -



Compressori
Compressors

Compresseurs
Kompressor

519820



Compressore T2155GK CSR LBP R404a
220/240V, 50Hz, 5/8 Hp, 14,5 cc.

Compresseur T2155GK CSR LBP R404a
220/240V, 50Hz, 5/8 Hp, 14,5 cc.

Compressor T2155GK CSR LBP R404a
220/240V, 50Hz, 5/8 Hp, 14,5 cc.

Kompressor T2155GK CSR LBP R404a
220/240V, 50Hz, 5/8 Hp, 14,5 cc.

Zanussi, Electrolux 093630 - 0A9368 -

611363



Gruppo refrigerante EMT6170Z - 10.4 LRA
220/240V 50Hz - bobina 15W 220/230V 50/60Hz

Groupe refrigerant EMT6170Z - 10.4 LRA
220/240V 50Hz - bobine 15W 220/230V 50/60Hz

Cooling unit assembly EMT6170Z - 10.4 LRA
220/240V 50Hz - coil 15W 220/230V 50/60Hz

Kuehlaggregat EMT6170Z - 10.4 LRA
220/240V 50Hz - spule 15W 220/230V 50/60Hz

Zanussi, Electrolux 099821 -

330987



Compressore L57TN-R22
220/240V 50Hz - condensatore 50µF 330V

Compresseur L57TN-R22
220/240V 50Hz - condensateur 50µF 330V

Compressor L57TN-R22
220/240V 50Hz - capacitor 50µF 330V

Kompressor L57TN-R22
220/240V 50Hz - kondensator 50µF 330V

Zanussi, Electrolux 083127 - 086373 -

330841



Compressore L88TN R22
2240/240V 50Hz

Compresseur L88TN R22
2240/240V 50Hz

Compressor L88TN R22
2240/240V 50Hz

Kompressor L88TN R22
2240/240V 50Hz

Zanussi, Electrolux 083164 -

521974



Compressore GP12TG R134a
220/230V 50-60 Hz

Compresseur GP12TG R134a
220/230V 50-60 Hz

Compressor GP12TG R134a
220/230V 50-60 Hz

Kompressor GP12TG R134a
220/230V 50-60 Hz

Zanussi, Electrolux 085633 -



Compressori
Compressors

Compresseurs
Kompressor

522668



Compressore GP14TB R134A
220/240V, 50Hz, 3/8 Hp, 14 cc.

Compresseur GP14TB R134A
220/240V, 50Hz, 3/8 Hp, 14 cc.

Compressor GP14TB R134A
220/240V, 50Hz, 3/8 Hp, 14 cc.

Kompressor GP14TB R134A
220/240V, 50Hz, 3/8 Hp, 14 cc.

Zanussi, Electrolux 083728 - 093205 -

521853



Compressore GL60TB HMBP R134a
220/240V, 50Hz, 1/5 Hp, 5,7 cc.

Compresseur GL60TB HMBP R134a
220/240V, 50Hz, 1/5 Hp, 5,7 cc.

Compressor GL60TB HMBP R134a
220/240V, 50Hz, 1/5 Hp, 5,7 cc.

Kompressor GL60TB HMBP R134a
220/240V, 50Hz, 1/5 Hp, 5,7 cc.

Zanussi, Electrolux 085876 -

519551



Compressore GL99DA R134a
230V 50Hz

Compresseur GL99DA R134a
230V 50Hz

Compressor GL99DA R134a
230V 50Hz

Kompressor GL99DA R134a
230V 50Hz

Zanussi, Electrolux 0A9584 -

330983



Compressore MP12FB LBP R404a
220/240V, 50Hz, 3/8 Hp, 12 cc.

Compresseur MP12FB LBP R404a
220/240V, 50Hz, 3/8 Hp, 12 cc.

Compressor MP12FB LBP R404a
220/240V, 50Hz, 3/8 Hp, 12 cc.

Kompressor MP12FB LBP R404a
220/240V, 50Hz, 3/8 Hp, 12 cc.

Zanussi, Electrolux 087001 -

305187



Compressore MP12TB R404 [KIT]
220/240 Vac 50Hz

Compresseur MP12TB R404 [KIT]
220/240 Vac 50Hz

Compressor MP12TB R404 [KIT]
220/240 Vac 50Hz

Kompressor MP12TB R404 [KIT]
220/240 Vac 50Hz

Zanussi, Electrolux 093168 - 0T3304 -



Compressori
Compressors

Compresseurs
Kompressor

519536



Compressore MP14FB LBP R404a
220/240V, 50Hz, 1/2 Hp, 14 cc.

Compresseur MP14FB LBP R404a
220/240V, 50Hz, 1/2 Hp, 14 cc.

Compressor MP14FB LBP R404a
220/240V, 50Hz, 1/2 Hp, 14 cc.

Kompressor MP14FB LBP R404a
220/240V, 50Hz, 1/2 Hp, 14 cc.

Zanussi, Electrolux 084994 - 0A9615 -

519361



Compressore MS34FB LBP R404a
220/240V, 50Hz, 1 Hp, 34,42 cc.

Compresseur MS34FB LBP R404a
220/240V, 50Hz, 1 Hp, 34,42 cc.

Compressor MS34FB LBP R404a
220/240V, 50Hz, 1 Hp, 34,42 cc.

Kompressor MS34FB LBP R404a
220/240V, 50Hz, 1 Hp, 34,42 cc.

Zanussi, Electrolux 0A9727 -

316128



Compressore ML60TG R404
230V 50/60Hz

Compresseur ML60TG R404
230V 50/60Hz

Compressor ML60TG R404
230V 50/60Hz

Kompressor ML60TG R404
230V 50/60Hz

Zanussi, Electrolux 093140 -

531504



Sostituzione compressore Kit per MK18FB*

Remplacement de compresseur Kit pour MK18FB*

Replacement compressor KIT FOR MK18FB

Ersatz Kompressor Kit für MK18FB*

Zanussi, Electrolux 087368 - 099128 -

535254



Gruppo refrigerante GL90TB R134a
220/240V 50Hz - bobina 15W 220/230V 50/60Hz

Groupe refrigerant GL90TB R134a
220/240V 50Hz - bobine 15W 220/230V 50/60Hz

Cooling unit assembly GL90TB R134a
220/240V 50Hz - coil 15W 220/230V 50/60Hz

Kuehlaggregat GL90TB R134a
220/240V 50Hz - spule 15W 220/230V 50/60Hz

Zanussi, Electrolux 093214 - 099530 -



Compressori
Compressors

Compresseurs
Kompressor

307203



Compressore CAJ2464Z R404A
220/240V 50Hz

Compresseur CAJ2464Z R404A
220/240V 50Hz

Compressor CAJ2464Z R404A
220/240V 50Hz

Kompressor CAJ2464Z R404A
220/240V 50Hz

Zanussi, Electrolux 091149 -

330986



Protettore per compressore

Protecteur pour compresseur

Protector for compressor

Schuetzer für kompressor

Zanussi, Electrolux 087388 -

330999



Protettore per compressore

Protecteur pour compresseur

Protector for compressor

Schuetzer für kompressor

Zanussi, Electrolux 083152 -

330821



Protettore per compressore

Protecteur pour compresseur

Protector for compressor

Schuetzer für kompressor

Zanussi, Electrolux 088186 -

435915



Protettore per compressore

Protecteur pour compresseur

Protector for compressor

Schuetzer für kompressor

Zanussi, Electrolux 083165 -



Compressori
Compressors

Compresseurs
Kompressor

342092

Valvolina di ricarica

Recharge valve

Vanne de recharge

Wiederaufladeventil



Zanussi, Electrolux 0A8171 -

439076

Valvolina di ricarica

Recharge valve

Vanne de recharge

Wiederaufladeventil



Zanussi, Electrolux 0A9459 -

534997

Tubo per compressore MK18FB Ø 6x250 mm

Hose for compressor MK18FB Ø 6x250 mm

Tuyau pour compresseur MK18FB Ø 6x250 mm

Schlauch für kompressor MK18FB Ø 6x250 mm



Zanussi, Electrolux 099316 -

307298

Conduittura Ø 6 mm; dim: 355x240x320 mm

Pipe Ø 6 mm; dim: 355x240x320 mm

Tuyau Ø 6 mm; dim: 355x240x320 mm

Schlauch Ø 6 mm; dim: 355x240x320 mm



Zanussi, Electrolux 091209 -

Scambiatori
Heat exchangers

Echangeurs
Wärmetauscher

348984

Scambiatore di calore

Heat exchanger

Echangeur de chaleur

Wärmetauscher



Zanussi, Electrolux 083803 -



Scambiatori
Heat exchangers

Echangeurs
Wärmetauscher

436075

Scambiatore di calore

Heat exchanger

Echangeur de chaleur

Wärmetauscher



Zanussi, Electrolux 089739 -

521790

Scambiatore di calore

Heat exchanger

Echangeur de chaleur

Wärmetauscher



Zanussi, Electrolux 085982 -

521643

Scambiatore di calore

Heat exchanger

Echangeur de chaleur

Wärmetauscher



Zanussi, Electrolux 087116 -

521607

Scambiatore di calore

Heat exchanger

dim. 405x305 mm; attacchi Ø 8,3 mm e Ø 11,5 mm

dim. 405x305 mm; connection Ø 8,3 mm and Ø 11,5 mm

Echangeur de chaleur

Wärmetauscher

dim. 405x305 mm; raccordi Ø 8,3 mm en Ø 11,5 mm

dim. 405x305 mm; Anschluss Ø 8,3 mm und Ø 11,5 mm



Zanussi, Electrolux 087178 -

521318

Scambiatore di calore

Heat exchanger

Echangeur de chaleur

Wärmetauscher



Zanussi, Electrolux 087695 -



Scambiatori
Heat exchangers

Echangeurs
Wärmetauscher

519386

Scambiatore di calore

Heat exchanger

Echangeur de chaleur

Wärmetauscher



Zanussi, Electrolux 0A9674 -

521097

Scambiatore di calore

Heat exchanger

Echangeur de chaleur

Wärmetauscher



Zanussi, Electrolux 087783 -

520611

Scambiatore di calore

Heat exchanger

Echangeur de chaleur

Wärmetauscher



Zanussi, Electrolux 089173 -

511052

Scambiatore di calore

Heat exchanger

Echangeur de chaleur

Wärmetauscher



Zanussi, Electrolux 087741 -

414870

Scambiatore di calore

Heat exchanger

Echangeur de chaleur

Wärmetauscher



Zanussi, Electrolux 0A9684 -



Scambiatori
Heat exchangers

Echangeurs
Wärmetauscher

342097

Scambiatore di calore

Heat exchanger

Echangeur de chaleur

Wärmetauscher



Zanussi, Electrolux 083729 -

348593

Scambiatore di calore

Heat exchanger

Echangeur de chaleur

Wärmetauscher



Zanussi, Electrolux 087292 - 0A9307 -

523200

Scambiatore di calore

Heat exchanger

Echangeur de chaleur

Wärmetauscher



Zanussi, Electrolux 082766 -



Guarnizione magnetiche
Magnetic gaskets

Magnétique joints
Schubladendichtung

435085

Guarnizione magnetica 150x310 mm
per cassetto

Joint magnétique 150x310 mm
pour tiroir

Magnetic gasket 150x310 mm
for drawer

Schubladendichtung 150x310 mm
für Schublade



Zanussi, Electrolux 082740 -

337917

Guarnizione magnetica 150x380 mm
per cassetto

Joint magnétique 150x380 mm
pour tiroir

Magnetic gasket 150x380 mm
for drawer

Schubladendichtung 150x380 mm
für Schublade



Zanussi, Electrolux 031694 -

344380

Guarnizione magnetica 160x375 mm
per cassetto

Joint magnétique tiroir 160x375 mm
pour tiroir

Magnetic gasket 160x375 mm
for drawer

Schubladendichtung 160x375 mm
für Schublade



Zanussi, Electrolux 0A8752 -

346503

Guarnizione magnetica 164x229 mm
per cassetto

Joint magnétique 164x229 mm
pour tiroir

Magnetic gasket 164x229 mm
for drawer

Schubladendichtung 164x229 mm
für Schublade



Zanussi, Electrolux 083556 -

337884

Guarnizione magnetica 213x383 mm
per cassetto

Joint magnétique 213x383 mm
pour tiroir

Magnetic gasket 213x383 mm
for drawer

Schubladendichtung 213x383 mm
für Schublade



Zanussi, Electrolux 081772 -



Guarnizione magnetica
Magnetic gaskets

Magnétique joints
Schubladendichtung

346538

Guarnizione magnetica 225x370 mm
per cassetto

Joint magnétique 225x370 mm
pour tiroir

Magnetic gasket 225x370 mm
for drawer

Schubladendichtung 225x370 mm
für Schublade



Zanussi, Electrolux 083540 -

337888

Guarnizione magnetica 275x385 mm
per cassetto

Joint magnétique 275x385 mm
pour tiroir

Magnetic gasket 275x385 mm
for drawer

Schubladendichtung 275x385 mm
für Schublade



Zanussi, Electrolux 082759 -

337936

Guarnizione magnetica 338x383 mm
per cassetto

Joint magnétique 338x383 mm
pour tiroir

Magnetic gasket 338x383 mm
for drawer

Schubladendichtung 338x383 mm
für Schublade



Zanussi, Electrolux 081815 -

520947

Guarnizione magnetica 350x365 mm
per porta

Joint magnétique 350x365 mm
pour porte

Magnetic gasket 350x365 mm
for door

Schubladendichtung 350x365 mm
für tür



Zanussi, Electrolux 088028 -

520969

Guarnizione magnetica 350x425 mm
per cassetto

Joint magnétique 350x425 mm
pour tiroir

Magnetic gasket 350x425 mm
for drawer

Schubladendichtung 350x425 mm
für Schublade



Zanussi, Electrolux 088055 -



Guarnizione magnetiche
Magnetic gaskets

Magnétique joints
Schubladendichtung

307826

Guarnizione magnetica 353x365 mm
per cassetto

Joint magnétique 353x365 mm
pour tiroir

Magnetic gasket 353x365 mm
for drawer

Schubladendichtung 353x365 mm
für Schublade



Zanussi, Electrolux 091267 -

413196

Guarnizione magnetica 374x385 mm
per cassetto

Joint magnétique 374x385 mm
pour tiroir

Magnetic gasket 374x385 mm
for drawer

Schubladendichtung 374x385 mm
für Schublade



Zanussi, Electrolux 031693 -

413037

Guarnizione magnetica 374x578 mm
per porta

Joint magnétique 374x578 mm
pour porte

Magnetic gasket 374x578 mm
for door

Schubladendichtung 374x578 mm
für tür



Zanussi, Electrolux 082725 -

346536

Guarnizione magnetica 375x390 mm
per cassetto

Joint magnétique 375x390 mm
pour tiroir

Magnetic gasket 375x390 mm
for drawer

Schubladendichtung 375x390 mm
für Schublade



Zanussi, Electrolux 085383 -

337892

Guarnizione magnetica 385x600 mm
per porta

Joint magnétique 385x600 mm
pour porte

Magnetic gasket 385x600 mm
for door

Schubladendichtung 385x600 mm
für tür



Zanussi, Electrolux 081805 -



Guarnizione magnetica
Magnetic gaskets

Magnétique joints
Schubladendichtung

435121

Guarnizione magnetica 430x505 mm
per porta

Joint magnétique 430x505 mm
pour porte

Magnetic gasket 430x505 mm
for door

Schubladendichtung 430x505 mm
für tür



Zanussi, Electrolux 0A9647 -

337913

Guarnizione magnetica 450x645 mm
per porta

Joint magnétique 450x645 mm
pour porte

Magnetic gasket 450x645 mm
for door

Schubladendichtung 450x645 mm
für tür



Zanussi, Electrolux 081216 -

435897

Guarnizione magnetica 460x590 mm
per porta

Joint magnétique 460x590 mm
pour porte

Magnetic gasket 460x590 mm
for door

Schubladendichtung 460x590 mm
für tür



Zanussi, Electrolux 0A8992 -

337886

Guarnizione magnetica 580x680 mm
per porta

Joint magnétique 580x680 mm
pour porte

Magnetic gasket 580x680 mm
for door

Schubladendichtung 580x680 mm
für tür



Zanussi, Electrolux 087451 -

337912

Guarnizione magnetica 596x1688 mm
per porta

Joint magnétique 596x1688 mm
pour porte

Magnetic gasket 596x1688 mm
for door

Schubladendichtung 596x1688 mm
für tür



Zanussi, Electrolux 0A9195 -



Guarnizione magnetiche
Magnetic gaskets

Magnétique joints
Schubladendichtung

519298

Guarnizione magnetica 610x1720 mm
per porta

Joint magnétique 610x1720 mm
pour porte

Magnetic gasket 610x1720 mm
for door

Schubladendichtung 610x1720 mm
für tür



Zanussi, Electrolux 0A9750 -

337916

Guarnizione magnetica 625x1535 mm
per porta

Joint magnétique 625x1535 mm
pour porte

Magnetic gasket 625x1535 mm
for door

Schubladendichtung 625x1535 mm
für tür



Zanussi, Electrolux 083851 -

436071

Guarnizione magnetica 626x1492 mm
per porta

Joint magnétique 626x1492 mm
pour porte

Magnetic gasket 626x1492 mm
for door

Schubladendichtung 626x1492 mm
für tür



Zanussi, Electrolux 089735 -

413066

Guarnizione magnetica 640x730 mm
per porta

Joint magnétique 640x730 mm
pour porte

Magnetic gasket 640x730 mm
for door

Schubladendichtung 640x730 mm
für tür



Zanussi, Electrolux 083662 -

413036

Guarnizione magnetica 640x1514 mm
per porta

Joint magnétique 640x1514 mm
pour porte

Magnetic gasket 640x1514 mm
for door

Schubladendichtung 640x1514 mm
für tür



Zanussi, Electrolux 082218 - 082375 -



Guarnizione magnetica
Magnetic gaskets

Magnétique joints
Schubladendichtung

337918

Guarnizione magnetica 641x1520 mm
per porta

Joint magnétique 641x1520 mm
pour porte

Magnetic gasket 641x1520 mm
for door

Schubladendichtung 641x1520 mm
für tür



Zanussi, Electrolux 083664 -

521235

Guarnizione magnetica 649x1693 mm
per porta

Joint magnétique 649x1693 mm
pour porte

Magnetic gasket 649x1693 mm
for door

Schubladendichtung 649x1693 mm
für tür



Zanussi, Electrolux 087824 -

337909

Guarnizione magnetica 650x1790 mm
per porta

Joint magnétique 650x1790 mm
pour porte

Magnetic gasket 650x1790 mm
for door

Schubladendichtung 650x1790 mm
für tür



Zanussi, Electrolux 084529 -

337926

Guarnizione magnetica 655x1555 mm
per porta

Joint magnétique 655x1555 mm
pour porte

Magnetic gasket 655x1555 mm
for door

Schubladendichtung 655x1555 mm
für tür



Zanussi, Electrolux 080959 -

344401

Guarnizione magnetica 656x1546 mm
per porta

Joint magnétique 656x1546 mm
pour porte

Magnetic gasket 656x1546 mm
for door

Schubladendichtung 656x1546 mm
für tür



Zanussi, Electrolux 081943 -



Guarnizione magnetiche
Magnetic gaskets

Magnétique joints
Schubladendichtung

337889

Guarnizione magnetica 660x735 mm
per 1/2 porta

Joint magnétique 660x735 mm
pour la demi-porte

Magnetic gasket 660x735 mm
for half door

Schubladendichtung 660x735 mm
für eine halbe Tür



Zanussi, Electrolux 082424 -

344395

Guarnizione magnetica 665x890 mm
per porta

Joint magnétique 665x890 mm
pour porte

Magnetic gasket 665x890 mm
for door

Schubladendichtung 665x890 mm
für tür



Zanussi, Electrolux 082531 -

413038

Guarnizione magnetica 710x1490 mm
per porta

Joint magnétique 710x1490 mm
pour porte

Magnetic gasket 710x1490 mm
for door

Schubladendichtung 710x1490 mm
für tür



Zanussi, Electrolux 081724 -

535401

Guarnizione magnetica 710x1515 mm
per porta

Joint magnétique 710x1515 mm
pour porte

Magnetic gasket 710x1515 mm
for door

Schubladendichtung 710x1515 mm
für tür



Zanussi, Electrolux 099637 -

337907

Guarnizione magnetica 740x1800 mm
per porta

Joint magnétique 740x1800 mm
pour porte

Magnetic gasket 740x1800 mm
for door

Schubladendichtung 740x1800 mm
für tür



Zanussi, Electrolux 0A9180 -



Guarnizione magnetica
Magnetic gaskets

Magnétique joints
Schubladendichtung

435083

Guarnizione magnetica 775x1827 mm
per porta

Joint magnétique 775x1827 mm
pour porte

Magnetic gasket 775x1827 mm
for door

Schubladendichtung 775x1827 mm
für tür



Zanussi, Electrolux 0A9522 -

435286

Guarnizione magnetica 815x1520 mm
per porta

Joint magnétique 815x1520 mm
pour porte

Magnetic gasket 815x1520 mm
for door

Schubladendichtung 815x1520 mm
für tür



Zanussi, Electrolux 083722 -

441186

Guarnizione magnetica 855x1868 mm
per porta

Joint magnétique 855x1868 mm
pour porte

Magnetic gasket 855x1868 mm
for door

Schubladendichtung 855x1868 mm
für tür



Zanussi, Electrolux 084890 -

615292

Guarnizione magnetica 886x1840 mm
per porta

Joint magnétique 886x1840 mm
pour porte

Magnetic gasket 886x1840 mm
for door

Schubladendichtung 886x1840 mm
für tür



Zanussi, Electrolux 091043 -

413190

Guarnizione magnetica 280x411 mm
per cassetto

Joint magnétique 280x411 mm
pour tiroir

Magnetic gasket 280x411 mm
for drawer

Schubladendichtung 280x411 mm
für Schublade



Zanussi, Electrolux 089148 -



Guarnizione magnetica
Magnetic gaskets

Magnétique joints
Schubladendichtung

413194

Guarnizione magnetica 285x397 mm
per cassetto

Joint magnétique 285x397 mm
pour tiroir

Magnetic gasket 285x397 mm
for drawer

Schubladendichtung 285x397 mm
für Schublade

Zanussi, Electrolux 0A9595 -

519559

Guarnizione magnetica 395x595 mm
per porta

Joint magnétique 395x595 mm
pour porte

Magnetic gasket 395x595 mm
for door

Schubladendichtung 395x595 mm
für tür

Zanussi, Electrolux 0A9565 -

413192

Guarnizione magnetica 396x566 mm
per porta

Joint magnétique 396x566 mm
pour porte

Magnetic gasket 396x566 mm
for door

Schubladendichtung 396x566 mm
für tür

Zanussi, Electrolux 089183 -

337875

Guarnizione magnetica 430x510 mm
per porta

Joint magnétique 430x510 mm
pour porte

Magnetic gasket 430x510 mm
for door

Schubladendichtung 430x510 mm
für tür

Zanussi, Electrolux 0A9150 -

344385

Guarnizione magnetica 600x1700 mm
per porta

Joint magnétique 600x1700 mm
pour porte

Magnetic gasket 600x1700 mm
for door

Schubladendichtung 600x1700 mm
für tür

Zanussi, Electrolux 087357 -



Guarnizione magnetica
Magnetic gaskets

Magnétique joints
Schubladendichtung

520935

Guarnizione magnetica 610x1675 mm
per porta

Joint magnétique 610x1675 mm
pour porte

Magnetic gasket 610x1675 mm
for door

Schubladendichtung 610x1675 mm
für tür

Zanussi, Electrolux 088076 -

337879

Guarnizione magnetica 612x1700 mm
per porta

Joint magnétique 612x1700 mm
pour porte

Magnetic gasket 612x1700 mm
for door

Schubladendichtung 612x1700 mm
für tür

Zanussi, Electrolux 0A9099 -

413065

Guarnizione magnetica 665x760 mm
per porta

Joint magnétique 665x760 mm
pour porte

Magnetic gasket 665x760 mm
for door

Schubladendichtung 665x760 mm
für tür

Zanussi, Electrolux 0A8230 -

413064

Guarnizione magnetica 665x1570 mm
per porta

Joint magnétique 665x1570 mm
pour porte

Magnetic gasket 665x1570 mm
for door

Schubladendichtung 665x1570 mm
für tür

Zanussi, Electrolux 0A8225 -

337885

Guarnizione magnetica 680x1530 mm
per porta

Joint magnétique 680x1530 mm
pour porte

Magnetic gasket 680x1530 mm
for door

Schubladendichtung 680x1530 mm
für tür

Zanussi, Electrolux 085719 -



Guarnizione magnetica
Magnetic gaskets

Magnétique joints
Schubladendichtung

337877

Guarnizione magnetica 690x1520 mm
per porta

Magnetic gasket 690x1520 mm
for door

Joint magnétique 690x1520 mm
pour porte

Schubladendichtung 690x1520 mm
für tür

Zanussi, Electrolux 0A8647 -

529236

Guarnizione magnetica
per porta

Magnetic gasket
for door

Joint magnétique
pour porte

Schubladendichtung
für tür

Zanussi, Electrolux 099135 -

520813

Guarnizione magnetica 141x385 mm
per cassetto

Magnetic gasket 141x385 mm
for drawer

Joint magnétique 141x385 mm
pour tiroir

Schubladendichtung 141x385 mm
für Schublade

Zanussi, Electrolux 088482 -

535263

Guarnizione magnetica 155x391 mm
per cassetto

Magnetic gasket 155x391 mm
for drawer

Joint magnétique 155x391 mm
pour tiroir

Schubladendichtung 155x391 mm
für Schublade

Zanussi, Electrolux 099539 -

520809

Guarnizione magnetica 170x400 mm
per cassetto

Magnetic gasket 170x400 mm
for drawer

Joint magnétique 170x400 mm
pour tiroir

Schubladendichtung 170x400 mm
für Schublade

Zanussi, Electrolux 088484 -



Guarnizione magnetica
Magnetic gaskets

Magnétique joints
Schubladdichtung

380747

Guarnizione magnetica 172x390 mm
per cassetto

Joint magnétique 172x390 mm
pour tiroir

Magnetic gasket 172x390 mm
for drawer

Schubladdichtung 172x390 mm
für Schublade



Zanussi, Electrolux 093178 -

380763

Guarnizione magnetica C3 - 172x404 mm
per cassetto

Joint magnétique C3 - 172x404 mm
pour tiroir

Magnetic gasket C3 - 172x404 mm
for drawer

Schubladdichtung C3 - 172x404 mm
für Schublade



Zanussi, Electrolux 099572 -

519632

Guarnizione magnetica 215x410 mm
per cassetto

Joint magnétique 215x410 mm
pour tiroir

Magnetic gasket 215x410 mm
for drawer

Schubladdichtung 215x410 mm
für Schublade



Zanussi, Electrolux 0A9222 - 0A9289 -

380757

Guarnizione magnetica C3 - 218x404 mm
per cassetto

Joint magnétique C3 - 218x404 mm
pour tiroir

Magnetic gasket C3 - 218x404 mm
for drawer

Schubladdichtung C3 - 218x404 mm
für Schublade



Zanussi, Electrolux 099573 -

535262

Guarnizione magnetica 263x392 mm
per cassetto

Joint magnétique 263x392 mm
pour tiroir

Magnetic gasket 263x392 mm
for drawer

Schubladdichtung 263x392 mm
für Schublade



Zanussi, Electrolux 099538 -



Guarnizione magnetica
Magnetic gaskets

Magnétique joints
Schubladendichtung

435278



Guarnizione magnetica 280x410 mm
per cassetto

Joint magnétique 280x410 mm
pour tiroir

Magnetic gasket 280x410 mm
for drawer

Schubladendichtung 280x410 mm
für Schublade

Zanussi, Electrolux 087691 -

380753



Guarnizione magnetica C2 - 314x404 mm
per cassetto

Joint magnétique C2 - 314x404 mm
pour tiroir

Magnetic gasket C2 - 314x404 mm
for drawer

Schubladendichtung C2 - 314x404 mm
für Schublade

Zanussi, Electrolux 099571 -

310483



Guarnizione magnetica C2 - 339x404 mm
per cassetto

Joint magnétique C2 - 339x404 mm
pour tiroir

Magnetic gasket C2 - 339x404 mm
for drawer

Schubladendichtung C2 - 339x404 mm
für Schublade

Zanussi, Electrolux 093146 -

520812



Guarnizione magnetica 370x385 mm
per cassetto

Joint magnétique 370x385 mm
pour tiroir

Magnetic gasket 370x385 mm
for drawer

Schubladendichtung 370x385 mm
für Schublade

Zanussi, Electrolux 088483 -

435279



Guarnizione magnetica 388x557 mm
per porta

Joint magnétique 388x557 mm
pour porte

Magnetic gasket 388x557 mm
for door

Schubladendichtung 388x557 mm
für tür

Zanussi, Electrolux 087664 -



Guarnizione magnetica
Magnetic gaskets

Magnétique joints
Schubladendichtung

535255



Guarnizione magnetica 390x565 mm
per porta

Joint magnétique 390x565 mm
pour porte

Magnetic gasket 390x565 mm
for door

Schubladendichtung 390x565 mm
für tür

Zanussi, Electrolux 099531 -

380760



Guarnizione magnetica 404x461 mm
per cassetto

Joint magnétique 404x461 mm
pour tiroir

Magnetic gasket 404x461 mm
for drawer

Schubladendichtung 404x461 mm
für Schublade

Zanussi, Electrolux 099574 -

316509



Guarnizione magnetica 404x589 mm

Joint magnétique 404x589 mm

Magnetic gasket 404x589 mm

Schubladendichtung 404x589 mm

Zanussi, Electrolux 094613 -

535146



Guarnizione magnetica 404x654 mm
per porta

Joint magnetique de porte 404x654 mm
pour porte

Magnetic gasket 404x654 mm
for door

Schubladendichtung 404x654 mm
für tür

Zanussi, Electrolux 099435 -

310480



Guarnizione magnetica 404x704 mm

Joint magnétique 404x704 mm

Magnetic gasket 404x704 mm

Schubladendichtung 404x704 mm

Zanussi, Electrolux 092228 -



Guarnizione magnetica
Magnetic gaskets

Magnétique joints
Schubladendichtung

435196

Guarnizione magnetica 406x666 mm

Magnetic gasket 406x666 mm



Joint magnétique 406x666 mm

Schubladendichtung 406x666 mm

Zanussi, Electrolux 083377 -

380767

Guarnizione magnetica 464x639 mm
ad incastro - colore grigio

Magnetic gasket 464x639 mm
grey snap-in gasket



Joint magnétique 464x639 mm
joint gris avec emboîtement

Schubladendichtung 464x639 mm
grau - steck dichtung

Zanussi, Electrolux 093181 -

435182

Guarnizione magnetica 477x503 mm
per porta

Magnetic gasket 477x503 mm
for door



Joint magnétique 477x503 mm
pour porte

Schubladendichtung 477x503 mm
für tür

Zanussi, Electrolux 089689 -

316505

Guarnizione magnetica 484x589 mm

Magnetic gasket 484x589 mm



Joint magnétique 484x589 mm

Schubladendichtung 484x589 mm

Zanussi, Electrolux 093182 -

436047

Guarnizione magnetica 500x1505 mm
per porta

Magnetic gasket 500x1505 mm
for door



Joint magnétique 500x1505 mm
pour porte

Schubladendichtung 500x1505 mm
für tür

Zanussi, Electrolux 083742 -



Guarnizione magnetica
Magnetic gaskets

Magnétique joints
Schubladendichtung

520913



Guarnizione magnetica 520x945 mm
per porta

Joint magnétique 520x945 mm
pour porte

Magnetic gasket 520x945 mm
for door

Schubladendichtung 520x945 mm
für tür

Zanussi, Electrolux 088331 -

436043



Guarnizione magnetica 527x735 mm

Joint magnétique 527x735 mm

Magnetic gasket 527x735 mm

Schubladendichtung 735x526 mm

Zanussi, Electrolux 083675 -

306917



Guarnizione magnetica 560x685 mm

Joint magnétique 560x685 mm

Magnetic gasket 560x685 mm

Schubladendichtung 560x685 mm

Zanussi, Electrolux 091143 - 092689 -

435184



Guarnizione magnetica 560x1495 mm
per porta

Joint magnétique 560x1495 mm
pour porte

Magnetic gasket 560x1495 mm
for door

Schubladendichtung 560x1495 mm
für tür

Zanussi, Electrolux 088573 -

375072



Guarnizione magnetica 599x1559 mm
per porta

Joint magnétique 599x1559 mm
pour porte

Magnetic gasket 599x1559 mm
for door

Schubladendichtung 599x1559 mm
für tür

Zanussi, Electrolux 0T6827 -



Guarnizione magnetica
Magnetic gaskets

Magnétique joints
Schubladendichtung

435119



Guarnizione magnetica 626x691 mm
per 1/2 porta

Joint magnétique 626x691 mm
pour 1/2 porte

Magnetic gasket 626x691 mm
for half door

Schubladendichtung 626x691 mm
für 1/2 tür

Zanussi, Electrolux 0A9741 -

435137



Guarnizione magnetica 626x1467 mm
per porta

Joint magnétique 626x1467 mm
pour porte

Magnetic gasket 626x1467 mm
for door

Schubladendichtung 626x1467 mm
für tür

Zanussi, Electrolux 087129 -

535139



Guarnizione magnetica 650x1695 mm
per porta

Joint magnétique 650x1695 mm
pour porte

Magnetic gasket 650x1695 mm
for door

Schubladendichtung 650x1695 mm
für tür

Zanussi, Electrolux 099426 -

438772



Guarnizione magnetica 660x1510 mm
per porta

Joint magnétique 660x1510 mm
pour porte

Magnetic gasket 660x1510 mm
for door

Schubladendichtung 660x1510 mm
für tür

Zanussi, Electrolux 0A9559 -

435293



Guarnizione magnetica 690x756 mm
per porta

Joint magnétique 690x756 mm
pour porte

Magnetic gasket 690x756 mm
for door

Schubladendichtung 690x756 mm
für tür

Zanussi, Electrolux 083397 -



Guarnizione magnetiche
Magnetic gaskets

Magnétique joints
Schubladendichtung

438113



Guarnizione magnetica 695x925 mm
per porta

Joint magnétique 695x925 mm
pour porte

Magnetic gasket 695x925 mm
for door

Schubladendichtung 695x925 mm
für tür

Zanussi, Electrolux 089979 -

337922



Guarnizione magnetica 184x388 mm
fissaggio a vite

Joint magnétique 184x388 mm
vis fixe

Magnetic gasket 184x388 mm
screw fixing

Schubladendichtung 184x388 mm
schraube fixing

Zanussi, Electrolux 0A8083 -

413063



Guarnizione magnetica 310x390 mm
per porta

Joint magnétique 310x390 mm
pour porte

Magnetic gasket 310x390 mm
for door

Schubladendichtung 310x390 mm
für tür

Zanussi, Electrolux 0A8079 -

337891



Guarnizione magnetica 390x640 mm
per porta

Joint magnétique 390x640 mm
pour porte

Magnetic gasket 390x640 mm
for door

Schubladendichtung 390x640 mm
für tür

Zanussi, Electrolux 0A8075 -

344399



Guarnizione magnetica 537x442 mm
mezzobordo

Joint magnétique 537x442 mm
demi-bordure

Magnetic gasket 537x442 mm
middle edged gasket

Schubladendichtung 537x442 mm
Halbpension

Zanussi, Electrolux 0A8144 -



Guarnizione magnetiche
Magnetic gaskets

Magnétique joints
Schubladendichtung

337890



Guarnizione magnetica 540x670 mm
per porta

Joint magnétique 540x670 mm
pour porte

Magnetic gasket 540x670 mm
for door

Schubladendichtung 540x670 mm
für tür

Zanussi, Electrolux 0A8159 -

344593



Guarnizione magnetica 520x1515 mm

Joint magnétique 520x1515 mm

Magnetic gasket 520x1515 mm

Schubladendichtung 520x1515 mm

Zanussi, Electrolux 083791 -

414394



Guarnizione magnetica 666x1536 mm
ad incastro - colore grigio

Joint magnétique 666x1536 mm
demi-bordure joint gris

Magnetic gasket 666x1536 mm
snap-in gasket - grey colour

Schubladendichtung 666x1536 mm
grau - steck dichtung

Zanussi, Electrolux 082586 -

414395



Guarnizione magnetica 670x1460 mm

Joint magnétique 670x1460 mm

Magnetic gasket 670x1460 mm

Schubladendichtung 670x1460 mm

Zanussi, Electrolux 0A8365 -

414404



Guarnizione magnetica 1518x684 mm

Joint magnétique 1518x684 mm

Magnetic gasket 1518x684 mm

Schubladendichtung 1518x684 mm

Zanussi, Electrolux 0A8648 -

Guarnizione magnetiche
Magnetic gasketsMagnétique joints
Schubladendichtung

337882

Guarnizione magnetica 675x770 mm

Magnetic gasket 675x770 mm



Joint magnétique 675x770 mm

Schubladendichtung 675x770 mm

Zanussi, Electrolux 081294 - 0A8049 -

337880

Guarnizione magnetica 675x1570 mm

Magnetic gasket 675x1570 mm



Joint magnétique 675x1570 mm


Schubladendichtung 675x1570 mm

Zanussi, Electrolux 081293 - 0A8048 -

343659

Guarnizione magnetica 710x1845 mm

Magnetic gasket 1845x710 mm



Joint magnétique 1845x710 mm


Schubladendichtung 1845x710 mm

Zanussi, Electrolux 089780 -

436277

Guarnizione magnetica 850x1815 mm

Magnetic gasket 850x1815 mm



Joint magnétique 850x1815 mm

Schubladendichtung 850x1815 mm

Zanussi, Electrolux 089841 -

420141

Guarnizione magnetica 352x392 mm
colore grigioMagnetic gasket 352x392 mm
grey colourJoint magnétique 352x392 mm
gris colourSchubladendichtung 352x392 mm
grau colour


Zanussi, Electrolux 0K3885 -



Guarnizione magnetiche
Magnetic gaskets

Magnétique joints
Schubladendichtung

335824



Guarnizione magnetica 815x1585 mm
marrone

Joint magnétique 815x1585 mm
marron

Magnetic gasket 815x1585 mm
brown

Schubladendichtung 815x1585 mm
braun

Zanussi, Electrolux 0KJ561 -

417172



Guarnizione magnetica 564x1602 mm
colore grigio

Joint magnétique 564x1602 mm
gris colour

Magnetic gasket 564x1602 mm
grey colour

Schubladendichtung 564x1602 mm
grau colour

Zanussi, Electrolux 0K6615 -

521145



Guarnizione [vendita al metro]

Joint [vendu au mètre]

Gasket [sold by meter]

Dichtung [Meterware]

Zanussi, Electrolux 088264 - 094649 -

441185



Guarnizione [vendita al metro]

Joint [vendu au mètre]

Gasket [sold by meter]

Dichtung [Meterware]

Zanussi, Electrolux 084891 -

531619



Guarnizione L=880 mm

Joint L=880 mm

Gasket L=880 mm

Dichtung L=880 mm

Zanussi, Electrolux 099193 -

Guarnizione magnetiche
Magnetic gasketsMagnétique joints
Schubladendichtung

521124

Guarnizione L=3000 mm

Gasket L=3000 mm



Joint L=3000 mm

Dichtung L=3000 mm

Zanussi, Electrolux 088294 -

345327

Cornice porta 1080x380 mm

Door frame 1080x380 mm



Porte cadre 1080x380 mm

Türrahmen 1080x380 mm

Zanussi, Electrolux 086566 -

429757

Guarnizione magnetica 156x419 mm
per cassettoMagnetic gasket 156x419 mm
for drawerJoint magnétique 156x419 mm
pour tiroirSchubladendichtung 156x419 mm
für Schublade

Zanussi, Electrolux 0KS621 -

429648

Guarnizione magnetica 320x415 mm

Magnetic gasket 320x415 mm



Joint magnétique 320x415 mm

Schubladendichtung 320x415 mm

Zanussi, Electrolux 0K8630 -

429447

Guarnizione magnetica 415x655 mm

Magnetic gasket 415x655 mm



Joint magnétique 415x655 mm

Schubladendichtung 415x655 mm

Zanussi, Electrolux 0K8631 -

**Guarnizione magnetica**
Magnetic gaskets**Magnétique joints**
Schubladendichtung

315989

Guarnizione magnetica 585x740 mm**Magnetic gasket 585x740 mm****Joint magnétique 585x740 mm****Schubladendichtung 585x740 mm**

Zanussi, Electrolux 093273 - 094153 -

316495

Guarnizione magnetica 585x1560 mm
colore grigio - ad incastro**Magnetic gasket 585x1560 mm**
grey, snap-in gasket**Joint magnétique 585x1560 mm**
gris - avec emboîtement**Schubladendichtung 585x1560 mm**
grau - steck dichtung

Zanussi, Electrolux 093257 - 094152 -

414397

Guarnizione magnetica 600x1435 mm**Magnetic gasket 600x1435 mm****Joint magnétique 600x1435 mm****Schubladendichtung 600x1435 mm**

Zanussi, Electrolux 087188 - 088141 -

425658

Guarnizione magnetica 670x1645 mm**Magnetic gasket 670x1645 mm****Joint magnétique 670x1645 mm****Schubladendichtung 670x1645 mm**

Zanussi, Electrolux 0K9149 -

531574

Guarnizione magnetica**Magnetic gasket****Joint magnétique****Schubladendichtung**

Zanussi, Electrolux 090109 -

**Guarnizione magnetica**
Magnetic gaskets**Magnétique joints**
Schubladendichtung

318861

Guarnizione magnetica 700x2025 mm
SENZA BATTUTA INFERIORE**Joint magnétique 700x2025 mm**
SANS ARRÊT INFÉRIEUR**Magnetic gasket 700x2025 mm**
WITHOUT LOWER STOP**Schubladendichtung 700x2025 mm**
OHNE unteren Anschlag

Zanussi, Electrolux 091749 -

519787

Guarnizione magnetica 703x1507 mm**Joint magnétique 703x1507 mm****Magnetic gasket 703x1507 mm****Schubladendichtung 703x1507 mm**

Zanussi, Electrolux 0A9412 -

435290

Guarnizione magnetica 705x1505 mm**Joint magnétique 1505x705 mm****Magnetic gasket 1505x705 mm****Schubladendichtung 1505x705 mm**

Zanussi, Electrolux 083461 -

343656

Guarnizione magnetica 755x2055 mm
ad incastro - colore grigio - SENZA BATTUTA
INFERIORE**Joint magnétique 755x2055 mm**
gris - avec emboîtement - SANS ARRÊT INFÉRIEUR**Magnetic gasket 755x2055 mm**snap-in gasket - grey colour - WITHOUT LOWER
STOP**Schubladendichtung 755x2055 mm**
grau - steck dichtung - OHNE unteren Anschlag

Zanussi, Electrolux 085218 -

343314

Guarnizione magnetica 1005x2035 mm
ad incastro - colore grigio - SENZA BATTUTA
INFERIORE**Joint magnétique 1005x2035 mm**
gris - avec emboîtement - SANS ARRÊT INFÉRIEUR**Magnetic gasket 1005x2035 mm**snap-in gasket - grey colour - WITHOUT LOWER
STOP**Schubladendichtung 1005x2035 mm**
grau - steck dichtung- OHNE unteren Anschlag

Zanussi, Electrolux 085221 -



Guarnizione magnetiche
Magnetic gaskets

Magnétique joints
Schubladendichtung


521213

Guarnizione magnetica 1685x1700 mm

Magnetic gasket 1685x1700 mm

Joint magnétique 1685x1700 mm

Schubladendichtung 1685x1700 mm



Zanussi, Electrolux 087865 - 092128 -

520559

Guarnizione Ø 12 mm L=156 mm

Gasket Ø 12 mm L=156 mm

Joint Ø 12 mm L=156 mm

Dichtung Ø 12 mm L=156 mm



Zanussi, Electrolux 089613 -

441946

Guarnizione

Gasket

Joint

Dichtung



Zanussi, Electrolux 031699 -

518824

Guarnizione

Gasket

Joint

Dichtung



Zanussi, Electrolux 0KX010 -

435123

Guarnizione inferiore porta L=780 mm

Lower door Gasket L=780 mm

Joint porte inférieure L=780 mm

Dichtung untere Tür L=780 mm



Zanussi, Electrolux 0A9523 -



Guarnizioni

Gaskets

Joints

Dichtungen



PROFESSIONAL SPARES

Guarnizione magnetiche
Magnetic gaskets

Magnétique joints
Schubladendichtung

521230

Guarnizione 660x47 mm
con fori Ø 5,5 mm

Joint 660x47 mm
avec trou Ø 5,5 mm

Gasket 660x47 mm
with hole Ø 5,5 mm

Dichtung 660x47 mm
mit bohrung Ø 5,5 mm



Zanussi, Electrolux 087827 -

Guarnizioni Adesive
Adhesive Gasket

Joints Adhésifs
Dichtung klebend

534936

Guarnizione adesiva 2000x10x8 mm

Joint adhésif 2000x10x8 mm

Adhesive gasket 2000x10x8 mm

Moosgummidichtung 2000x10x8 mm



Zanussi, Electrolux 092134 - 099272 -


534935

Guarnizione adesiva 2000x18x8 mm

Joint adhésif 2000x18x8 mm

Adhesive gasket 2000x18x8 mm

Moosgummidichtung 2000x18x8 mm



Zanussi, Electrolux 099271 -

441150

Guarnizione in gomma Ø 22x15x3 mm (5pz)

Joint in gomme Ø 15x22x3 mm (5pcs)

Gasket in rubber Ø 15x22x3 mm (5pcs)

Dichtung in gummi Ø 15x22x3 mm (5pcs)



Zanussi, Electrolux 088169 -



Griglie e Ripiani
Grids and Shelves

Grilles
Gitter und Regal

520014

Ripiano grigliato rilsan bianco 600x410 mm
per frigo 400 lt

Grille plastifiée en rilsan blanc 600x410 mm
pour 400 lt frigorifier

Grilled shelf white rilsan 600x410 mm
for 400 lt fridge

Rost rilsan weiss 600x410 mm
für Kühlschrank 400 lt



Zanussi, Electrolux 0A8650 -

415671

Ripiano grigliato rilsan grigio GN 1/1
dim. 325x530 mm (LxP); per tavoli refrigerati

Grille plastifiée en rilsan gris GN 1/1
dim. 325x530 mm (LxP); pour table refrigerée

Grilled shelf grey rilsan GN 1/1
dim. 325x530 mm (LxD); for Refrigerated table

Rost rilsan grau GN 1/1
dim. 325x530 mm (LxP); für Kühlische



Zanussi, Electrolux 0A9572 -


415557

Ripiano grigliato rilsan grigio
dim. 530x530 mm

Grille plastifiée en rilsan gris
dim. 530x530 mm

Grilled shelf in grey rilsan
dim. 530x530 mm

Rost rilsan grau
dim. 530x530 mm



Zanussi, Electrolux 082904 - 083911 -


441284

Ripiano grigliato rilsan grigio GN 1/1
dim. 325x530 mm (LxP)

Grille plastifiée en rilsan gris GN 1/1
dim. 325x530 mm (LxP)

Grilled shelf 1/1 GN grey rilsan
dim. 325x530 mm (LxD)

Rost rilsan grau GN 1/1
dim. 325x530 mm (LxP)



Zanussi, Electrolux 082729 - 083615 - 084030 -


411145

Supporto griglie 580x553x22 mm

Structure support 580x553x22 mm

Structure support 580x553x22 mm

Struktur Halter 580x553x22 mm



Zanussi, Electrolux 0A8361 -



Griglie e Ripiani
Grids and Shelves

Grilles
Gitter und Regal

520012 **Ripiano grigliato rilsan bianco 287x600 mm** **Grilled shelf white rilsan 287x600 mm**



Grille plastifiée en rilsan blanc 287x600 mm

Rost rilsan weiss 287x600 mm

Zanussi, Electrolux 0A8651 -

441377 **Ripiano grigliato cromato GN 2/1** **Chromed gridded shelf 2/1 GN**
dim. 530x650 mm (LxP) dim. 530x650 mm (LxD)



Grille chromée GN 2/1
dim. 530x650 mm (LxP)

Rost verchromt GN 2/1
dim. 530x650 mm (LxP)

Zanussi, Electrolux 081883 -

441317 **Ripiano grigliato rilsan grigio GN 2/1** **Gridded shelf 2/1 GN in grey rilsan**
dim. 530x650 mm (LxP) dim. 530x650 mm (LxD)



Grille plastifiée en rilsan gris 2/1 GN
dim. 530x650 mm (LxP)

Rost rilsan grau GN 2/1
dim. 530x650 mm (LxP)


Zanussi, Electrolux 081735 - 082885 - 083635 - 880720 -

535256 **Supporto griglie 455x550 mm** **Structure support 455x550 mm**
Structure support 455x550 mm **Struktur Halter 455x550 mm**



Zanussi, Electrolux 099532 -

511030 **Struttura portateglie in RILSAN grigio 3 incastri** **Rack structure in RILSAN 3 joint**
dim. 555x420 mm dim. 555x420 mm
Structure de crémaillère in RILSAN 3 joints **Rack-Struktur in RILSAN 3 Gelenke**
dim. 555x420 mm dim. 555x420 mm



Zanussi, Electrolux 089142 - 094350 -



Piedini
Feet

Pieds
Füße

519560



Piede regolabile
piastra 100x110 mm, H=150÷220 mm

Pied réglable
bride 100x110 mm, H=150÷220 mm

Adjustable foot
flange 100x110 mm, H=150÷220 mm

Gerätefüß Verstellbar
Flancsh 100x110 mm, H=150÷220 mm

Zanussi, Electrolux 0A9562 -

520651



Piede regolabile

Pied réglable

Adjustable foot

Gerätefüß Verstellbar

Zanussi, Electrolux 089140 -

440949



Piede regolabile AISI 304 Ø 2"
flangia 90x130 mm; H=145÷220 mm

Pied réglable en AISI 304 Ø 2"
bride 90x130 mm; H=145÷220 mm

Adjustable foot AISI 304 Ø 2"
flange 90x130 mm; H=145÷220 mm

Gerätefüß Verstellbar AISI 304 Ø 2"
Flancsh 90x130 mm; H=145÷220 mm

Zanussi, Electrolux 0A9138 -

531431



Piede regolabile AISI 304 Ø 2"
flangia 75x90 mm; H=145÷220 mm

Pied réglable en AISI 304 Ø 2"
bride 75x90 mm; H=145÷220 mm

Adjustable foot AISI 304 Ø 2"
flange 75x90 mm; H=145÷220 mm

Gerätefüß Verstellbar AISI 304 Ø 2"
Flancsh 75x90 mm; H=145÷220 mm

Zanussi, Electrolux 037437 -

Pallis
PROFESSIONAL

info@pallisprofessional.gr - www.pallisprofessionals.gr
Leoforos Eleftheriou Venizelou, 11 - 16343 Ilioupolis - Athens
Tel. 2109965155 - Fax 2109965189