

**110891 (ZSAL25L2C9)**

2-door refrigerated Saladette with lid and chopping board 250lt, +2+10°C, AISI 304

Main Features

- Anti-tilt runners accept GN 1/1 containers.
- Automatic evaporation of defrost water. Prearrangement for drain outlet.
- Digital control panel.
- Equipped with hinged lid for non-operating periods.
- Forced air circulation for rapid cooling and an even temperature distribution.
- A kit of wheels is available as optional accessory for easier movement.
- Adjustable temperature range from 0°C to +10°C.
- Tropicalized unit.

Construction

- Access to all components from the front.
- Built-in compressor to suit operating conditions.
- Developed and produced in ISO 9001 and ISO 14001 certified factory.
- IPX3 protected.
- Mounted on legs with height adjustment.
- Rounded internal corners for ease of cleaning.
- Constructed from AISI 304 Stainless steel throughout to meet the highest hygiene standards.
- Adjustable feet 66-88 mm (see optional accessory).
- Easy removable lid without any tools.



A focus on sustainability

Sustainability

- 50 mm insulation for energy saving.
- CFC and HCFC free, highly ecological refrigerant type: R290 (ecological gas in foam: cyclopentane). Hydrocarbon refrigerant gas R290 for the lowest environmental impact (GWP=3), to reduce green house and ozone depletion effects.

Certifications & Recognitions



International system for mutual acceptance of test reports and certificates concerning the safety of electrical and electronic components, equipment, and products.



Product assessed by the manufacturer and deemed to meet EU safety, health, and environmental protection requirements.



Product placed on the Great Britain market and complies with UK regulations and standards.



Technical specifications

Electric

Supply voltage:	220-240 V/1 ph/50 Hz
Compressor power:	1/4 hp

Key Information:

Net Volume:	140 lt
External dimensions, Width:	950 mm
External dimensions, Depth:	700 mm
External dimensions, Height:	863 mm
Depth with doors open:	1120 mm
Gross capacity:	250 liter


Sustainability

Refrigerant type:	R290
Refrigeration power:	314 W
Refrigerant weight:	50 g




Installation drawings


Front



Side



Top



EI = Electrical inlet (power)

Accessories

Optional Accessories

PNC Code	Description
Containers, trays and grids	
881435	1/1 GN grey "rilsan" grid
Feet, wheels and ramps	
880267	Kit 4 wheels for 250 lt counter/saladette
881254	Feet to reach 900mm height for 250lt saladette