

**321011 (FSL15C4)**

Bain-marie unit with beech wood finish (4 GN container capacity)

Main Features

- Electronic overheating protection.
- Optional tilting plinth can be installed to cover the feet or the wheels.
- Panels and hinged doors on the operator side, for quick, easy and hygienic storage, and have a beech wood finish.
- Wells in 304 AISI stainless steel with drain holes and pipes and with rounded corners to facilitate cleaning operations.
- Thermostatically controlled temperature can be set from +60 to +90°C, at ambient temperature, following HACCP rules.
- The two tray slides are constructed in plain 304 AISI stainless steel and can be folded down to facilitate passage of the units through doorways.
- Tempered glass overshelf with cold lights included for an elegant and safe presentation of the food.
- The well dimensions allow the storage of 1/1 GN containers (2 in the model 750 mm in length, 3 in the model 1125 mm in length and 4 in the model 1500 mm in length) or various combinations of containers, all with a maximum height of 200 mm (available as accessories).

Construction

- 304 AISI stainless steel top with rounded edges.
- Unit mounted on four wheels, 150 mm in height (two with brakes), but can be mounted on 150 mm high feet (as special).

Optional Accessories

PNC Code	Description
----------	-------------

Kicking strips

852007	Kit of plinth for wheels, for 4 GN container capacity units
--------	---

Other accessories

852031	ELECTRICAL SOCKET FOR 2 PLUGS
852032	OVER HEAD POWER SUPPLY
852053	WATER FILLING AND OVERFLOW
852054	S/S COVER PLATE GN1/1 FOR BAINMARIE
852061	DIVIDER FRAME KIT GN1/1
852062	DIVIDER BAR GN1/2
852063	ELEVATION GRILL 300X480X120MM

Shelves

852118	REMOVABLE OVERSHELF S/S 1500MM
--------	--------------------------------

Tray sliders

852042	TRAY SLIDE GABLE 1060X200
852071	S/S TRAY SLIDER 1500MM-WIDTH 200-270MM
852077	S/S TRAY SLIDER 1500MM-WIDTH 280-300MM

Other accessories

852028	OVER STRUCTURE WITH HOT LIGHT 1500MM
852034	OVER HEAD POWER SUPPLY W/ ADJ.STAND PIPE
852058	BREAD-BASKET OVER SHEL LED LIGHT 1500MM
852064	ADJUSTABLE LEG, MARINE
852136	OTHER LAMINATE COLOURS FOR UNITS 1500MM

Technical specifications

Electric

Supply voltage: 230 V/1 ph/50/60 Hz

Electrical power max.: 2 kW

Key Information:

External dimensions, Width: 1500 mm

External dimensions, Depth: 1060 mm

External dimensions, Height: 1300 mm

Net weight: 100 kg


Well width: 1280 mm

Well depth: 510 mm


Well height: 210 mm

Well/top temperature: 60°/90° C


Front



Side



Top



D = Drain

EI = Electrical inlet (power)

