

**322112 (F31N0AF00W)**

Corner Unit (90 degrees) with one stainless steel tubular tray slider on customer side, H=900mm

Main Features

- Perfect compact design makes it ideal for space saving environments.
- CB and CE certified by a third party notified body.
- Tray slider in tubular stainless steel is installed on the customer side and it can also be folded down to facilitate passage of the units through doorways.
- Ideal for servery lines with an operator.
- Unit mounted on 150 mm high feet.
- Available options with online configurator: colors, tray sliders, overshelves, feet/wheels with desired diameter, height 750mm for kids.
- Designed to allow 2 units to be connected in a corner configuration.
- Enables the direction of the servery line to be changed depending on needs and the configuration of the location.
- Optional plinth can be installed to cover the feet or the wheels.
- Food introduced at the correct temperature maintains its core temperature according to Afnor Standards.

Construction

- Top in AISI 304.
- Sturdy construction with laminated panelings on 4 sides.

Optional Accessories

PNC Code	Description
----------	-------------

Feet, wheels and ramps

800002	Kit 4 height adjustable flanged feet, Marine
--------	--

Kicking strips

800012	Kicking strip for Corner unit
--------	-------------------------------

Recommended Detergents


PNC Code	Description
0S2881	S01 STAINLESS STEEL SURFACE POLISHER; 6 BOTTLES X 750ML C/T
0S2883	S03 ALCOHOL BASE DETERGENT; 6 BOTTLES X 750ML; ADR&IMDG&IATA Limited Quantity
0S2884	S04 GLASSES & HARD SURFACES CLEANERS; 6 BOTTLES X 750ML
0S3257	S05 - MULTIPURPOSE DEGREASER; 6PCS X 750ML; ADR&IMDG Limited Quantity

Technical specifications


Key Information:

N° of doors:	1
External dimensions, Width:	1320 mm
External dimensions, Depth:	820 mm
External dimensions, Height:	900 mm
Net weight:	60 kg
Shipping height:	1110 mm
Shipping width:	810 mm
Shipping depth:	1360 mm
Shipping volume:	1.22 m³
Height adjustment:	5/60 mm

Front



Side



Top

