

**133197 (NDBD1817R)**

Sink unit for undercounter dishwasher with 2 bowls 500x500mm and right hand drainer, 1800mm

Main Features

- Sturdiness, stability and reliability of table accurately tested.

Construction

- Sink tops easily slotted onto the legs and taps are easily installed from the rear.
- Square section legs and 40 mm height-adjustable feet in 304 AISI stainless steel.
- 100 mm upstand with 8 mm radiused corner and 13 mm deep, designed to be used against a wall.
- 50 mm worktop in 304 AISI stainless steel, 10/10 in thickness with overflow rim along the top.
- 40 mm-thick lower shelf slots easily into place at a height of 200 mm from the floor. solid shelves supplied as standard, perforated shelves supplied on request.
- Bottom part of drain left free to house an undercounter dishwasher.
- Wide range of taps are available to suit every need.
- Drainage area suitable for drying operations
- 100 mm upstand with 10 mm radiused corner and 13 mm deep, designed to be used against a wall.

Optional Accessories

PNC Code	Description
Feet, wheels and ramps	
855299	Wheel kit for cupboards, 4 wheels (2 with brakes), D=100 mm
Installation solutions	
855152	3-sided underframe for 1200mm tables
865386	Floor fastening kit for 2 square legs
Shelves	
855145	Lower shelf for 1200mm tables and sinks and for 1800 mm undercounter dishwasher sinks
Sink units and mixing taps	
850022	Double plastic drain syphon 2"
855322	Elbow operated mixer tap with spout, 3/4" single hole
855323	Elbow operated mixer tap short spout, 3/4" single hole
855328	Foot operated Mixer tap with spout & with hot&cold pedals, 3/4"
855374	Elbow operated mixer tap with spout, 3/4" single hole
855375	Elbow operated mixer tap with short spout, 3/4" single hole
855382	Single hole deck mounted mixing temperature monoblock faucet
855383	Single hole deck mounted extra robust pot filling mixing temperature faucet
855384	Single hole deck mounted mixing temperature faucet with short spout
855385	Single hole deck mounted mixing temperature pre-rinse unit
855386	Single hole deck mounted elbow operated mixing temperature faucet with pre-rinse unit
855387	Single hole deck mounted riser add-on mixing temperature faucet with pre-rinse unit
855388	Single hole deck mounted elbow operated mixing temperature faucet with short pre-rinse unit
855389	Single hole deck mounted riser add-on mixing temperature faucet with pre-rinse unit
855390	Single hole deck mounted mixing temperature faucet with pre-rinse unit
895200	False bottom for right and left hand 500x500 mm bowl
895313	Single plastic drain syphon 2" for sinks
Spray units	
855320	Retractable hose spray unit, 10 meters
855321	Retractable hose spray unit, 15 meters
855327	Retractable hose spray unit, 6 meters

Recommended Detergents


PNC Code	Description
0S2881	S01 STAINLESS STEEL SURFACE POLISHER; 6 BOTTLES X 750ML C/T
0S2883	S03 ALCOHOL BASE DETERGENT; 6 BOTTLES X 750ML; ADR&IMDG&IATA Limited Quantity
0S2884	S04 GLASSES & HARD SURFACES CLEANERS; 6 BOTTLES X 750ML
0S3257	S05 - MULTIPURPOSE DEGREASER; 6PCS X 750ML; ADR&IMDG Limited Quantity

Technical specifications


Key Information:

External dimensions, Width:	1800 mm
External dimensions, Depth:	700 mm
External dimensions, Height:	1000 mm
Upstand Dimensions, Height:	100 mm
Upstand Dimensions, Depth:	13 mm
Upstand Dimensions, Radius:	R=16
Bowls number	2
Bowl dimensions	500x500xH250
Worktop thickness:	50 mm
Net weight:	62 kg


Front



Side



Top



D = Drain

DO = Overflow drain pipe