

**600893 (Z1HCEEOMCS)**

Plug-in Induction Wok

**Main Features**

- Automatic pan detection to transfer power only when pan is present.
- High impact, heavy duty glass-ceramic wok bowl for durability and easy cleaning.
- 2-color user interface (white and red) for better readability.
- Plug in unit designed for table top installations.
- Glass touch display on top for maximum visibility.
- Power level settings from 1 to 10.
- Timer function can be used to set the cooking time, switching off the zone automatically at the end of the time set.
- Self-diagnostics: an error code is displayed (Exxx) in case of dysfunction.
- Designed for Easy CookingPRO Match function for automatic regulation of the Easy CookingPRO Counter fan speed according to cooking intensity.

**Construction**

- IPx4 water protection.
- One induction wok shaped bowl 6mm thick.
- 4 sides unique frame in AISI 304 2 mm thick.
- Induction air filters easy to clean and remove for monthly cleaning.
- 4 feet, cord and plug included.

**Sustainability**

- Rapid heat transfer directly to the pan, no heat is dispersed into the environment.
- This model is compliant with Swiss Energy Efficiency Ordinance (730.02).

## Optional Accessories

| PNC Code             | Description                                              |
|----------------------|----------------------------------------------------------|
| <b>Pots and pans</b> |                                                          |
| 910613               | Induction Wok pan with wooden handle (diam. 360mm)       |
| 911000               | Stainless steel wok pan, design in line with wok cuvette |
| 911003               | Non-stick wok pan, design in line with wok cuvette       |

## Recommended Detergents

| PNC Code | Description                                                                   |
|----------|-------------------------------------------------------------------------------|
| 0S2881   | S01 STAINLESS STEEL SURFACE POLISHER; 6 BOTTLES X 750ML C/T                   |
| 0S2882   | S02 DEGREASER 6pzx750ml - ADR&IMDG Limited Quantity                           |
| 0S2883   | S03 ALCOHOL BASE DETERGENT; 6 BOTTLES X 750ML; ADR&IMDG&IATA Limited Quantity |
| 0S2884   | S04 GLASSES & HARD SURFACES CLEANERS; 6 BOTTLES X 750ML                       |

# Technical specifications


## Electric

|                                 |                          |
|---------------------------------|--------------------------|
| Supply voltage:                 | 220-240 V/1N ph/50-60 Hz |
| Total Watts:                    | 3.5 kW                   |
| Plug type:                      | CE-SCHUKO                |
| Minimum Circuit Ampacity (MCA): | 16A                      |


## Key Information:

|                              |        |
|------------------------------|--------|
| External dimensions, Width:  | 400 mm |
| External dimensions, Depth:  | 600 mm |
| External dimensions, Height: | 229 mm |
| Net weight:                  | 21 kg  |


## Side



## Top



## Other



EI = Electrical inlet (power)

EO = Electrical Outlet

