

**352086 (Z2VVCDBRZA)**

Easy CookingPRO Mobile Counter with 2 refrigerated drawers, suitable for 3 Plug-in appliances with four 1-phase sockets

Main Features

- Compact, lightweight and easy to move.
- Plate holder shelf coupled with tempered glass and lighting for a better visibility from guest side.
- Two integrated stainless steel refrigerated drawers with independent temperature regulation between 0°C and +10°C. No drain required.
- 37 lt refrigerated drawer capacity accepting N° 1 GN1/1 + N° 1 GN 2/4 trays.
- 30 lt neutral drawer - accepting N° 1 GN1/1 - is available as optional accessory.
- Through the user interface with soft touch buttons the operator can: - vary the 4 fan speed; - switch on the LED lighting system of the cooking area; - independently set the temperature of the refrigerated drawers; - display indications on maintenance operations (e.g. on filters) or any anomalous operating conditions.
- Designed for Easy CookingPRO Match function for automatic regulation of fan speed according to cooking intensity. Can be activated exclusively with Easy CookingPRO stand alone units.
- Can be combined with up to three tabletop appliances Easy CookingPRO 1PHASE (Plug Type Schuko): flat induction hobs, induction wok, induction griddle.
- Easy CookingPRO Ventilation is a low noise air filtration system to absorb efficiently grease particles and bad odours in the working area. It is a 2-stage filtering system with stainless steel fat filters and ceramic activated carbon ones.

Construction

- IPx4 water protection.
- Frontal panel in AISI 304 can be customized requiring a special execution.
- Mounted on 4 swivelling wheels with brakes on the 2 front wheels (on the operator side).
- Heavy duty AISI 304 Stainless steel construction.
- Plug type: IEC/EN 60309-1/2 - 32 amps.
- Side support frames each holding n.2 GN 1/9 containers and n.1 tools holder. All included in the standard delivery and easily removable for better cleanability.
- Grease and odours filters are easily accessible and removable from operator's side for efficient maintenance without any tool.

Included Accessories

PNC Code	Description	Quantity
650190	Carbon filter for Mobile Counter	3
650191	Labyrinth grease filter with stainless steel grid for Mobile Counter	3
650192	Support frame for containers including 2 x 1/9 GN trays and 1 kitchen tool holder for Mobile Counter, left side	1
650193	Support frame for containers including 2 x 1/9 GN trays and 1 kitchen tool holder for Mobile Counter, right side	1

Optional Accessories

PNC Code	Description
Filters	
650190	Carbon filter for Mobile Counter
650191	Labyrinth grease filter with stainless steel grid for Mobile Counter
Other accessories	
650189	Neutral drawer for Mobile Counter
650192	Support frame for containers including 2 x 1/9 GN trays and 1 kitchen tool holder for Mobile Counter, left side
650193	Support frame for containers including 2 x 1/9 GN trays and 1 kitchen tool holder for Mobile Counter, right side
650194	Kitchen tool holder to be inserted into support frame for Mobile Counter
650195	Side paper towel support
651004	Cover in PVC for Mobile Counter 3 modules
Shelves	
650005	Tilting side shelf for Mobile Counter

Recommended Detergents

PNC Code	Description
0S2881	S01 STAINLESS STEEL SURFACE POLISHER; 6 BOTTLES X 750ML C/T
0S2882	S02 DEGREASER 6pzx750ml - ADR&IMDG Limited Quantity
0S2883	S03 ALCOHOL BASE DETERGENT; 6 BOTTLES X 750ML; ADR&IMDG&IATA Limited Quantity
0S2884	S04 GLASSES & HARD SURFACES CLEANERS; 6 BOTTLES X 750ML

Technical specifications

Electric

Supply voltage:	380-415/380-400 V/3N ph/50/60 Hz
Plug type:	IEC/EN 60309-1/2


Key Information:

External dimensions, Width:	1653 mm
External dimensions, Depth:	788 mm
External dimensions, Height:	1284 mm
Net weight:	280 kg


Sustainability

Refrigerant weight (unit 1, unit 2):	0.025 g; 0.025 g
--------------------------------------	------------------


Front



Side



Top



EI = Electrical inlet (power)

EO = Electrical Outlet

