

**372081 (Z7FRED1GF0)**

15-lt electric fryer with 1 "V" shape well (external heating elements), 1 basket and lid included - free standing

## Main Features

- All major compartments located in front of unit for ease of maintenance.
- Deep drawn V-Shaped well.
- IPx4 water protection.
- Overheat protection thermostat as standard on all units.
- Thermostatic regulation of oil temperature up to a maximum of 185 °C.
- Unit to be mounted on height adjustable feet in stainless steel.
- High efficiency infrared heating elements are attached to the outside of the well.
- Oil drains through a tap into a drainage container positioned under the well.
- Optional portable oil quality monitoring tool (code 9B8081) for efficient oil management.

## Construction

- Interior of well with rounded corners for ease of cleaning.
- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.
- One piece pressed 1.5 mm work top in Stainless steel.
- All exterior panels in Stainless Steel with Scotch Brite finishing.

## Sustainability

- This model is compliant with Swiss Energy Efficiency Ordinance (730.02).

## Included Accessories

| PNC Code | Description                           | Quantity |
|----------|---------------------------------------|----------|
| 206342   | Door for open base cupboard           | 1        |
| 921691   | 1 full size basket for 14/15lt fryers | 1        |

## Optional Accessories

| PNC Code | Description |
|----------|-------------|
|----------|-------------|

### Bases & base accessories

|        |                             |
|--------|-----------------------------|
| 206342 | Door for open base cupboard |
|--------|-----------------------------|

### Baskets

|        |                                        |
|--------|----------------------------------------|
| 921691 | 1 full size basket for 14/15lt fryers  |
| 921692 | 2 half size baskets for 14/15lt fryers |

### Chimney upstands

|        |                         |
|--------|-------------------------|
| 206303 | Chimney upstand, 400 mm |
| 206400 | Chimney grid net, 400mm |

### Feet, wheels and ramps

|        |                                                                        |
|--------|------------------------------------------------------------------------|
| 206136 | Flanged feet kit                                                       |
| 206210 | 4 feet for concrete installation (not for 900 line freestanding grill) |
| 206366 | Base support for feet or wheels - 400mm (EVO700/900)                   |
| 206367 | Base support for feet or wheels - 800mm (EVO700/900)                   |
| 206368 | Base support for feet or wheels - 1200mm (EVO700/EVO900)               |
| 206369 | Base support for feet or wheels - 1600mm (EVO700/900)                  |
| 206431 | Base support for feet/wheels (600mm)                                   |

### Grease/oil management

|        |                                                                                |
|--------|--------------------------------------------------------------------------------|
| 206235 | Sediment tray for 15lt fryers                                                  |
| 206301 | Oil drain pipe for 15lt free standing fryer                                    |
| 921693 | Filter for fryer oil collection basin for 7lt, 14lt, 15lt free standing fryers |
| 921695 | Unclogging rod for 15lt fryers drainage pipe                                   |
| 921696 | Deflector for floured products for the 15lt fryer                              |

### Handrails

|        |                                          |
|--------|------------------------------------------|
| 206166 | Frontal handrail 400 mm                  |
| 206167 | Frontal handrail 800 mm                  |
| 206185 | Large handrail (portioning shelf) 400 mm |
| 206186 | Large handrail (portioning shelf) 800 mm |
| 206191 | Frontal handrail 1200 mm                 |
| 206192 | Frontal handrail 1600 mm                 |
| 206240 | Right and left side handrails            |
| 206308 | Back handrail 800 mm                     |


| PNC Code                      | Description                                              |
|-------------------------------|----------------------------------------------------------|
| <b>Installation solutions</b> |                                                          |
| 206086                        | Junction sealing kit                                     |
| <b>Kicking strips</b>         |                                                          |
| 206147                        | Frontal kicking strip for concrete installation, 400 mm  |
| 206148                        | Frontal kicking strip for concrete installation, 800 mm  |
| 206150                        | Frontal kicking strip for concrete installation, 1000 mm |
| 206151                        | Frontal kicking strip for concrete installation, 1200 mm |
| 206152                        | Frontal kicking strip for concrete installation, 1600 mm |
| 206175                        | Frontal kicking strip, 400 mm                            |
| 206176                        | Frontal kicking strip, 800 mm                            |
| 206177                        | Frontal kicking strip, 1000 mm                           |
| 206178                        | Frontal kicking strip, 1200 mm                           |
| 206179                        | Frontal kicking strip, 1600 mm                           |
| 206249                        | Pair of side kicking strips                              |
| 206265                        | Pair of side kicking strips (concrete installation)      |
| <b>Panels</b>                 |                                                          |
| 206373                        | Rear paneling - 600mm (EVO700/900)                       |
| 206374                        | Rear paneling - 800mm (EVO700/900)                       |
| 206375                        | Rear paneling - 1000mm (EVO700/900)                      |
| 206376                        | Rear paneling - 1200mm (EVO700/900)                      |
| <b>Other accessories</b>      |                                                          |
| 206319                        | 2 side covering panels, height 700 mm, depth 700 mm      |

# Technical specifications


## Electric

|                                  |                          |
|----------------------------------|--------------------------|
| Supply voltage:                  | 380-400 V/3N ph/50-60 Hz |
| Total Watts:                     | 10 kW                    |
| <b>Key Information:</b>          |                          |
| Usable well dimensions (width):  | 240 mm                   |
| Usable well dimensions (height): | 505 mm                   |
| Usable well dimensions (depth):  | 380 mm                   |
| Well capacity:                   | 13 lt MIN; 15 lt MAX     |
| Thermostat Range:                | 105 °C MIN; 185 °C MAX   |
| Net weight:                      | 59 kg                    |
| Shipping weight (gross):         | 52 kg                    |
| Shipping height:                 | 1130 mm                  |
| Shipping width:                  | 460 mm                   |
| Shipping depth:                  | 820 mm                   |
| Shipping volume:                 | 0.43 m³                  |
| Certification group:             | EFE71M15                 |


## Front



## Side



## Top



EI = Electrical inlet (power)

EQ = Equipotential screw

DO = Overflow drain pipe

