

**391220 (E9BANB00C0)**

Closed base - EVO900

Main Features

- Unit can be easily installed below other 900 line top models.
- Unit delivered with adjustable (50mm adaptable range) feet in AISI 304 stainless steel.

Construction

- Constructed in Stainless steel with Scotch Brite finish to meet the highest hygiene standards.

Optional Accessories


PNC Code	Description
Feet, wheels and ramps	
206136	Flanged feet kit
206210	4 feet for concrete installation (not for 900 line freestanding grill)
Kicking strips	
206146	Frontal kicking strip for concrete installation, 200 mm
206147	Frontal kicking strip for concrete installation, 400 mm
206148	Frontal kicking strip for concrete installation, 800 mm
206150	Frontal kicking strip for concrete installation, 1000 mm
206151	Frontal kicking strip for concrete installation, 1200 mm
206152	Frontal kicking strip for concrete installation, 1600 mm
206157	Pair of side kicking strips for concrete installation
206174	Frontal kicking strip, 200 mm
206175	Frontal kicking strip, 400 mm
206176	Frontal kicking strip, 800 mm
206177	Frontal kicking strip, 1000 mm
206178	Frontal kicking strip, 1200 mm
206179	Frontal kicking strip, 1600 mm
Panels	
216134	2 SIDE COVERING PANELS H=700 D=930-ELUX
Other accessories	
206335	2 side covering panels, height 700 mm, depth 900 mm

Technical specifications


Key Information:

External dimensions, Width:	200 mm
External dimensions, Depth:	900 mm
External dimensions, Height:	600 mm
Net weight:	14 kg

Front



Side



Top

