

**392002 (Z9GCGH4S00)**

4-burner (1x10 kW, 3x6 kW) gas boiling top

**Main Features**

- Flame failure device on each burner protects against gas leakage when accidental extinguishing of the flame occurs.
- Gas appliance supplied for use with natural or LPG gas, conversion jets supplied as standard.
- IPX5 water protection.
- Large sized pan support in cast iron (stainless steel as option) with long center fins to allow the use of the largest down to the smallest pans.
- Protected pilot light.
- The special design of the control knob system guarantees against water infiltration.
- Unit to be mounted on open base cupboards, bridging supports or cantilever systems.
- Burners with optimized combustion.
- The three 6 kW and one 10 kW high efficiency burners are available in two different sizes to suit high performing cooking requirements of the most demanding customers: - 60 mm burners with power regulation from 1,5 to 6 kW - 100 mm burners with power regulation from 2.2 kW to 10 kW
- Suitable for countertop installation.

**Construction**

- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.
- AISI 304 stainless steel worktop, 2mm thick.
- All exterior panels in Stainless Steel with Scotch Brite finishing.
- Pan supports in stainless steel.
- Unit is 900mm deep to give a larger working surface area.

## Optional Accessories

| PNC Code                              | Description                                                               |
|---------------------------------------|---------------------------------------------------------------------------|
| <b>Bridge supports</b>                |                                                                           |
| 206137                                | Support for bridge type installation, 800 mm                              |
| 206138                                | Support for bridge type installation, 1000 mm                             |
| 206139                                | Support for bridge type installation, 1200 mm                             |
| 206140                                | Support for bridge type installation, 1400 mm                             |
| 206141                                | Support for bridge type installation, 1600 mm                             |
| <b>Burner grids, plates, supports</b> |                                                                           |
| 206170                                | Single burner radiant plate for pan support                               |
| 206171                                | Single burner smooth plate for direct cooking - fits frontal burners only |
| 206172                                | Single burner ribbed plate for direct cooking - fits frontal burners only |
| 206298                                | Stainless steel grid for 2 burners                                        |
| 206363                                | Wok pan support for open burners (EVO700/900)                             |
| <b>Chimney upstands</b>               |                                                                           |
| 206132                                | Draught diverter, 150 mm diameter                                         |
| 206133                                | Matching ring for flue condenser, 150 mm diameter                         |
| 206246                                | Flue condenser for 1 module, 150 mm diameter                              |
| 206304                                | Chimney upstand, 800 mm                                                   |
| <b>Gas nozzles</b>                    |                                                                           |
| 206384                                | Kit town gas nozzles (G150) for EVO900 gas range                          |
| 206457                                | Kit G.25.3 (NI) gas nozzles for 900 top gas cookers                       |
| <b>Handrails</b>                      |                                                                           |
| 206165                                | Side handrail for right/left hand                                         |
| 206167                                | Frontal handrail 800 mm                                                   |
| 206186                                | Large handrail (portioning shelf) 800 mm                                  |
| 206191                                | Frontal handrail 1200 mm                                                  |
| 206192                                | Frontal handrail 1600 mm                                                  |
| 206308                                | Back handrail 800 mm                                                      |
| 206309                                | BACK HANDRAIL 1200 MM                                                     |
| <b>Installation solutions</b>         |                                                                           |
| 206086                                | Junction sealing kit                                                      |
| <b>Other accessories</b>              |                                                                           |
| 927225                                | Pressure regulator for gas units                                          |
| <b>Water taps</b>                     |                                                                           |
| 206289                                | Water column with swivel arm (water column extension not included)        |
| 206290                                | Water column extension                                                    |



Modular Cooking Range Line  
**EVO900 4-Burner Gas Boiling Top**

| PNC Code                 | Description                                         |
|--------------------------|-----------------------------------------------------|
| <b>Other accessories</b> |                                                     |
| 206321                   | 2 side covering panels, height 250 mm, depth 900 mm |

# Technical specifications


## Gas

|                        |                          |
|------------------------|--------------------------|
| Gas Power:             | 28 kW                    |
| Standard gas delivery: | Natural Gas G20 (20mbar) |
| Gas Type Option:       | LPG; Natural Gas         |
| Gas Inlet:             | 1/2"                     |


## Key Information:

|                              |            |
|------------------------------|------------|
| Net weight:                  | 79 kg      |
| Shipping weight (gross):     | 53 kg      |
| Shipping height:             | 530 mm     |
| Shipping width:              | 1010 mm    |
| Shipping depth:              | 860 mm     |
| Shipping volume:             | 0.46 m³    |
| Front Burners Power:         | 6 - 6 kW   |
| Back Burners Power:          | 10 - 6 kW  |
| Certification group:         | N9CG       |
| Back Burners Dimension - mm  | Ø 100 Ø 60 |
| Front Burners Dimension - mm | Ø 60 Ø 60  |


## Front



## Side



## Top



G = Gas connection

