

**372406 (Z7AANTAOMII)**

6-burner (5,5 kW each) gas boiling top, Q Mark

**Main Features**

- Burners to feature flame regulator.
- Flame failure device on each burner protects against gas leakage when accidental extinguishing of the flame occurs.
- Gas appliance supplied for use with natural or LPG gas, conversion jets supplied as standard.
- IPx4 water protection.
- Large sized pan support in cast iron (stainless steel as option) with long center fins to allow the use of the largest down to the smallest pans.
- Protected pilot light.
- The six 5.5 kW high efficiency flower flame burners allow the flame to adapt to different size pans.
- Unit to be mounted on open base cupboards, bridging supports or cantilever systems.
- Pan supports in cast iron are washable in a dishwasher.
- Suitable for countertop installation.

**Construction**

- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.
- One piece pressed 1.5 mm work top in Stainless steel.
- All exterior panels in Stainless Steel with Scotch Brite finishing.

## Optional Accessories

| PNC Code                              | Description                                                                      |
|---------------------------------------|----------------------------------------------------------------------------------|
| <b>Bridge supports</b>                |                                                                                  |
| 206139                                | Support for bridge type installation, 1200 mm                                    |
| 206140                                | Support for bridge type installation, 1400 mm                                    |
| 206141                                | Support for bridge type installation, 1600 mm                                    |
| <b>Burner grids, plates, supports</b> |                                                                                  |
| 206260                                | Single burner smooth plate for direct cooking - fits frontal burners only        |
| 206261                                | Single burner ribbed plate for direct cooking- fits frontal burners only         |
| 206264                                | Single burner radiant plate for pan support                                      |
| 206297                                | Stainless steel grid for 2 burners                                               |
| 206363                                | Wok pan support for open burners (EVO700/900)                                    |
| <b>Chimney upstands</b>               |                                                                                  |
| 206306                                | Chimney upstand, 1200 mm                                                         |
| <b>Gas nozzles</b>                    |                                                                                  |
| 206387                                | Kit town gas nozzles (G150) for EVO700 gas range                                 |
| 206460                                | Kit G.25.3 (NI) gas nozzles for 700 top and - freestanding on oven - gas cookers |
| <b>Handrails</b>                      |                                                                                  |
| 206191                                | Frontal handrail 1200 mm                                                         |
| 206192                                | Frontal handrail 1600 mm                                                         |
| 206240                                | Right and left side handrails                                                    |
| <b>Installation solutions</b>         |                                                                                  |
| 206086                                | Junction sealing kit                                                             |
| <b>Other accessories</b>              |                                                                                  |
| 927225                                | Pressure regulator for gas units                                                 |
| <b>Panels</b>                         |                                                                                  |
| 206320                                | 2 side covering panels, height 250 mm, depth 700 mm                              |
| <b>Water taps</b>                     |                                                                                  |
| 206289                                | Water column with swivel arm (water column extension not included)               |
| 206291                                | Water column extension                                                           |



Modular Cooking Range Line  
**EVO700 6-Burner Gas Boiling Top (Q Mark)**

**Recommended Detergents**

| PNC Code | Description                                                                   |
|----------|-------------------------------------------------------------------------------|
| 0S2292   | C41 HI-TEMP RAPID DEGREASER 6pcx1L+1 trigger                                  |
| 0S2881   | S01 STAINLESS STEEL SURFACE POLISHER; 6 BOTTLES X 750ML C/T                   |
| 0S2882   | S02 DEGREASER 6pzx750ml - ADR&IMDG Limited Quantity                           |
| 0S2883   | S03 ALCOHOL BASE DETERGENT; 6 BOTTLES X 750ML; ADR&IMDG&IATA Limited Quantity |
| 0S2884   | S04 GLASSES & HARD SURFACES CLEANERS; 6 BOTTLES X 750ML                       |
| 0S3257   | S05 - MULTIPURPOSE DEGREASER; 6PCS X 750ML; ADR&IMDG Limited Quantity         |

# Technical specifications


## Gas

|                        |               |
|------------------------|---------------|
| Gas Power:             | 33 kW         |
| Standard gas delivery: | G30 – 50 mbar |
| Gas Type Option:       | G31 37 mbar   |
| Gas Inlet:             | 1/2"          |


## Key Information:

|                               |                    |
|-------------------------------|--------------------|
| Net weight:                   | 55 kg              |
| Shipping weight (gross):      | 67 kg              |
| Shipping height:              | 520 mm             |
| Shipping width:               | 820 mm             |
| Shipping depth:               | 1300 mm            |
| Shipping volume:              | 0.55 m³            |
| Front Burners Power:          | 5.5 - 5.5 kW       |
| Back Burners Power:           | 5.5 - 5.5 kW       |
| Middle Burners Power:         | 5.5 - 0/5.5 - 0 kW |
| Certification group:          | N7CG               |
| Back Burners Dimension - mm   | Ø 60 Ø 60          |
| Front Burners Dimension - mm  | Ø 60 Ø 60          |
| Middle Burners Dimension - mm | Ø 60 Ø 60          |


## Front



## Side



## Top



G = Gas connection