

**372439 (Z700BTBAMCI)**

24,5-lt gas pasta cooker with 1 well, Q Mark

**Main Features**

- 24.5 liters water basin.
- All major compartments located in front of unit for ease of maintenance.
- Provided with integrated drip zone on which baskets can be placed for draining purposes.
- High efficiency 10.5 kW burners in stainless steel with flame failure device and optimized combustion, located below the well.
- In addition to cooking pasta, the appliance can be used for noodles of every kind, rice, dumplings and vegetables.
- Unit delivered with four 50 mm legs in stainless steel as standard (all round Stainless steel kick plates as option).
- Unit to feature skimming zone for starch removal: improved water quality over time.
- Water basin in 316 type Stainless steel.
- No electrical connection needed.
- Easy-to-use control panel with gas cock and piezo ignition.
- Safety thermostat to avoid operation without water.
- Continuous water filling regulated through a manual water tap.
- Large drain with manual ball-valve for fast emptying of well.
- **Automatic lifting system** (optional accessory): 200mm wide unit with two stainless steel basket supports, holding one GN 1/2 basket each, to be placed on either or both sides of machine to provide automatic lifting for four small portion baskets (to be ordered separately). Possibility to memorize nine cooking times through digital control.

**Construction**

- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.
- One piece pressed 1.5 mm work top in Stainless steel.
- IPx4 water protection.
- All exterior panels in Stainless Steel with Scotch Brite finishing.
- Water basin is seamlessly welded into the top of the appliance.

## Sustainability

- **EnergyControl**: unique feature for fine power adjustment to control boiling level and optimize energy consumption.
- [b]ESD[/b] available as accessory (installed separately): energy saving device uses heat produced by water drained through the overflow to pre-heat tap-in water up to 60°C, for constant water boiling.

## Included Accessories

| PNC Code | Description                 | Quantity |
|----------|-----------------------------|----------|
| 206342   | Door for open base cupboard | 1        |

## Optional Accessories

| PNC Code | Description |
|----------|-------------|
|----------|-------------|

### Bases & base accessories

|        |                             |
|--------|-----------------------------|
| 206342 | Door for open base cupboard |
|--------|-----------------------------|

### Baskets

|        |                                                                        |
|--------|------------------------------------------------------------------------|
| 206396 | Frame for 2 pasta cooker baster (700)                                  |
| 921020 | 2 baskets, left and right (105x160x240) for pasta cookers - EVO700     |
| 921021 | 2 baskets, left and right (105x105x240) for pasta cookers - EVO700     |
| 921022 | False bottom (230x350x60) for pasta cooker baskets - EVO700            |
| 921610 | 2 half size baskets (220x170x240) for 24,5lt pasta cookers - EVO700    |
| 921611 | Full size basket (220x350x240) for pasta cookers                       |
| 921619 | 2 half size baskets 105x350 for pasta cookers for 24,5lt pasta cookers |

### Chimney upstands

|        |                                                        |
|--------|--------------------------------------------------------|
| 206126 | Draught diverter, 120 mm diameter                      |
| 206127 | Matching ring for flue condenser, 120 -130 mm diameter |
| 206303 | Chimney upstand, 400 mm                                |
| 206310 | Flue condenser for 1/2 module, 120 mm diameter         |
| 206400 | Chimney grid net, 400mm                                |

### Feet, wheels and ramps

|        |                                                                                                                |
|--------|----------------------------------------------------------------------------------------------------------------|
| 206135 | 4 wheels, 2 swivelling with brake (EVO700/900). It is mandatory to install with base supports for feet/wheels. |
| 206136 | Flanged feet kit                                                                                               |
| 206210 | 4 feet for concrete installation (not for 900 line freestanding grill)                                         |
| 206366 | Base support for feet or wheels - 400mm (EVO700/900)                                                           |
| 206367 | Base support for feet or wheels - 800mm (EVO700/900)                                                           |
| 206368 | Base support for feet or wheels - 1200mm (EVO700/EVO900)                                                       |
| 206369 | Base support for feet or wheels - 1600mm (EVO700/900)                                                          |
| 206431 | Base support for feet/wheels (600mm)                                                                           |

### Gas nozzles

|        |                                                           |
|--------|-----------------------------------------------------------|
| 206465 | Kit G.25.3 (NI) gas nozzles for 700 and 900 pasta cookers |
|--------|-----------------------------------------------------------|

| PNC Code                      | Description                                                                      |
|-------------------------------|----------------------------------------------------------------------------------|
| <b>Handrails</b>              |                                                                                  |
| 206166                        | Frontal handrail 400 mm                                                          |
| 206167                        | Frontal handrail 800 mm                                                          |
| 206185                        | Large handrail (portioning shelf) 400 mm                                         |
| 206186                        | Large handrail (portioning shelf) 800 mm                                         |
| 206191                        | Frontal handrail 1200 mm                                                         |
| 206192                        | Frontal handrail 1600 mm                                                         |
| 206240                        | Right and left side handrails                                                    |
| 206308                        | Back handrail 800 mm                                                             |
| <b>Installation solutions</b> |                                                                                  |
| 206086                        | Junction sealing kit                                                             |
| <b>Kicking strips</b>         |                                                                                  |
| 206147                        | Frontal kicking strip for concrete installation, 400 mm                          |
| 206148                        | Frontal kicking strip for concrete installation, 800 mm                          |
| 206150                        | Frontal kicking strip for concrete installation, 1000 mm                         |
| 206151                        | Frontal kicking strip for concrete installation, 1200 mm                         |
| 206152                        | Frontal kicking strip for concrete installation, 1600 mm                         |
| 206175                        | Frontal kicking strip, 400 mm                                                    |
| 206176                        | Frontal kicking strip, 800 mm                                                    |
| 206177                        | Frontal kicking strip, 1000 mm                                                   |
| 206178                        | Frontal kicking strip, 1200 mm                                                   |
| 206179                        | Frontal kicking strip, 1600 mm                                                   |
| 206249                        | Pair of side kicking strips                                                      |
| 206265                        | Pair of side kicking strips (concrete installation)                              |
| <b>Lids</b>                   |                                                                                  |
| 921607                        | Lid for 24,5lt pasta cookers                                                     |
| <b>Other accessories</b>      |                                                                                  |
| 206344                        | Energy saving device for pasta cookers                                           |
| 927225                        | Pressure regulator for gas units                                                 |
| <b>Panels</b>                 |                                                                                  |
| 206373                        | Rear paneling - 600mm (EVO700/900)                                               |
| 206374                        | Rear paneling - 800mm (EVO700/900)                                               |
| 206375                        | Rear paneling - 1000mm (EVO700/900)                                              |
| 206376                        | Rear paneling - 1200mm (EVO700/900)                                              |
| <b>Other accessories</b>      |                                                                                  |
| 206319                        | 2 side covering panels, height 700 mm, depth 700 mm                              |
| 206354                        | Automatic programmable basket lifting system for 24.5lt pasta cookers, 2 lifters |

## Recommended Detergents

| PNC Code | Description                                                                   |
|----------|-------------------------------------------------------------------------------|
| 0S2292   | C41 HI-TEMP RAPID DEGREASER 6pcx1L+1 trigger                                  |
| 0S2881   | S01 STAINLESS STEEL SURFACE POLISHER; 6 BOTTLES X 750ML C/T                   |
| 0S2882   | S02 DEGREASER 6pzx750ml - ADR&IMDG Limited Quantity                           |
| 0S2883   | S03 ALCOHOL BASE DETERGENT; 6 BOTTLES X 750ML; ADR&IMDG&IATA Limited Quantity |
| 0S2884   | S04 GLASSES & HARD SURFACES CLEANERS; 6 BOTTLES X 750ML                       |
| 0S3257   | S05 - MULTIPURPOSE DEGREASER; 6PCS X 750ML; ADR&IMDG Limited Quantity         |

# Technical specifications

## Gas

|                        |               |
|------------------------|---------------|
| Gas Power:             | 11.5 kW       |
| Standard gas delivery: | G30 – 50 mbar |
| Gas Type Option:       | G31 37 mbar   |
| Gas Inlet:             | 1/2"          |


## Water:

|                                    |      |
|------------------------------------|------|
| Drain "D":                         | 1"   |
| Incoming Cold/hot Water line size: | 1/2" |


## Key Information:

|                                  |             |
|----------------------------------|-------------|
| Usable well dimensions (width):  | 250 mm      |
| Usable well dimensions (height): | 300 mm      |
| Usable well dimensions (depth):  | 400 mm      |
| Well Capacity (MAX):             | 24.5 lt MAX |
| Net weight:                      | 50 kg       |
| Shipping weight (gross):         | 46 kg       |
| Shipping height:                 | 1130 mm     |
| Shipping width:                  | 460 mm      |
| Shipping depth:                  | 820 mm      |
| Shipping volume:                 | 0.43 m³     |
| Certification group:             | N7ECPG      |


Front



Side



Top



D = Drain  
G = Gas connection  
EQ = Equipotential screw  
DO = Overflow drain pipe