

**372407 (Z7AANTBGMII)**

6-burner (5,5 kW each) gas range on electric oven (6 kW) and cupboard base, Q Mark

**Main Features**

- Burners to feature flame regulator.
- Cupboard compartment for storage of pots, pans, sheet pans etc.
- Double skinned door with pressed internal panel for heat insulation.
- Flame failure device on each burner protects against gas leakage when accidental extinguishing of the flame occurs.
- Gas appliance supplied for use with natural or LPG gas, conversion jets supplied as standard.
- IPx4 water protection.
- Large sized pan support in cast iron (stainless steel as option) with long center fins to allow the use of the largest down to the smallest pans.
- Oven thermostat adjustable from 140 °C to 300 °C.
- Protected pilot light.
- Ribbed oven base plate.
- The six 5.5 kW high efficiency flower flame burners allow the flame to adapt to different size pans.
- Unit to have stainless steel feet with height adjustment up to 50 mm.
- Pan supports in cast iron are washable in a dishwasher.
- Base compartment consists of an electric standard oven positioned beneath the base plate. Stainless steel oven chamber to have 3 levels of runners to accommodate 2/1 GN shelves (2 steam pans) and ribbed enamelled steel base plate.

**Construction**

- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.
- One piece pressed 1.5 mm work top in Stainless steel.
- All exterior panels in Stainless Steel with Scotch Brite finishing.

**Included Accessories**

| PNC Code | Description                       | Quantity |
|----------|-----------------------------------|----------|
| 164250   | GN2/1 chrome grid for static oven | 1        |
| 206342   | Door for open base cupboard       | 1        |

### Optional Accessories

| PNC Code                              | Description                                                                                                                                    |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Bases &amp; base accessories</b>   |                                                                                                                                                |
| 206244                                | 2 supports with side runners for 4 GN 1/1 containers for open base cupboards (multifunctional cookers, solid top and gas ranges with cupboard) |
| 206259                                | Electric heating kit for cupboards                                                                                                             |
| 206342                                | Door for open base cupboard                                                                                                                    |
| <b>Burner grids, plates, supports</b> |                                                                                                                                                |
| 206260                                | Single burner smooth plate for direct cooking - fits frontal burners only                                                                      |
| 206261                                | Single burner ribbed plate for direct cooking- fits frontal burners only                                                                       |
| 206264                                | Single burner radiant plate for pan support                                                                                                    |
| 206297                                | Stainless steel grid for 2 burners                                                                                                             |
| 206363                                | Wok pan support for open burners (EVO700/900)                                                                                                  |
| <b>Chimney upstands</b>               |                                                                                                                                                |
| 206132                                | Draught diverter, 150 mm diameter                                                                                                              |
| 206133                                | Matching ring for flue condenser, 150 mm diameter                                                                                              |
| 206246                                | Flue condenser for 1 module, 150 mm diameter                                                                                                   |
| 206306                                | Chimney upstand, 1200 mm                                                                                                                       |
| <b>Containers, trays and grids</b>    |                                                                                                                                                |
| 164250                                | GN2/1 chrome grid for static oven                                                                                                              |
| <b>Feet, wheels and ramps</b>         |                                                                                                                                                |
| 206135                                | 4 wheels, 2 swivelling with brake (EVO700/900). It is mandatory to install with base supports for feet/wheels.                                 |
| 206136                                | Flanged feet kit                                                                                                                               |
| 206210                                | 4 feet for concrete installation (not for 900 line freestanding grill)                                                                         |
| 206368                                | Base support for feet or wheels - 1200mm (EVO700/EVO900)                                                                                       |
| 206369                                | Base support for feet or wheels - 1600mm (EVO700/900)                                                                                          |
| <b>Gas nozzles</b>                    |                                                                                                                                                |
| 206387                                | Kit town gas nozzles (G150) for EVO700 gas range                                                                                               |
| 206460                                | Kit G.25.3 (NI) gas nozzles for 700 top and - freestanding on oven - gas cookers                                                               |
| <b>Handrails</b>                      |                                                                                                                                                |
| 206191                                | Frontal handrail 1200 mm                                                                                                                       |
| 206192                                | Frontal handrail 1600 mm                                                                                                                       |
| 206240                                | Right and left side handrails                                                                                                                  |
| <b>Installation solutions</b>         |                                                                                                                                                |
| 206086                                | Junction sealing kit                                                                                                                           |

| PNC Code                 | Description                                                        |
|--------------------------|--------------------------------------------------------------------|
| <b>Kicking strips</b>    |                                                                    |
| 206151                   | Frontal kicking strip for concrete installation, 1200 mm           |
| 206152                   | Frontal kicking strip for concrete installation, 1600 mm           |
| 206178                   | Frontal kicking strip, 1200 mm                                     |
| 206179                   | Frontal kicking strip, 1600 mm                                     |
| 206249                   | Pair of side kicking strips                                        |
| 206265                   | Pair of side kicking strips (concrete installation)                |
| <b>Panels</b>            |                                                                    |
| 206376                   | Rear paneling - 1200mm (EVO700/900)                                |
| <b>Water taps</b>        |                                                                    |
| 206289                   | Water column with swivel arm (water column extension not included) |
| 206291                   | Water column extension                                             |
| <b>Other accessories</b> |                                                                    |
| 206319                   | 2 side covering panels, height 700 mm, depth 700 mm                |
| 206360                   | 2 drawers for open base, height 100 mm                             |

## Recommended Detergents

| PNC Code | Description                                                                   |
|----------|-------------------------------------------------------------------------------|
| 0S2292   | C41 HI-TEMP RAPID DEGREASER 6pcx1L+1 trigger                                  |
| 0S2881   | S01 STAINLESS STEEL SURFACE POLISHER; 6 BOTTLES X 750ML C/T                   |
| 0S2882   | S02 DEGREASER 6pzx750ml - ADR&IMDG Limited Quantity                           |
| 0S2883   | S03 ALCOHOL BASE DETERGENT; 6 BOTTLES X 750ML; ADR&IMDG&IATA Limited Quantity |
| 0S2884   | S04 GLASSES & HARD SURFACES CLEANERS; 6 BOTTLES X 750ML                       |
| 0S3257   | S05 - MULTIPURPOSE DEGREASER; 6PCS X 750ML; ADR&IMDG Limited Quantity         |

# Technical specifications

## Electric

|                  |                                |
|------------------|--------------------------------|
| Supply voltage:  | 380-400 V/3N ph/50/60 Hz       |
| Total Watts:     | 6 kW                           |
| Predisposed for: | 380-400V 3N~ 50/60 Hz 5,4-6 kW |


## Gas

|                        |               |
|------------------------|---------------|
| Gas Power:             | 33 kW         |
| Standard gas delivery: | G30 – 50 mbar |
| Gas Type Option:       | G31 37 mbar   |
| Gas Inlet:             | 1/2"          |


## Key Information:

|                                     |                        |
|-------------------------------------|------------------------|
| Oven Heat Input:                    | 6 kW                   |
| Oven working Temperature:           | 140 °C MIN; 300 °C MAX |
| Oven Cavity Dimensions (width):     | 540 mm                 |
| Oven Cavity Dimensions (height):    | 300 mm                 |
| Oven Cavity Dimensions (depth):     | 650 mm                 |
| Storage Cavity Dimensions (width):  | 330 mm                 |
| Storage Cavity Dimensions (height): | 380 mm                 |
| Storage Cavity Dimensions (depth):  | 640 mm                 |
| Net weight:                         | 120 kg                 |
| Shipping weight (gross):            | 135 kg                 |
| Shipping height:                    | 1090 mm                |
| Shipping width:                     | 820 mm                 |
| Shipping depth:                     | 1300 mm                |
| Shipping volume:                    | 1.16 m³                |
| Front Burners Power:                | 5.5 - 5.5 kW           |
| Back Burners Power:                 | 5.5 - 5.5 kW           |
| Middle Burners Power:               | 5.5 - 0/5.5 - 0 kW     |
| Certification group:                | N7CG                   |
| Back Burners Dimension - mm         | Ø 60 Ø 60              |
| Front Burners Dimension - mm        | Ø 60 Ø 60              |
| Middle Burners Dimension - mm       | Ø 60 Ø 60              |


## Front



## Side



## Top



G = Gas connection  
EI = Electrical inlet (power)