

**133069 (TLV1810PN)**

Vegetables processing/washing table with 2 bowls, 1 polythene cutting board, scraping hole and upstand, 1600mm

Main Features

- Sturdiness, stability and reliability of table accurately tested.

Construction

- Table can be equipped with a set of castors as an alternative to the feet.
- Delivered in knock-down package.
- Single-pressed bowl AISI 304 stainless steel bowl with overflow pipe and drain hole.
- Wide range of taps are available to suit every need.
- Round section legs with feet in 304 AISI stainless steel, 50 mm in diameter, adjustable in height by +0/-40 mm.
- 100 mm upstand with 10 mm radiused corner and 13 mm deep, designed to be used against a wall.
- Table can be equipped with a mobile bin with lid for waste disposal (optional accessory).
- Upstand back completely covered with Stainless Steel welded profile.
- Heavy duty construction entirely in AISI 304 stainless steel to offer maximum durability.

Optional Accessories

PNC Code	Description
Feet, wheels and ramps	
855288	Set of 4 wheels (2 with brake) d. 100mm for cupboards
Installation solutions	
855292	3-sided underframe for 1600mm tables
865386	Floor fastening kit for 2 square legs
Shelves	
855284	Lower shelf for 1600mm for units
Sink units and mixing taps	
855322	Elbow operated mixer tap with spout, 3/4" single hole
855323	Elbow operated mixer tap short spout, 3/4" single hole
855328	Foot operated Mixer tap with spout & with hot&cold pedals, 3/4"

Recommended Detergents


PNC Code	Description
0S2881	S01 STAINLESS STEEL SURFACE POLISHER; 6 BOTTLES X 750ML C/T
0S2883	S03 ALCOHOL BASE DETERGENT; 6 BOTTLES X 750ML; ADR&IMDG&IATA Limited Quantity
0S2884	S04 GLASSES & HARD SURFACES CLEANERS; 6 BOTTLES X 750ML
0S3257	S05 - MULTIPURPOSE DEGREASER; 6PCS X 750ML; ADR&IMDG Limited Quantity

Technical specifications


Key Information:

External dimensions, Width:	1600 mm
External dimensions, Depth:	700 mm
External dimensions, Height:	1000 mm
Upstand Dimensions, Height:	100 mm
Upstand Dimensions, Depth:	13 mm
Upstand Dimensions, Radius:	R=10
Worktop thickness:	50 mm
Net weight:	60 kg

Front



Side



Top

