

**132816 (VLP1802SPN)**

Soaking sink unit with 2 bowls (800x510x340mm), 1800mm

Main Features

- Sturdiness, stability and reliability of table accurately tested.

Construction

- Sink tops easily slotted onto the legs and taps are easily installed from the rear.
- Square section legs and 40 mm height-adjustable feet in 304 AISI stainless steel.
- 50 mm worktop in 304 AISI stainless steel, 10/10 in thickness with overflow rim along the top.
- Bowl with rounded internal corners supplied as standard with an overflow pipe with filter and a drain hole. Bowl base inclined towards the drain outlet.
- Wide range of taps are available to suit every need.
- 100 mm upstand with 10 mm radiused corner and 13 mm deep, designed to be used against a wall.
- Pan washing support to use inside the bowl is available as an accessory.

Optional Accessories

PNC Code	Description
Bowls	
895107	Pan washing support for soaking sinks
Feet, wheels and ramps	
855150	Set of 4 wheels (2 with brake) d. 100mm for tables and sinks (total height on wheels= 993 mm)
Installation solutions	
855155	3-sided underframe for 1800mm tables
865386	Floor fastening kit for 2 square legs
Shelves	
855148	Lower shelf for 1800mm tables and sinks

PNC Code	Description
Sink units and mixing taps	
850022	Double plastic drain syphon 2"
855322	Elbow operated mixer tap with spout, 3/4" single hole
855323	Elbow operated mixer tap short spout, 3/4" single hole
855328	Foot operated Mixer tap with spout & with hot&cold pedals, 3/4"
855374	Elbow operated mixer tap with spout, 3/4" single hole
855375	Elbow operated mixer tap with short spout, 3/4" single hole
855382	Single hole deck mounted mixing temperature monoblock faucet
855383	Single hole deck mounted extra robust pot filling mixing temperature faucet
855384	Single hole deck mounted mixing temperature faucet with short spout
855385	Single hole deck mounted mixing temperature pre-rinse unit
855386	Single hole deck mounted elbow operated mixing temperature faucet with pre-rinse unit
855387	Single hole deck mounted riser add-on mixing temperature faucet with pre-rinse unit
855388	Single hole deck mounted elbow operated mixing temperature faucet with short pre-rinse unit
855389	Single hole deck mounted riser add-on mixing temperature faucet with pre-rinse unit
855390	Single hole deck mounted mixing temperature faucet with pre-rinse unit
895313	Single plastic drain syphon 2" for sinks

Recommended Detergents


PNC Code	Description
0S2881	S01 STAINLESS STEEL SURFACE POLISHER; 6 BOTTLES X 750ML C/T
0S2883	S03 ALCOHOL BASE DETERGENT; 6 BOTTLES X 750ML; ADR&IMDG&IATA Limited Quantity
0S2884	S04 GLASSES & HARD SURFACES CLEANERS; 6 BOTTLES X 750ML
0S3257	S05 - MULTIPURPOSE DEGREASER; 6PCS X 750ML; ADR&IMDG Limited Quantity

Technical specifications


Key Information:

External dimensions, Width:	1800 mm
External dimensions, Depth:	700 mm
External dimensions, Height:	1000 mm
Upstand Dimensions, Height:	100 mm
Upstand Dimensions, Depth:	13 mm
Upstand Dimensions, Radius:	R=10
Bowls number	2
Bowl dimensions	800x500xH350
Worktop thickness:	50 mm
Net weight:	72 kg


Front



Side



Top



D = Drain

DO = Overflow drain pipe