

**133061 (TL1410DXEN)**

Work table with right-hand bowl, upstand and worktop, 1400mm

Main Features

- The table can be ordered with the drawer of 400 mm or 600 mm (optional accessory): thanks to the design of the drawer, additional drawers can be added to the first single drawer to create chest of 2, 3 or 4 drawers based on customer's needs.
- Sturdiness, stability and reliability of table accurately tested.

Construction

- Delivered in knock-down package.
- Single-pressed bowl AISI 304 stainless steel bowl with overflow pipe and drain hole.
- Wide range of taps are available to suit every need.
- Worktop with 50 mm high profile, in s/s Scotch Brite finishing, 15/10 in thickness with anti-drip edges and welded corners.
- Round section legs with feet in 304 AISI stainless steel, 50 mm in diameter, adjustable in height by +0/-40 mm.
- 100 mm upstand with 10 mm radiused corner and 13 mm deep, designed to be used against a wall.
- Upstand back completely covered with Stainless Steel welded profile.
- Heavy duty construction entirely in AISI 304 stainless steel to offer maximum durability.

Optional Accessories

PNC Code	Description
Doors and drawers	
855280	Single drawer GN 1/1, 400mm
855281	Single drawer, 600mm
855295	Additional drawer, 600mm (to set up a chest of 2, 3, 4 drawers)
855298	Additional drawer GN 1/1, 400mm (to set up a chest of 2, 3, 4 drawers)
Feet, wheels and ramps	
855288	Set of 4 wheels (2 with brake) d. 100mm for cupboards
Installation solutions	
855291	3-sided underframe for 1400mm tables
865386	Floor fastening kit for 2 square legs
Shelves	
855283	Lower shelf for 1400mm for units
Sink units and mixing taps	
855306	Single plastic drain syphon 1,5"
855322	Elbow operated mixer tap with spout, 3/4" single hole
855323	Elbow operated mixer tap short spout, 3/4" single hole
855328	Foot operated Mixer tap with spout & with hot&cold pedals, 3/4"
855374	Elbow operated mixer tap with spout, 3/4" single hole
855375	Elbow operated mixer tap with short spout, 3/4" single hole
855382	Single hole deck mounted mixing temperature monoblock faucet
855383	Single hole deck mounted extra robust pot filling mixing temperature faucet
855384	Single hole deck mounted mixing temperature faucet with short spout
855385	Single hole deck mounted mixing temperature pre-rinse unit
855386	Single hole deck mounted elbow operated mixing temperature faucet with pre-rinse unit
855387	Single hole deck mounted riser add-on mixing temperature faucet with pre-rinse unit
855388	Single hole deck mounted elbow operated mixing temperature faucet with short pre-rinse unit
855389	Single hole deck mounted riser add-on mixing temperature faucet with pre-rinse unit
855390	Single hole deck mounted mixing temperature faucet with pre-rinse unit
895313	Single plastic drain syphon 2" for sinks

Recommended Detergents


PNC Code	Description
0S2881	S01 STAINLESS STEEL SURFACE POLISHER; 6 BOTTLES X 750ML C/T
0S2883	S03 ALCOHOL BASE DETERGENT; 6 BOTTLES X 750ML; ADR&IMDG&IATA Limited Quantity
0S2884	S04 GLASSES & HARD SURFACES CLEANERS; 6 BOTTLES X 750ML
0S3257	S05 - MULTIPURPOSE DEGREASER; 6PCS X 750ML; ADR&IMDG Limited Quantity

Technical specifications


Key Information:

External dimensions, Width:	1400 mm
External dimensions, Depth:	700 mm
External dimensions, Height:	900 mm
Upstand Dimensions, Height:	100 mm
Upstand Dimensions, Depth:	13 mm
Upstand Dimensions, Radius:	R=10
Bowls number	1
Bowl dimensions	400x400xH250
Worktop thickness:	50 mm
Net weight:	45 kg


Front



Side



Top



D = Drain