

**133249 (MLA1416DXPN)**

Cupboard sink with 1 bowl 600x500mm, right hand drainer and 2 sliding doors, 1400mm

Main Features

- Ideal for central positioning in the kitchen, either as island installation or back to back.

Construction

- Heavy duty Stainless steel construction.
- 100 mm upstand with 8 mm radiused corner and 13 mm deep, designed to be used against a wall.
- 50 mm worktop in 304 AISI stainless steel with upturned edges, incorporates an 18 mm layer of sound deadening material.
- Reinforced side and base panel in 304 AISI stainless steel.
- 304 AISI stainless steel feet, 200 mm high and 54 mm in diameter, adjustable by -50/+30 mm.
- Inner welded frame in stainless steel to guarantee superior strength and stability.
- Equipped with intermediate shelf which can be positioned at three different heights.
- Sturdy sound-deadened sliding doors on tracks located flush to the front of the frame.
- Easy access to the cupboard interior on all lengths guaranteed by the use of only 2 doors.
- Sink bowl in 304 AISI stainless steel, supplied with overflow drain pipe and drain hole.
- Drainage area suitable for drying operations

Optional Accessories

PNC Code	Description
Filters	
895130	Overflow filter for bowl (H=180 mm)
895131	Overflow filter for bowl (H=230 mm)
895132	Overflow filter for bowl (H=330 mm)
Sink units and mixing taps	
855322	Elbow operated mixer tap with spout, 3/4" single hole
855374	Elbow operated mixer tap with spout, 3/4" single hole
855375	Elbow operated mixer tap with short spout, 3/4" single hole
855382	Single hole deck mounted mixing temperature monoblock faucet
855383	Single hole deck mounted extra robust pot filling mixing temperature faucet
855384	Single hole deck mounted mixing temperature faucet with short spout
855385	Single hole deck mounted mixing temperature pre-rinse unit
855386	Single hole deck mounted elbow operated mixing temperature faucet with pre-rinse unit
855387	Single hole deck mounted riser add-on mixing temperature faucet with pre-rinse unit
855388	Single hole deck mounted elbow operated mixing temperature faucet with short pre-rinse unit
855389	Single hole deck mounted riser add-on mixing temperature faucet with pre-rinse unit
855390	Single hole deck mounted mixing temperature faucet with pre-rinse unit
895100	False bottom for right hand 600x500mm bowl
895313	Single plastic drain syphon 2" for sinks

Recommended Detergents


PNC Code	Description
0S2881	S01 STAINLESS STEEL SURFACE POLISHER; 6 BOTTLES X 750ML C/T
0S2883	S03 ALCOHOL BASE DETERGENT; 6 BOTTLES X 750ML; ADR&IMDG&IATA Limited Quantity
0S2884	S04 GLASSES & HARD SURFACES CLEANERS; 6 BOTTLES X 750ML
0S3257	S05 - MULTIPURPOSE DEGREASER; 6PCS X 750ML; ADR&IMDG Limited Quantity

Technical specifications


Key Information:

Cabinet width:	1310 mm
Cabinet depth:	645 mm
Cabinet height:	330 mm
External dimensions, Width:	1400 mm
External dimensions, Depth:	700 mm
External dimensions, Height:	1000 mm
Upstand Dimensions, Height:	100 mm
Upstand Dimensions, Depth:	13 mm
Upstand Dimensions, Radius:	R=8
Bowls number	1
Bowl dimensions	600x500xH300
Number and type of doors:	2 Sliding
Worktop thickness:	50 mm
Net weight:	60 kg
Drain:	
Drainer position:	Right


Front



Side



Top



D = Drain

DO = Overflow drain pipe