

**133248 (LG2426N)**

Sink unit with 2 bowls 600x500mm and 2 drainers, 2400mm

Construction

- Sink tops easily slotted onto the legs and taps are easily installed from the rear.
- Square section legs and 40 mm height-adjustable feet in 304 AISI stainless steel.
- 100 mm upstand with 8 mm radiused corner and 13 mm deep, designed to be used against a wall.
- 50 mm worktop in 304 AISI stainless steel, 10/10 in thickness with overflow rim along the top.
- Accessories available on request: lower shelf, tap unit, false bowl bottom, overflow filter, single or double syphons.
- Sink bowl in 304 AISI stainless steel, supplied with overflow drain pipe and drain hole.

Optional Accessories

PNC Code	Description
Filters	
895130	Overflow filter for bowl (H=180 mm)
895131	Overflow filter for bowl (H=230 mm)
895132	Overflow filter for bowl (H=330 mm)
Installation solutions	
865386	Floor fastening kit for 2 square legs
Sink units and mixing taps	
850022	Double plastic drain syphon 2"
855322	Elbow operated mixer tap with spout, 3/4" single hole
855374	Elbow operated mixer tap with spout, 3/4" single hole
855375	Elbow operated mixer tap with short spout, 3/4" single hole
855382	Single hole deck mounted mixing temperature monoblock faucet
855383	Single hole deck mounted extra robust pot filling mixing temperature faucet
855384	Single hole deck mounted mixing temperature faucet with short spout
855385	Single hole deck mounted mixing temperature pre-rinse unit
855386	Single hole deck mounted elbow operated mixing temperature faucet with pre-rinse unit
855387	Single hole deck mounted riser add-on mixing temperature faucet with pre-rinse unit
855388	Single hole deck mounted elbow operated mixing temperature faucet with short pre-rinse unit
855389	Single hole deck mounted riser add-on mixing temperature faucet with pre-rinse unit
855390	Single hole deck mounted mixing temperature faucet with pre-rinse unit
895100	False bottom for right hand 600x500mm bowl
895200	False bottom for right and left hand 500x500 mm bowl
895313	Single plastic drain syphon 2" for sinks

Recommended Detergents


PNC Code	Description
0S2881	S01 STAINLESS STEEL SURFACE POLISHER; 6 BOTTLES X 750ML C/T
0S2883	S03 ALCOHOL BASE DETERGENT; 6 BOTTLES X 750ML; ADR&IMDG&IATA Limited Quantity
0S2884	S04 GLASSES & HARD SURFACES CLEANERS; 6 BOTTLES X 750ML
0S3257	S05 - MULTIPURPOSE DEGREASER; 6PCS X 750ML; ADR&IMDG Limited Quantity

Technical specifications


Key Information:

External dimensions, Width:	2400 mm
External dimensions, Depth:	700 mm
External dimensions, Height:	1000 mm
Upstand Dimensions, Height:	100 mm
Upstand Dimensions, Depth:	13 mm
Upstand Dimensions, Radius:	R=8
Bowls number	2
Bowl dimensions	600x500xH300
Worktop thickness:	50 mm
Net weight:	70 kg


Front



Side



Top



D = Drain

DO = Overflow drain pipe