

**133239 (TG2600UN)**

Work table with 100mm upstand and underframe, 2600 mm

**Construction**

- 50 mm worktop in 304 AISI stainless steel, 10/10 in thickness with upturned edges and reinforced waterproof underpanel, incorporates a layer of sound deadening materials.
- 400 or 600 mm wide single drawer, chest of 4 drawers, lower shelf, three-sided underframe and set of castors as alternative to the feet, can be fitted as optional on all work tables.
- 40 mm-thick lower shelf (available as optional accessory on some models) slots easily into place at a height of 200 mm from the floor. Lower shelf is compulsory to install the chest of drawers.
- Square section legs and 40 mm height-adjustable feet in 304 AISI stainless steel.
- Table top slots into legs without using screws to facilitate installation.
- 100 mm upstand with 8 mm radiused corner and 13 mm deep, designed to be used against a wall.
- Provided with three-sided underframe as standard accessory.

**Optional Accessories**

| PNC Code                      | Description                                                                                   |
|-------------------------------|-----------------------------------------------------------------------------------------------|
| <b>Doors and drawers</b>      |                                                                                               |
| 855280                        | Single drawer GN 1/1, 400mm                                                                   |
| 855281                        | Single drawer, 600mm                                                                          |
| 855295                        | Additional drawer, 600mm (to set up a chest of 2, 3, 4 drawers)                               |
| 855298                        | Additional drawer GN 1/1, 400mm (to set up a chest of 2, 3, 4 drawers)                        |
| <b>Feet, wheels and ramps</b> |                                                                                               |
| 855150                        | Set of 4 wheels (2 with brake) d. 100mm for tables and sinks (total height on wheels= 993 mm) |
| <b>Installation solutions</b> |                                                                                               |
| 865386                        | Floor fastening kit for 2 square legs                                                         |
| <b>Shelves</b>                |                                                                                               |
| 855366                        | Lower shelf for 2600 mm tables and sinks                                                      |




## Recommended Detergents

| PNC Code | Description                                                                   |
|----------|-------------------------------------------------------------------------------|
| 0S2881   | S01 STAINLESS STEEL SURFACE POLISHER; 6 BOTTLES X 750ML C/T                   |
| 0S2883   | S03 ALCOHOL BASE DETERGENT; 6 BOTTLES X 750ML; ADR&IMDG&IATA Limited Quantity |
| 0S2884   | S04 GLASSES & HARD SURFACES CLEANERS; 6 BOTTLES X 750ML                       |
| 0S3257   | S05 - MULTIPURPOSE DEGREASER; 6PCS X 750ML; ADR&IMDG Limited Quantity         |

# Technical specifications

Key Information:

|                              |         |
|------------------------------|---------|
| External dimensions, Width:  | 2600 mm |
| External dimensions, Depth:  | 700 mm  |
| External dimensions, Height: | 1000 mm |
| Upstand Dimensions, Height:  | 100 mm  |
| Upstand Dimensions, Depth:   | 13 mm   |
| Upstand Dimensions, Radius:  | R=8     |
| Worktop thickness:           | 50 mm   |
| Net weight:                  | 91 kg   |



DO = Overflow drain pipe