

**640270 (VAP1214)**

304 stainless steel Wall Hood with double filters

Main Features

- Low noise level.
- External panels with upturned edges to avoid injuries.
- Prearranged for installation of lighting.
- Perimetral welded gutter with condensate drain (diam.= 3/8").

Construction

- Entirely constructed in 304 AISI stainless steel.
- Eyebolts and screw anchors for ceiling installation.
- Labyrinth filters guarantee constant filtration to avoid clogging and to protect against fire.
- 304 AISI stainless steel blind panels for a correct exhaustion.
- Outlet holes are sized in order to minimize drops in pressure.
- Internal baffle to facilitate steam condensation and collection.
- 304 AISI stainless steel labyrinth filters easily removable for cleaning.

Included Accessories

PNC Code	Description	Quantity
640050	304 Stainless steel labyrinth filter (h=350 mm)	3

Optional Accessories

PNC Code	Description
Lights and lamps	
644835	LED light for hoods 650mm
Other accessories	
644800	LED strip for hoods 650 mm

Recommended Detergents

PNC Code	Description
0S2881	S01 STAINLESS STEEL SURFACE POLISHER; 6 BOTTLES X 750ML C/T
0S2882	S02 DEGREASER 6pzx750ml - ADR&IMDG Limited Quantity
0S2883	S03 ALCOHOL BASE DETERGENT; 6 BOTTLES X 750ML; ADR&IMDG&IATA Limited Quantity
0S2884	S04 GLASSES & HARD SURFACES CLEANERS; 6 BOTTLES X 750ML
0S3257	S05 - MULTIPURPOSE DEGREASER; 6PCS X 750ML; ADR&IMDG Limited Quantity


Technical specifications

Key Information:


External dimensions, Width:	1200 mm
External dimensions, Depth:	1400 mm
External dimensions, Height:	500 mm
Net weight:	56 kg
Air Emission:	
Air capacity:	1800 mc/h

Front

cod. 640270



Side



Dimensioni in mm



Part of



**Electrolux
Professional
Group**

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

www.zanussiprofessional.com

2026/07/21

3/3